

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| United States | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 4,058,882 | 27,960 | 18,733 | 14,893 | 3,841 | 9,227 |
| RATE... | | 6.9 | 4.6 | 3.7 | .9 | 2.3 |
| LESS THAN 1,500 GRAMS....NUMBER... | 58,967 | 14,375 | 12,623 | 10,861 | 1,763 | 1,751 |
| RATE... | | 243.8 | 214.1 | 184.2 | 29.9 | 29.7 |
| LESS THAN 2,500 GRAMS....NUMBER... | 308,074 | 18,299 | 14,929 | 12,536 | 2,393 | 3,370 |
| RATE... | | 59.4 | 48.5 | 40.7 | 7.8 | 10.9 |
| LESS THAN 500 GRAMS.....NUMBER... | 6,406 | 5,420 | 5,306 | 5,147 | 159 | 114 |
| RATE... | | 846.1 | 828.3 | 803.4 | 24.8 | 17.8 |
| 500-749 GRAMS.....NUMBER... | 11,181 | 5,325 | 4,648 | 3,807 | 841 | 678 |
| RATE... | | 476.3 | 415.7 | 340.5 | 75.2 | 60.6 |
| 750-999 GRAMS.....NUMBER... | 11,942 | 1,861 | 1,413 | 972 | 441 | 448 |
| RATE... | | 155.8 | 118.3 | 81.4 | 36.9 | 37.5 |
| 1,000-1,249 GRAMS.....NUMBER... | 13,355 | 1,033 | 722 | 517 | 205 | 311 |
| RATE... | | 77.3 | 54.1 | 38.7 | 15.4 | 23.3 |
| 1,250-1,499 GRAMS.....NUMBER... | 15,926 | 726 | 526 | 412 | 115 | 200 |
| RATE... | | 45.6 | 33.0 | 25.8 | 7.2 | 12.6 |
| 1,500-1,999 GRAMS.....NUMBER... | 60,864 | 1,721 | 1,125 | 867 | 258 | 596 |
| RATE... | | 28.3 | 18.5 | 14.2 | 4.2 | 9.8 |
| 2,000-2,499 GRAMS.....NUMBER... | 188,400 | 2,212 | 1,189 | 815 | 374 | 1,023 |
| RATE... | | 11.7 | 6.3 | 4.3 | 2.0 | 5.4 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| United States | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 3,748,046 | 9,259 | 3,427 | 1,986 | 1,441 | 5,832 |
| RATE... | | 2.5 | .9 | .5 | .4 | 1.6 |
| 2,500-2,999 GRAMS.....NUMBER... | 671,080 | 3,064 | 1,274 | 749 | 525 | 1,790 |
| RATE... | | 4.6 | 1.9 | 1.1 | .8 | 2.7 |
| 3,000-3,499 GRAMS.....NUMBER... | 1,510,754 | 3,600 | 1,237 | 696 | 541 | 2,363 |
| RATE... | | 2.4 | .8 | .5 | .4 | 1.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 1,164,773 | 1,943 | 648 | 371 | 277 | 1,295 |
| RATE... | | 1.7 | .6 | .3 | .2 | 1.1 |
| 4,000-4,499 GRAMS.....NUMBER... | 340,467 | 502 | 187 | 106 | 81 | 315 |
| RATE... | | 1.5 | .5 | .3 | .2 | .9 |
| 4,500-4,999 GRAMS.....NUMBER... | 54,764 | 112 | 55 | 42 | 13 | 57 |
| RATE... | | 2.0 | 1.0 | .8 | * | 1.0 |
| 5,000 GRAMS OR MORE.....NUMBER... | 6,208 | 38 | 26 | 22 | 4 | 11 |
| RATE... | | 6.1 | 4.3 | 3.6 | * | * |
| NOT STATED.....NUMBER... | 2,762 | 403 | 378 | 371 | 7 | 25 |
| RATE... | | 146.0 | 136.8 | 134.2 | * | 9.2 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| United States | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 3,194,049 | 18,246 | 12,179 | 9,614 | 2,565 | 6,067 |
| RATE... | | 5.7 | 3.8 | 3.0 | .8 | 1.9 |
| LESS THAN 1,500 GRAMS....NUMBER... | 36,933 | 8,575 | 7,628 | 6,584 | 1,043 | 947 |
| RATE... | | 232.2 | 206.5 | 178.3 | 28.3 | 25.6 |
| LESS THAN 2,500 GRAMS....NUMBER... | 209,477 | 11,326 | 9,348 | 7,862 | 1,486 | 1,979 |
| RATE... | | 54.1 | 44.6 | 37.5 | 7.1 | 9.4 |
| LESS THAN 500 GRAMS.....NUMBER... | 3,523 | 2,998 | 2,939 | 2,849 | 90 | 58 |
| RATE... | | 850.9 | 834.3 | 808.8 | 25.5 | 16.6 |
| 500-749 GRAMS.....NUMBER... | 6,590 | 3,222 | 2,877 | 2,394 | 484 | 345 |
| RATE... | | 488.9 | 436.6 | 363.3 | 73.4 | 52.3 |
| 750-999 GRAMS.....NUMBER... | 7,326 | 1,179 | 934 | 662 | 272 | 245 |
| RATE... | | 160.9 | 127.4 | 90.4 | 37.1 | 33.4 |
| 1,000-1,249 GRAMS.....NUMBER... | 8,678 | 695 | 514 | 378 | 136 | 181 |
| RATE... | | 80.1 | 59.2 | 43.6 | 15.7 | 20.8 |
| 1,250-1,499 GRAMS.....NUMBER... | 10,711 | 475 | 357 | 297 | 60 | 118 |
| RATE... | | 44.4 | 33.3 | 27.7 | 5.6 | 11.0 |
| 1,500-1,999 GRAMS.....NUMBER... | 41,894 | 1,191 | 827 | 653 | 173 | 364 |
| RATE... | | 28.4 | 19.7 | 15.6 | 4.1 | 8.7 |
| 2,000-2,499 GRAMS.....NUMBER... | 130,755 | 1,567 | 899 | 628 | 271 | 667 |
| RATE... | | 12.0 | 6.9 | 4.8 | 2.1 | 5.1 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| United States | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 2,982,366 | 6,672 | 2,602 | 1,529 | 1,073 | 4,069 |
| RATE... | | 2.2 | .9 | .5 | .4 | 1.4 |
| 2,500-2,999 GRAMS.....NUMBER... | 479,038 | 2,105 | 948 | 574 | 373 | 1,158 |
| RATE... | | 4.4 | 2.0 | 1.2 | .8 | 2.4 |
| 3,000-3,499 GRAMS.....NUMBER... | 1,174,842 | 2,571 | 924 | 527 | 396 | 1,647 |
| RATE... | | 2.2 | .8 | .4 | .3 | 1.4 |
| 3,500-3,999 GRAMS.....NUMBER... | 977,221 | 1,479 | 514 | 296 | 218 | 965 |
| RATE... | | 1.5 | .5 | .3 | .2 | 1.0 |
| 4,000-4,499 GRAMS.....NUMBER... | 297,564 | 401 | 153 | 81 | 72 | 248 |
| RATE... | | 1.3 | .5 | .3 | .2 | .8 |
| 4,500-4,999 GRAMS.....NUMBER... | 48,344 | 86 | 44 | 34 | 10 | 42 |
| RATE... | | 1.8 | .9 | .7 | * | .9 |
| 5,000 GRAMS OR MORE.....NUMBER... | 5,357 | 29 | 20 | 16 | 4 | 9 |
| RATE... | | 5.5 | 3.8 | * | * | * |
| NOT STATED.....NUMBER... | 2,206 | 248 | 229 | 223 | 6 | 19 |
| RATE... | | 112.6 | 103.8 | 101.1 | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| United States | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 622,621 | 8,391 | 5,684 | 4,582 | 1,102 | 2,707 |
| RATE... | | 13.5 | 9.1 | 7.4 | 1.8 | 4.3 |
| LESS THAN 1,500 GRAMS....NUMBER... | 19,413 | 5,170 | 4,429 | 3,795 | 635 | 741 |
| RATE... | | 266.3 | 228.2 | 195.5 | 32.7 | 38.2 |
| LESS THAN 2,500 GRAMS....NUMBER... | 81,116 | 6,145 | 4,898 | 4,099 | 799 | 1,248 |
| RATE... | | 75.8 | 60.4 | 50.5 | 9.8 | 15.4 |
| LESS THAN 500 GRAMS.....NUMBER... | 2,624 | 2,196 | 2,145 | 2,084 | 60 | 51 |
| RATE... | | 836.8 | 817.3 | 794.3 | 23.0 | 19.6 |
| 500-749 GRAMS.....NUMBER... | 4,158 | 1,906 | 1,592 | 1,262 | 330 | 314 |
| RATE... | | 458.4 | 382.8 | 303.5 | 79.3 | 75.5 |
| 750-999 GRAMS.....NUMBER... | 4,067 | 576 | 391 | 248 | 143 | 185 |
| RATE... | | 141.7 | 96.2 | 61.0 | 35.1 | 45.6 |
| 1,000-1,249 GRAMS.....NUMBER... | 4,060 | 291 | 171 | 113 | 58 | 120 |
| RATE... | | 71.7 | 42.2 | 27.8 | 14.4 | 29.5 |
| 1,250-1,499 GRAMS.....NUMBER... | 4,460 | 200 | 130 | 86 | 43 | 71 |
| RATE... | | 44.9 | 29.0 | 19.3 | 9.7 | 15.8 |
| 1,500-1,999 GRAMS.....NUMBER... | 15,762 | 439 | 238 | 161 | 77 | 202 |
| RATE... | | 27.9 | 15.1 | 10.2 | 4.9 | 12.8 |
| 2,000-2,499 GRAMS.....NUMBER... | 45,985 | 536 | 231 | 144 | 88 | 305 |
| RATE... | | 11.7 | 5.0 | 3.1 | 1.9 | 6.6 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| United States | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 541,244 | 2,116 | 661 | 358 | 303 | 1,455 |
| RATE... | | 3.9 | 1.2 | .7 | .6 | 2.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 142,917 | 806 | 265 | 143 | 122 | 541 |
| RATE... | | 5.6 | 1.9 | 1.0 | .9 | 3.8 |
| 3,000-3,499 GRAMS.....NUMBER... | 236,517 | 855 | 249 | 128 | 122 | 606 |
| RATE... | | 3.6 | 1.1 | .5 | .5 | 2.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 128,202 | 363 | 106 | 56 | 50 | 257 |
| RATE... | | 2.8 | .8 | .4 | .4 | 2.0 |
| 4,000-4,499 GRAMS.....NUMBER... | 28,757 | 69 | 27 | 20 | 7 | 41 |
| RATE... | | 2.4 | 1.0 | .7 | * | 1.4 |
| 4,500-4,999 GRAMS.....NUMBER... | 4,308 | 18 | 9 | 7 | 2 | 9 |
| RATE... | | * | * | * | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 543 | 5 | 4 | 4 | - | 1 |
| RATE... | | * | * | * | - | * |
| NOT STATED.....NUMBER... | 261 | 129 | 125 | 125 | - | 4 |
| RATE... | | 495.0 | 479.4 | 479.4 | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| United States | | | | | | |
| AMERICAN INDIAN 2/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 41,668 | 346 | 183 | 143 | 40 | 164 |
| RATE... | | 8.3 | 4.4 | 3.4 | .9 | 3.9 |
| LESS THAN 1,500 GRAMS....NUMBER... | 494 | 132 | 116 | 98 | 18 | 16 |
| RATE... | | 266.8 | 234.9 | 197.9 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,825 | 176 | 140 | 118 | 22 | 36 |
| RATE... | | 62.4 | 49.5 | 41.6 | 7.9 | 12.8 |
| LESS THAN 500 GRAMS.....NUMBER... | 49 | 44 | 44 | 42 | 2 | - |
| RATE... | | 894.7 | 894.7 | 853.4 | * | - |
| 500-749 GRAMS.....NUMBER... | 77 | 35 | 33 | 30 | 3 | 2 |
| RATE... | | 450.2 | 424.0 | 384.5 | * | * |
| 750-999 GRAMS.....NUMBER... | 112 | 32 | 26 | 16 | 10 | 5 |
| RATE... | | 283.5 | 235.3 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 107 | 12 | 9 | 6 | 3 | 3 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 148 | 8 | 4 | 4 | - | 4 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 607 | 18 | 10 | 9 | 1 | 8 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,725 | 27 | 14 | 11 | 3 | 13 |
| RATE... | | 15.7 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| United States | | | | | | |
| AMERICAN INDIAN 2/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 38,813 | 166 | 40 | 23 | 17 | 126 |
| RATE... | | 4.3 | 1.0 | .6 | * | 3.3 |
| 2,500-2,999 GRAMS.....NUMBER... | 6,346 | 39 | 10 | 5 | 5 | 29 |
| RATE... | | 6.1 | * | * | * | 4.5 |
| 3,000-3,499 GRAMS.....NUMBER... | 14,957 | 71 | 21 | 12 | 9 | 49 |
| RATE... | | 4.7 | 1.4 | * | * | 3.3 |
| 3,500-3,999 GRAMS.....NUMBER... | 12,579 | 38 | 5 | 3 | 2 | 33 |
| RATE... | | 3.0 | * | * | * | 2.6 |
| 4,000-4,499 GRAMS.....NUMBER... | 4,029 | 14 | 2 | 1 | 1 | 12 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 794 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 108 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| NOT STATED.....NUMBER... | 30 | 4 | 3 | 3 | - | 1 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| United States | | | | | | |
| ASIAN OR PACIFIC ISLANDER | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 200,544 | 977 | 688 | 553 | 135 | 289 |
| RATE... | | 4.9 | 3.4 | 2.8 | .7 | 1.4 |
| LESS THAN 1,500 GRAMS....NUMBER... | 2,127 | 498 | 450 | 384 | 66 | 47 |
| RATE... | | 234.0 | 211.7 | 180.4 | 31.2 | 22.3 |
| LESS THAN 2,500 GRAMS....NUMBER... | 14,656 | 651 | 544 | 458 | 85 | 107 |
| RATE... | | 44.4 | 37.1 | 31.3 | 5.8 | 7.3 |
| LESS THAN 500 GRAMS.....NUMBER... | 210 | 182 | 178 | 171 | 7 | 4 |
| RATE... | | 868.8 | 849.7 | 816.1 | * | * |
| 500-749 GRAMS.....NUMBER... | 356 | 163 | 146 | 121 | 24 | 17 |
| RATE... | | 457.3 | 409.0 | 341.1 | 67.9 | * |
| 750-999 GRAMS.....NUMBER... | 437 | 74 | 62 | 46 | 16 | 12 |
| RATE... | | 169.9 | 142.2 | 105.4 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 510 | 35 | 27 | 19 | 8 | 7 |
| RATE... | | 67.7 | 53.8 | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 607 | 43 | 36 | 25 | 11 | 7 |
| RATE... | | 70.3 | 58.6 | 40.5 | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 2,601 | 72 | 50 | 43 | 7 | 22 |
| RATE... | | 27.7 | 19.2 | 16.5 | * | 8.6 |
| 2,000-2,499 GRAMS.....NUMBER... | 9,935 | 82 | 45 | 33 | 12 | 37 |
| RATE... | | 8.3 | 4.5 | 3.3 | * | 3.8 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| United States | | | | | | |
| ASIAN OR PACIFIC ISLANDER | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 185,623 | 305 | 124 | 76 | 48 | 181 |
| RATE... | | 1.6 | .7 | .4 | .3 | 1.0 |
| 2,500-2,999 GRAMS.....NUMBER... | 42,779 | 114 | 52 | 26 | 25 | 63 |
| RATE... | | 2.7 | 1.2 | .6 | .6 | 1.5 |
| 3,000-3,499 GRAMS.....NUMBER... | 84,438 | 103 | 43 | 29 | 14 | 61 |
| RATE... | | 1.2 | .5 | .3 | * | .7 |
| 3,500-3,999 GRAMS.....NUMBER... | 46,771 | 62 | 22 | 15 | 7 | 40 |
| RATE... | | 1.3 | .5 | * | * | .8 |
| 4,000-4,499 GRAMS.....NUMBER... | 10,117 | 18 | 4 | 3 | 1 | 14 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,318 | 6 | 2 | 1 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 200 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 265 | 21 | 20 | 19 | 1 | 1 |
| RATE... | | 81.0 | 77.1 | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Alabama | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 63,299 | 602 | 372 | 287 | 85 | 230 |
| RATE... | | 9.5 | 5.9 | 4.5 | 1.3 | 3.6 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,286 | 320 | 270 | 222 | 48 | 50 |
| RATE... | | 248.8 | 210.0 | 172.6 | 37.3 | 38.9 |
| LESS THAN 2,500 GRAMS....NUMBER... | 6,183 | 398 | 308 | 250 | 58 | 90 |
| RATE... | | 64.4 | 49.8 | 40.4 | 9.4 | 14.6 |
| LESS THAN 500 GRAMS.....NUMBER... | 151 | 130 | 124 | 116 | 8 | 6 |
| RATE... | | 860.9 | 821.2 | 768.2 | * | * |
| 500-749 GRAMS.....NUMBER... | 246 | 122 | 102 | 77 | 25 | 20 |
| RATE... | | 495.9 | 414.6 | 313.0 | 101.6 | 81.3 |
| 750-999 GRAMS.....NUMBER... | 263 | 37 | 23 | 15 | 8 | 14 |
| RATE... | | 140.7 | 87.5 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 289 | 19 | 13 | 8 | 5 | 6 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 335 | 12 | 8 | 6 | 2 | 4 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,258 | 40 | 20 | 16 | 4 | 20 |
| RATE... | | 31.8 | 15.9 | * | * | 15.9 |
| 2,000-2,499 GRAMS.....NUMBER... | 3,641 | 38 | 18 | 12 | 6 | 20 |
| RATE... | | 10.4 | * | * | * | 5.5 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Alabama | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 57,106 | 199 | 59 | 32 | 27 | 140 |
| RATE... | | 3.5 | 1.0 | .6 | .5 | 2.5 |
| 2,500-2,999 GRAMS.....NUMBER... | 12,244 | 73 | 26 | 12 | 14 | 47 |
| RATE... | | 6.0 | 2.1 | * | * | 3.8 |
| 3,000-3,499 GRAMS.....NUMBER... | 23,698 | 78 | 19 | 13 | 6 | 59 |
| RATE... | | 3.3 | * | * | * | 2.5 |
| 3,500-3,999 GRAMS.....NUMBER... | 16,107 | 43 | 14 | 7 | 7 | 29 |
| RATE... | | 2.7 | * | * | * | 1.8 |
| 4,000-4,499 GRAMS.....NUMBER... | 4,343 | 3 | - | - | - | 3 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 646 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 68 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| NOT STATED.....NUMBER... | 10 | 5 | 5 | 5 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Alabama | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 42,061 | 281 | 166 | 123 | 43 | 115 |
| RATE... | | 6.7 | 3.9 | 2.9 | 1.0 | 2.7 |
| LESS THAN 1,500 GRAMS....NUMBER... | 573 | 128 | 111 | 91 | 20 | 17 |
| RATE... | | 223.4 | 193.7 | 158.8 | 34.9 | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 3,260 | 172 | 134 | 108 | 26 | 38 |
| RATE... | | 52.8 | 41.1 | 33.1 | 8.0 | 11.7 |
| LESS THAN 500 GRAMS.....NUMBER... | 47 | 38 | 38 | 34 | 4 | - |
| RATE... | | 808.5 | 808.5 | 723.4 | * | - |
| 500-749 GRAMS.....NUMBER... | 114 | 57 | 49 | 39 | 10 | 8 |
| RATE... | | 500.0 | 429.8 | 342.1 | * | * |
| 750-999 GRAMS.....NUMBER... | 107 | 17 | 12 | 9 | 3 | 5 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 131 | 8 | 6 | 4 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 172 | 8 | 6 | 5 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 665 | 22 | 12 | 9 | 3 | 10 |
| RATE... | | 33.1 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,024 | 22 | 11 | 8 | 3 | 11 |
| RATE... | | 10.9 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Alabama | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 38,796 | 108 | 31 | 14 | 17 | 77 |
| RATE... | | 2.8 | .8 | * | * | 2.0 |
| 2,500-2,999 GRAMS.....NUMBER... | 6,969 | 36 | 13 | 4 | 9 | 23 |
| RATE... | | 5.2 | * | * | * | 3.3 |
| 3,000-3,499 GRAMS.....NUMBER... | 15,617 | 44 | 10 | 6 | 4 | 34 |
| RATE... | | 2.8 | * | * | * | 2.2 |
| 3,500-3,999 GRAMS.....NUMBER... | 12,130 | 24 | 8 | 4 | 4 | 16 |
| RATE... | | 2.0 | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 3,493 | 3 | - | - | - | 3 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 534 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 53 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 5 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Alabama | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 20,512 | 317 | 205 | 163 | 42 | 112 |
| RATE... | | 15.5 | 10.0 | 7.9 | 2.0 | 5.5 |
| LESS THAN 1,500 GRAMS....NUMBER... | 706 | 191 | 158 | 130 | 28 | 33 |
| RATE... | | 270.5 | 223.8 | 184.1 | 39.7 | 46.7 |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,872 | 224 | 173 | 141 | 32 | 51 |
| RATE... | | 78.0 | 60.2 | 49.1 | 11.1 | 17.8 |
| LESS THAN 500 GRAMS.....NUMBER... | 103 | 91 | 85 | 81 | 4 | 6 |
| RATE... | | 883.5 | 825.2 | 786.4 | * | * |
| 500-749 GRAMS.....NUMBER... | 129 | 65 | 53 | 38 | 15 | 12 |
| RATE... | | 503.9 | 410.9 | 294.6 | * | * |
| 750-999 GRAMS.....NUMBER... | 154 | 20 | 11 | 6 | 5 | 9 |
| RATE... | | 129.9 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 157 | 11 | 7 | 4 | 3 | 4 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 163 | 4 | 2 | 1 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 592 | 18 | 8 | 7 | 1 | 10 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,574 | 15 | 7 | 4 | 3 | 8 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Alabama | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 17,635 | 89 | 28 | 18 | 10 | 61 |
| RATE... | | 5.0 | 1.6 | * | * | 3.5 |
| 2,500-2,999 GRAMS.....NUMBER... | 5,120 | 37 | 13 | 8 | 5 | 24 |
| RATE... | | 7.2 | * | * | * | 4.7 |
| 3,000-3,499 GRAMS.....NUMBER... | 7,785 | 32 | 9 | 7 | 2 | 23 |
| RATE... | | 4.1 | * | * | * | 3.0 |
| 3,500-3,999 GRAMS.....NUMBER... | 3,790 | 19 | 6 | 3 | 3 | 13 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 817 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 108 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 15 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| NOT STATED.....NUMBER... | 5 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Alaska | | | | | | |
| ALL RACES 1/ | | | | | | |
| - | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 9,974 | 69 | 36 | 26 | 10 | 33 |
| RATE... | | 6.9 | 3.6 | 2.6 | * | 3.3 |
| LESS THAN 1,500 GRAMS....NUMBER... | 85 | 16 | 13 | 12 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 564 | 25 | 19 | 16 | 3 | 6 |
| RATE... | | 44.3 | * | * | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 4 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 500-749 GRAMS.....NUMBER... | 18 | 8 | 6 | 6 | - | 2 |
| RATE... | | * | * | * | - | * |
| 750-999 GRAMS.....NUMBER... | 20 | 5 | 4 | 3 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 16 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 27 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 146 | 4 | 4 | 3 | 1 | - |
| RATE... | | * | * | * | * | - |
| 2,000-2,499 GRAMS.....NUMBER... | 333 | 5 | 2 | 1 | 1 | 3 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Alaska | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 9,406 | 42 | 16 | 9 | 7 | 26 |
| RATE... | | 4.5 | * | * | * | 2.8 |
| 2,500-2,999 GRAMS.....NUMBER... | 1,190 | 14 | 9 | 5 | 4 | 5 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 3,305 | 10 | 4 | 1 | 3 | 6 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 3,390 | 10 | 1 | 1 | - | 9 |
| RATE... | | * | * | * | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,255 | 5 | 1 | 1 | - | 4 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 238 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 28 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 4 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Alaska | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 6,364 | 37 | 20 | 12 | 8 | 17 |
| RATE... | | 5.8 | 3.1 | * | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 39 | 8 | 5 | 5 | - | 3 |
| RATE... | | * | * | * | - | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 314 | 13 | 9 | 7 | 2 | 4 |
| RATE... | | * | * | * | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 500-749 GRAMS.....NUMBER... | 7 | 4 | 2 | 2 | - | 2 |
| RATE... | | * | * | * | - | * |
| 750-999 GRAMS.....NUMBER... | 11 | 3 | 2 | 2 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,000-1,249 GRAMS.....NUMBER... | 8 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 12 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 79 | 3 | 3 | 2 | 1 | - |
| RATE... | | * | * | * | * | - |
| 2,000-2,499 GRAMS.....NUMBER... | 196 | 2 | 1 | - | 1 | 1 |
| RATE... | | * | * | - | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Alaska | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 6,046 | 22 | 10 | 4 | 6 | 12 |
| RATE... | | 3.6 | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 747 | 7 | 5 | 2 | 3 | 2 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 2,168 | 7 | 3 | - | 3 | 4 |
| RATE... | | * | * | - | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 2,195 | 5 | 1 | 1 | - | 4 |
| RATE... | | * | * | * | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 785 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 135 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 16 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 4 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Alaska | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 462 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 12 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 2,500 GRAMS....NUMBER... | 55 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| LESS THAN 500 GRAMS.....NUMBER... | 3 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 500-749 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 750-999 GRAMS.....NUMBER... | 2 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 2 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 5 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 17 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 26 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Alaska | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 407 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,500-2,999 GRAMS.....NUMBER... | 86 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,000-3,499 GRAMS.....NUMBER... | 170 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,500-3,999 GRAMS.....NUMBER... | 111 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,000-4,499 GRAMS.....NUMBER... | 32 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 8 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Arizona | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 85,273 | 576 | 368 | 280 | 88 | 207 |
| RATE... | | 6.8 | 4.3 | 3.3 | 1.0 | 2.4 |
| LESS THAN 1,500 GRAMS....NUMBER... | 988 | 234 | 205 | 167 | 37 | 29 |
| RATE... | | 237.0 | 207.3 | 169.4 | 37.9 | 29.6 |
| LESS THAN 2,500 GRAMS....NUMBER... | 5,992 | 342 | 278 | 226 | 52 | 65 |
| RATE... | | 57.1 | 46.3 | 37.7 | 8.6 | 10.8 |
| LESS THAN 500 GRAMS.....NUMBER... | 89 | 83 | 80 | 77 | 3 | 3 |
| RATE... | | 928.5 | 894.5 | 860.4 | * | * |
| 500-749 GRAMS.....NUMBER... | 149 | 77 | 70 | 50 | 19 | 7 |
| RATE... | | 515.1 | 467.6 | 338.6 | * | * |
| 750-999 GRAMS.....NUMBER... | 192 | 33 | 25 | 17 | 8 | 8 |
| RATE... | | 173.9 | 131.8 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 265 | 26 | 19 | 13 | 6 | 7 |
| RATE... | | 99.0 | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 290 | 15 | 11 | 10 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,153 | 47 | 34 | 27 | 7 | 13 |
| RATE... | | 41.1 | 29.7 | 23.6 | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 3,854 | 61 | 38 | 31 | 7 | 22 |
| RATE... | | 15.7 | 10.0 | 8.1 | * | 5.8 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Arizona | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 79,260 | 225 | 83 | 46 | 36 | 143 |
| RATE... | | 2.8 | 1.0 | .6 | .5 | 1.8 |
| 2,500-2,999 GRAMS.....NUMBER... | 14,325 | 77 | 30 | 17 | 13 | 47 |
| RATE... | | 5.4 | 2.1 | * | * | 3.2 |
| 3,000-3,499 GRAMS.....NUMBER... | 33,257 | 86 | 32 | 19 | 13 | 54 |
| RATE... | | 2.6 | 1.0 | * | * | 1.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 24,159 | 53 | 17 | 7 | 10 | 35 |
| RATE... | | 2.2 | * | * | * | 1.5 |
| 4,000-4,499 GRAMS.....NUMBER... | 6,485 | 9 | 2 | 2 | - | 7 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 931 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 103 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 21 | 8 | 8 | 8 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Arizona | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 74,760 | 476 | 310 | 238 | 72 | 167 |
| RATE... | | 6.4 | 4.1 | 3.2 | 1.0 | 2.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 823 | 198 | 172 | 139 | 33 | 25 |
| RATE... | | 240.2 | 209.5 | 168.9 | 40.6 | 30.7 |
| LESS THAN 2,500 GRAMS....NUMBER... | 5,105 | 289 | 235 | 189 | 46 | 55 |
| RATE... | | 56.7 | 46.0 | 37.1 | 8.9 | 10.7 |
| LESS THAN 500 GRAMS.....NUMBER... | 75 | 70 | 67 | 63 | 3 | 3 |
| RATE... | | 927.2 | 886.8 | 846.4 | * | * |
| 500-749 GRAMS.....NUMBER... | 121 | 64 | 57 | 41 | 16 | 6 |
| RATE... | | 525.1 | 475.1 | 341.3 | * | * |
| 750-999 GRAMS.....NUMBER... | 157 | 25 | 20 | 12 | 8 | 5 |
| RATE... | | 160.7 | 128.5 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 228 | 25 | 18 | 13 | 5 | 7 |
| RATE... | | 110.6 | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 239 | 14 | 10 | 9 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 977 | 37 | 29 | 22 | 7 | 8 |
| RATE... | | 38.2 | 29.9 | 22.7 | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 3,308 | 54 | 33 | 28 | 5 | 21 |
| RATE... | | 16.5 | 10.1 | 8.5 | * | 6.4 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Arizona | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 69,638 | 180 | 68 | 41 | 26 | 112 |
| RATE... | | 2.6 | 1.0 | .6 | .4 | 1.6 |
| 2,500-2,999 GRAMS.....NUMBER... | 12,257 | 60 | 25 | 15 | 10 | 34 |
| RATE... | | 4.9 | 2.1 | * | * | 2.8 |
| 3,000-3,499 GRAMS.....NUMBER... | 29,164 | 66 | 24 | 16 | 8 | 41 |
| RATE... | | 2.3 | .8 | * | * | 1.4 |
| 3,500-3,999 GRAMS.....NUMBER... | 21,521 | 46 | 15 | 7 | 8 | 31 |
| RATE... | | 2.2 | * | * | * | 1.5 |
| 4,000-4,499 GRAMS.....NUMBER... | 5,794 | 7 | 2 | 2 | - | 5 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 810 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 92 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 17 | 7 | 7 | 7 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Arizona | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 2,787 | 42 | 24 | 17 | 7 | 18 |
| RATE... | | 15.2 | 8.7 | * | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 68 | 17 | 13 | 12 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 358 | 26 | 18 | 15 | 3 | 8 |
| RATE... | | 73.2 | * | * | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 9 | 8 | 8 | 8 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 15 | 6 | 5 | 4 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 12 | 3 | - | - | - | 3 |
| RATE... | | * | - | - | - | * |
| 1,000-1,249 GRAMS.....NUMBER... | 13 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 19 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 61 | 6 | 2 | 2 | - | 4 |
| RATE... | | * | * | * | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 229 | 3 | 3 | 1 | 2 | - |
| RATE... | | * | * | * | * | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Arizona | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... RATE... | 2,426 | 15 * | 5 * | 1 * | 4 * | 10 * |
| 2,500-2,999 GRAMS.....NUMBER... RATE... | 695 | 5 * | 1 * | - - | 1 * | 4 * |
| 3,000-3,499 GRAMS.....NUMBER... RATE... | 1,068 | 9 * | 4 * | 1 * | 3 * | 5 * |
| 3,500-3,999 GRAMS.....NUMBER... RATE... | 524 | - - | - - | - - | - - | - - |
| 4,000-4,499 GRAMS.....NUMBER... RATE... | 119 | 1 * | - - | - - | - - | 1 * |
| 4,500-4,999 GRAMS.....NUMBER... RATE... | 19 | - - | - - | - - | - - | - - |
| 5,000 GRAMS OR MORE.....NUMBER... RATE... | 1 | - - | - - | - - | - - | - - |
| NOT STATED.....NUMBER... RATE... | 3 | 1 * | 1 * | 1 * | - - | - - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Arkansas | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 37,783 | 311 | 180 | 141 | 39 | 130 |
| RATE... | | 8.2 | 4.8 | 3.7 | 1.0 | 3.4 |
| LESS THAN 1,500 GRAMS....NUMBER... | 595 | 136 | 120 | 104 | 16 | 15 |
| RATE... | | 227.8 | 202.1 | 175.2 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 3,243 | 179 | 143 | 121 | 22 | 36 |
| RATE... | | 55.2 | 44.2 | 37.4 | 6.8 | 11.0 |
| LESS THAN 500 GRAMS.....NUMBER... | 68 | 53 | 53 | 51 | 2 | - |
| RATE... | | 779.4 | 779.4 | 750.0 | * | - |
| 500-749 GRAMS.....NUMBER... | 106 | 47 | 40 | 33 | 7 | 7 |
| RATE... | | 445.2 | 377.9 | 311.8 | * | * |
| 750-999 GRAMS.....NUMBER... | 128 | 20 | 19 | 14 | 5 | 1 |
| RATE... | | 157.4 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 133 | 9 | 4 | 2 | 2 | 5 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 159 | 6 | 4 | 4 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 650 | 22 | 15 | 11 | 4 | 7 |
| RATE... | | 34.1 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,999 | 21 | 8 | 6 | 2 | 13 |
| RATE... | | 10.7 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Arkansas | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 34,528 | 131 | 37 | 20 | 17 | 94 |
| RATE... | | 3.8 | 1.1 | .6 | * | 2.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 6,959 | 45 | 17 | 11 | 6 | 28 |
| RATE... | | 6.4 | * | * | * | 4.0 |
| 3,000-3,499 GRAMS.....NUMBER... | 14,204 | 48 | 9 | 4 | 5 | 39 |
| RATE... | | 3.4 | * | * | * | 2.7 |
| 3,500-3,999 GRAMS.....NUMBER... | 10,105 | 30 | 8 | 3 | 5 | 22 |
| RATE... | | 2.9 | * | * | * | 2.1 |
| 4,000-4,499 GRAMS.....NUMBER... | 2,745 | 8 | 3 | 2 | 1 | 5 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 458 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 57 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| NOT STATED.....NUMBER... | 12 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Arkansas | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 29,071 | 209 | 111 | 86 | 25 | 97 |
| RATE... | | 7.2 | 3.8 | 3.0 | .9 | 3.3 |
| LESS THAN 1,500 GRAMS....NUMBER... | 346 | 77 | 69 | 59 | 10 | 8 |
| RATE... | | 223.7 | 200.1 | 171.2 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,082 | 102 | 83 | 71 | 12 | 18 |
| RATE... | | 48.8 | 40.0 | 34.2 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 25 | 20 | 20 | 19 | 1 | - |
| RATE... | | 800.0 | 800.0 | * | * | - |
| 500-749 GRAMS.....NUMBER... | 66 | 34 | 30 | 26 | 4 | 4 |
| RATE... | | 517.1 | 455.4 | 394.7 | * | * |
| 750-999 GRAMS.....NUMBER... | 72 | 15 | 14 | 11 | 3 | 1 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 79 | 5 | 3 | 1 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 103 | 3 | 2 | 2 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 432 | 12 | 8 | 7 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,305 | 12 | 6 | 5 | 1 | 6 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Arkansas | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 26,979 | 107 | 28 | 15 | 13 | 79 |
| RATE... | | 4.0 | 1.0 | * | * | 2.9 |
| 2,500-2,999 GRAMS.....NUMBER... | 4,780 | 34 | 13 | 9 | 4 | 20 |
| RATE... | | 7.0 | * | * | * | 4.3 |
| 3,000-3,499 GRAMS.....NUMBER... | 10,808 | 40 | 7 | 4 | 3 | 33 |
| RATE... | | 3.7 | * | * | * | 3.0 |
| 3,500-3,999 GRAMS.....NUMBER... | 8,520 | 29 | 7 | 2 | 5 | 22 |
| RATE... | | 3.3 | * | * | * | 2.5 |
| 4,000-4,499 GRAMS.....NUMBER... | 2,420 | 4 | 1 | - | 1 | 3 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 399 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 52 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| NOT STATED.....NUMBER... | 10 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Arkansas | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 7,969 | 100 | 69 | 55 | 14 | 31 |
| RATE... | | 12.5 | 8.7 | 6.9 | * | 3.9 |
| LESS THAN 1,500 GRAMS....NUMBER... | 242 | 57 | 51 | 45 | 6 | 6 |
| RATE... | | 236.0 | 210.7 | 186.0 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 1,100 | 75 | 60 | 50 | 10 | 15 |
| RATE... | | 68.5 | 54.6 | 45.5 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 42 | 33 | 33 | 32 | 1 | - |
| RATE... | | 785.7 | 785.7 | 761.9 | * | - |
| 500-749 GRAMS.....NUMBER... | 40 | 12 | 10 | 7 | 3 | 2 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 53 | 5 | 5 | 3 | 2 | - |
| RATE... | | * | * | * | * | - |
| 1,000-1,249 GRAMS.....NUMBER... | 52 | 4 | 1 | 1 | - | 3 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 55 | 3 | 2 | 2 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 208 | 10 | 7 | 4 | 3 | 3 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 650 | 8 | 2 | 1 | 1 | 6 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Arkansas | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 6,868 | 24 | 9 | 5 | 4 | 15 |
| RATE... | | 3.6 | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 2,022 | 11 | 4 | 2 | 2 | 7 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 3,087 | 8 | 2 | - | 2 | 6 |
| RATE... | | * | * | - | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 1,422 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 4,000-4,499 GRAMS.....NUMBER... | 283 | 4 | 2 | 2 | - | 2 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 49 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 5 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| California | | | | | | |
| ALL RACES 1/ — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 531,971 | 2,882 | 1,957 | 1,542 | 415 | 925 |
| RATE... | | 5.4 | 3.7 | 2.9 | .8 | 1.7 |
| LESS THAN 1,500 GRAMS....NUMBER... | 6,113 | 1,408 | 1,260 | 1,093 | 167 | 148 |
| RATE... | | 230.3 | 206.0 | 178.8 | 27.3 | 24.3 |
| LESS THAN 2,500 GRAMS....NUMBER... | 32,954 | 1,833 | 1,521 | 1,284 | 237 | 312 |
| RATE... | | 55.6 | 46.1 | 38.9 | 7.2 | 9.5 |
| LESS THAN 500 GRAMS.....NUMBER... | 649 | 540 | 532 | 525 | 7 | 8 |
| RATE... | | 831.8 | 819.3 | 808.5 | * | * |
| 500-749 GRAMS.....NUMBER... | 1,077 | 488 | 436 | 363 | 73 | 52 |
| RATE... | | 452.8 | 405.0 | 336.9 | 68.1 | 47.8 |
| 750-999 GRAMS.....NUMBER... | 1,247 | 187 | 153 | 108 | 45 | 33 |
| RATE... | | 149.8 | 123.1 | 86.8 | 36.3 | 26.7 |
| 1,000-1,249 GRAMS.....NUMBER... | 1,365 | 110 | 75 | 54 | 21 | 35 |
| RATE... | | 80.6 | 54.7 | 39.3 | 15.5 | 25.9 |
| 1,250-1,499 GRAMS.....NUMBER... | 1,757 | 82 | 61 | 43 | 18 | 20 |
| RATE... | | 46.4 | 34.9 | 24.6 | * | 11.5 |
| 1,500-1,999 GRAMS.....NUMBER... | 6,467 | 187 | 128 | 101 | 27 | 59 |
| RATE... | | 28.9 | 19.8 | 15.6 | 4.2 | 9.1 |
| 2,000-2,499 GRAMS.....NUMBER... | 20,392 | 240 | 135 | 90 | 45 | 105 |
| RATE... | | 11.8 | 6.6 | 4.4 | 2.2 | 5.2 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| California | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 498,997 | 1,040 | 427 | 250 | 178 | 613 |
| RATE... | | 2.1 | .9 | .5 | .4 | 1.2 |
| 2,500-2,999 GRAMS.....NUMBER... | 81,060 | 335 | 159 | 92 | 67 | 176 |
| RATE... | | 4.1 | 2.0 | 1.1 | .8 | 2.2 |
| 3,000-3,499 GRAMS.....NUMBER... | 200,213 | 394 | 154 | 88 | 66 | 240 |
| RATE... | | 2.0 | .8 | .4 | .3 | 1.2 |
| 3,500-3,999 GRAMS.....NUMBER... | 160,745 | 229 | 82 | 49 | 32 | 147 |
| RATE... | | 1.4 | .5 | .3 | .2 | .9 |
| 4,000-4,499 GRAMS.....NUMBER... | 48,217 | 63 | 23 | 12 | 11 | 39 |
| RATE... | | 1.3 | .5 | * | * | .8 |
| 4,500-4,999 GRAMS.....NUMBER... | 7,704 | 15 | 6 | 5 | 1 | 9 |
| RATE... | | * | * | * | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 1,058 | 4 | 3 | 3 | - | 1 |
| RATE... | | * | * | * | - | * |
| NOT STATED.....NUMBER... | 20 | 9 | 9 | 9 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| California | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 429,646 | 2,157 | 1,474 | 1,159 | 315 | 683 |
| RATE... | | 5.0 | 3.4 | 2.7 | .7 | 1.6 |
| LESS THAN 1,500 GRAMS....NUMBER... | 4,437 | 1,019 | 924 | 805 | 119 | 95 |
| RATE... | | 229.6 | 208.2 | 181.5 | 26.7 | 21.4 |
| LESS THAN 2,500 GRAMS....NUMBER... | 24,227 | 1,338 | 1,127 | 956 | 171 | 211 |
| RATE... | | 55.2 | 46.5 | 39.4 | 7.1 | 8.7 |
| LESS THAN 500 GRAMS.....NUMBER... | 441 | 366 | 362 | 359 | 3 | 4 |
| RATE... | | 829.5 | 820.4 | 813.6 | * | * |
| 500-749 GRAMS.....NUMBER... | 779 | 372 | 342 | 291 | 51 | 30 |
| RATE... | | 477.8 | 438.9 | 373.2 | 65.8 | 38.9 |
| 750-999 GRAMS.....NUMBER... | 896 | 137 | 114 | 81 | 32 | 23 |
| RATE... | | 152.7 | 126.8 | 90.9 | 35.9 | 25.9 |
| 1,000-1,249 GRAMS.....NUMBER... | 985 | 84 | 59 | 43 | 16 | 24 |
| RATE... | | 84.9 | 60.3 | 44.0 | * | 24.6 |
| 1,250-1,499 GRAMS.....NUMBER... | 1,319 | 58 | 45 | 31 | 14 | 13 |
| RATE... | | 44.1 | 34.1 | 23.5 | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 4,852 | 141 | 97 | 79 | 18 | 43 |
| RATE... | | 29.0 | 20.1 | 16.4 | * | 8.9 |
| 2,000-2,499 GRAMS.....NUMBER... | 14,955 | 180 | 107 | 71 | 36 | 73 |
| RATE... | | 12.0 | 7.2 | 4.8 | 2.4 | 4.9 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| California | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 405,406 | 816 | 345 | 200 | 145 | 472 |
| RATE... | | 2.0 | .9 | .5 | .4 | 1.2 |
| 2,500-2,999 GRAMS.....NUMBER... | 59,945 | 252 | 130 | 75 | 54 | 122 |
| RATE... | | 4.2 | 2.2 | 1.3 | .9 | 2.0 |
| 3,000-3,499 GRAMS.....NUMBER... | 158,910 | 312 | 124 | 68 | 56 | 188 |
| RATE... | | 2.0 | .8 | .4 | .4 | 1.2 |
| 3,500-3,999 GRAMS.....NUMBER... | 136,283 | 187 | 63 | 40 | 23 | 123 |
| RATE... | | 1.4 | .5 | .3 | .2 | .9 |
| 4,000-4,499 GRAMS.....NUMBER... | 42,500 | 52 | 21 | 10 | 11 | 30 |
| RATE... | | 1.2 | .5 | * | * | .7 |
| 4,500-4,999 GRAMS.....NUMBER... | 6,855 | 11 | 4 | 4 | - | 7 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 913 | 3 | 2 | 2 | - | 1 |
| RATE... | | * | * | * | - | * |
| NOT STATED.....NUMBER... | 13 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| California | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 35,050 | 407 | 268 | 211 | 56 | 139 |
| RATE... | | 11.6 | 7.6 | 6.0 | 1.6 | 4.0 |
| LESS THAN 1,500 GRAMS....NUMBER... | 969 | 249 | 208 | 179 | 29 | 40 |
| RATE... | | 256.9 | 215.2 | 185.1 | 30.1 | 41.7 |
| LESS THAN 2,500 GRAMS....NUMBER... | 4,072 | 294 | 229 | 190 | 39 | 66 |
| RATE... | | 72.3 | 56.2 | 46.6 | 9.6 | 16.1 |
| LESS THAN 500 GRAMS.....NUMBER... | 142 | 114 | 111 | 110 | 1 | 3 |
| RATE... | | 805.0 | 783.6 | 776.6 | * | * |
| 500-749 GRAMS.....NUMBER... | 195 | 80 | 62 | 45 | 17 | 17 |
| RATE... | | 408.3 | 320.3 | 232.7 | * | * |
| 750-999 GRAMS.....NUMBER... | 200 | 25 | 20 | 12 | 8 | 5 |
| RATE... | | 127.3 | 102.1 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 198 | 17 | 7 | 5 | 2 | 10 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 233 | 12 | 7 | 6 | 1 | 5 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 764 | 22 | 13 | 6 | 7 | 9 |
| RATE... | | 29.2 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,340 | 23 | 7 | 4 | 3 | 16 |
| RATE... | | 10.0 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| California | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 30,975 | 109 | 36 | 19 | 17 | 74 |
| RATE... | | 3.5 | 1.2 | * | * | 2.4 |
| 2,500-2,999 GRAMS.....NUMBER... | 7,262 | 43 | 13 | 7 | 6 | 29 |
| RATE... | | 5.9 | * | * | * | 4.0 |
| 3,000-3,499 GRAMS.....NUMBER... | 13,105 | 39 | 12 | 6 | 6 | 27 |
| RATE... | | 3.0 | * | * | * | 2.1 |
| 3,500-3,999 GRAMS.....NUMBER... | 8,188 | 21 | 9 | 4 | 5 | 12 |
| RATE... | | 2.6 | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 2,032 | 4 | 1 | 1 | - | 3 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 332 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 56 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 3 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Colorado | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 65,438 | 402 | 281 | 227 | 54 | 121 |
| RATE... | | 6.1 | 4.3 | 3.5 | .8 | 1.8 |
| LESS THAN 1,500 GRAMS....NUMBER... | 835 | 198 | 182 | 156 | 26 | 16 |
| RATE... | | 237.2 | 218.1 | 186.9 | 31.1 | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 5,501 | 242 | 207 | 175 | 32 | 35 |
| RATE... | | 44.0 | 37.6 | 31.8 | 5.8 | 6.4 |
| LESS THAN 500 GRAMS.....NUMBER... | 75 | 72 | 71 | 70 | 1 | 1 |
| RATE... | | 960.7 | 947.4 | 934.1 | * | * |
| 500-749 GRAMS.....NUMBER... | 142 | 75 | 68 | 57 | 11 | 7 |
| RATE... | | 528.4 | 479.1 | 401.6 | * | * |
| 750-999 GRAMS.....NUMBER... | 175 | 34 | 32 | 23 | 9 | 2 |
| RATE... | | 194.3 | 182.9 | 131.4 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 188 | 14 | 8 | 3 | 5 | 6 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 252 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 1,031 | 15 | 8 | 7 | 1 | 7 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 3,638 | 29 | 17 | 12 | 5 | 12 |
| RATE... | | 8.0 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Colorado | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 59,913 | 143 | 57 | 35 | 22 | 86 |
| RATE... | | 2.4 | 1.0 | .6 | .4 | 1.4 |
| 2,500-2,999 GRAMS.....NUMBER... | 13,382 | 51 | 22 | 15 | 7 | 29 |
| RATE... | | 3.8 | 1.6 | * | * | 2.2 |
| 3,000-3,499 GRAMS.....NUMBER... | 26,707 | 65 | 29 | 17 | 12 | 36 |
| RATE... | | 2.4 | 1.1 | * | * | 1.3 |
| 3,500-3,999 GRAMS.....NUMBER... | 15,926 | 21 | 5 | 2 | 3 | 16 |
| RATE... | | 1.3 | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 3,447 | 4 | - | - | - | 4 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 418 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 33 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 24 | 17 | 17 | 17 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Colorado | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 59,684 | 335 | 233 | 183 | 50 | 102 |
| RATE... | | 5.6 | 3.9 | 3.1 | .8 | 1.7 |
| LESS THAN 1,500 GRAMS....NUMBER... | 694 | 158 | 146 | 122 | 24 | 12 |
| RATE... | | 227.8 | 210.5 | 175.9 | 34.6 | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 4,787 | 199 | 168 | 139 | 29 | 31 |
| RATE... | | 41.6 | 35.1 | 29.1 | 6.1 | 6.5 |
| LESS THAN 500 GRAMS.....NUMBER... | 61 | 59 | 58 | 57 | 1 | 1 |
| RATE... | | 968.1 | 951.7 | 935.3 | * | * |
| 500-749 GRAMS.....NUMBER... | 109 | 58 | 54 | 44 | 10 | 4 |
| RATE... | | 532.4 | 495.7 | 404.0 | * | * |
| 750-999 GRAMS.....NUMBER... | 142 | 25 | 24 | 16 | 8 | 1 |
| RATE... | | 176.1 | 169.0 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 158 | 14 | 8 | 3 | 5 | 6 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 221 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 909 | 14 | 7 | 6 | 1 | 7 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 3,187 | 27 | 15 | 11 | 4 | 12 |
| RATE... | | 8.5 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Colorado | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 54,876 | 122 | 51 | 30 | 21 | 71 |
| RATE... | | 2.2 | .9 | .5 | .4 | 1.3 |
| 2,500-2,999 GRAMS.....NUMBER... | 11,878 | 42 | 20 | 13 | 7 | 22 |
| RATE... | | 3.5 | 1.7 | * | * | 1.9 |
| 3,000-3,499 GRAMS.....NUMBER... | 24,409 | 54 | 25 | 14 | 11 | 29 |
| RATE... | | 2.2 | 1.0 | * | * | 1.2 |
| 3,500-3,999 GRAMS.....NUMBER... | 14,915 | 21 | 5 | 2 | 3 | 16 |
| RATE... | | 1.4 | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 3,250 | 3 | - | - | - | 3 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 393 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 31 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 21 | 14 | 14 | 14 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Colorado | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 3,031 | 50 | 39 | 36 | 3 | 11 |
| RATE... | | 16.5 | 12.9 | 11.9 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 101 | 33 | 29 | 28 | 1 | 4 |
| RATE... | | 326.7 | 287.1 | 277.2 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 450 | 35 | 31 | 29 | 2 | 4 |
| RATE... | | 77.8 | 68.9 | 64.4 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 13 | 12 | 12 | 12 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 24 | 12 | 9 | 9 | - | 3 |
| RATE... | | * | * | * | - | * |
| 750-999 GRAMS.....NUMBER... | 25 | 9 | 8 | 7 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 18 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 21 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 82 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 267 | 2 | 2 | 1 | 1 | - |
| RATE... | | * | * | * | * | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Colorado | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... RATE... | 2,579 | 13 * | 6 * | 5 * | 1 * | 7 * |
| 2,500-2,999 GRAMS.....NUMBER... RATE... | 810 | 6 * | 2 * | 2 * | - - | 4 * |
| 3,000-3,499 GRAMS.....NUMBER... RATE... | 1,164 | 7 * | 4 * | 3 * | 1 * | 3 * |
| 3,500-3,999 GRAMS.....NUMBER... RATE... | 498 | - - | - - | - - | - - | - - |
| 4,000-4,499 GRAMS.....NUMBER... RATE... | 95 | - - | - - | - - | - - | - - |
| 4,500-4,999 GRAMS.....NUMBER... RATE... | 11 | - - | - - | - - | - - | - - |
| 5,000 GRAMS OR MORE.....NUMBER... RATE... | 1 | - - | - - | - - | - - | - - |
| NOT STATED.....NUMBER... RATE... | 2 | 2 * | 2 * | 2 * | - - | - - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Connecticut | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 43,026 | 280 | 214 | 180 | 34 | 66 |
| RATE... | | 6.5 | 5.0 | 4.2 | .8 | 1.5 |
| LESS THAN 1,500 GRAMS....NUMBER... | 699 | 190 | 170 | 151 | 19 | 20 |
| RATE... | | 271.9 | 243.2 | 216.1 | * | 28.6 |
| LESS THAN 2,500 GRAMS....NUMBER... | 3,206 | 221 | 188 | 165 | 23 | 33 |
| RATE... | | 68.9 | 58.6 | 51.5 | 7.2 | 10.3 |
| LESS THAN 500 GRAMS.....NUMBER... | 107 | 96 | 96 | 94 | 2 | - |
| RATE... | | 897.2 | 897.2 | 878.5 | * | - |
| 500-749 GRAMS.....NUMBER... | 128 | 63 | 53 | 45 | 8 | 10 |
| RATE... | | 492.3 | 414.1 | 351.6 | * | * |
| 750-999 GRAMS.....NUMBER... | 129 | 14 | 10 | 5 | 5 | 4 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 148 | 10 | 6 | 4 | 2 | 4 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 186 | 7 | 5 | 3 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 648 | 15 | 9 | 7 | 2 | 6 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,860 | 16 | 9 | 7 | 2 | 7 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Connecticut | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 39,816 | 56 | 23 | 12 | 11 | 33 |
| RATE... | | 1.4 | .6 | * | * | .8 |
| 2,500-2,999 GRAMS.....NUMBER... | 6,545 | 15 | 9 | 5 | 4 | 6 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 15,501 | 27 | 10 | 6 | 4 | 17 |
| RATE... | | 1.7 | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 13,112 | 12 | 4 | 1 | 3 | 8 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 3,961 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 639 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 58 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 4 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Connecticut | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 35,819 | 201 | 157 | 134 | 23 | 44 |
| RATE... | | 5.6 | 4.4 | 3.7 | .6 | 1.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 488 | 135 | 125 | 111 | 14 | 10 |
| RATE... | | 276.7 | 256.2 | 227.5 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,432 | 156 | 137 | 121 | 16 | 19 |
| RATE... | | 64.2 | 56.3 | 49.8 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 71 | 66 | 66 | 65 | 1 | - |
| RATE... | | 929.6 | 929.6 | 915.5 | * | - |
| 500-749 GRAMS.....NUMBER... | 88 | 48 | 43 | 35 | 8 | 5 |
| RATE... | | 545.5 | 488.6 | 397.7 | * | * |
| 750-999 GRAMS.....NUMBER... | 80 | 7 | 5 | 4 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 103 | 8 | 6 | 4 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 145 | 6 | 5 | 3 | 2 | 1 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 506 | 8 | 4 | 4 | - | 4 |
| RATE... | | * | * | * | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,439 | 13 | 8 | 6 | 2 | 5 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Connecticut | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 33,386 | 44 | 19 | 12 | 7 | 25 |
| RATE... | | 1.3 | * | * | * | .7 |
| 2,500-2,999 GRAMS.....NUMBER... | 5,104 | 10 | 6 | 5 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 12,717 | 23 | 10 | 6 | 4 | 13 |
| RATE... | | 1.8 | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 11,362 | 10 | 3 | 1 | 2 | 7 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 3,561 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 589 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 53 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 1 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Connecticut | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 5,273 | 73 | 52 | 42 | 10 | 21 |
| RATE... | | 13.8 | 9.9 | 8.0 | * | 4.0 |
| LESS THAN 1,500 GRAMS....NUMBER... | 191 | 51 | 41 | 37 | 4 | 10 |
| RATE... | | 267.1 | 214.7 | 193.7 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 632 | 60 | 46 | 40 | 6 | 14 |
| RATE... | | 95.0 | 72.8 | 63.3 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 32 | 27 | 27 | 26 | 1 | - |
| RATE... | | 843.8 | 843.8 | 812.5 | * | - |
| 500-749 GRAMS.....NUMBER... | 39 | 15 | 10 | 10 | - | 5 |
| RATE... | | * | * | * | - | * |
| 750-999 GRAMS.....NUMBER... | 45 | 6 | 4 | 1 | 3 | 2 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 42 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 33 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 109 | 6 | 4 | 2 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 332 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Connecticut | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 4,638 | 11 | 4 | - | 4 | 7 |
| RATE... | | * | * | - | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 1,038 | 5 | 3 | - | 3 | 2 |
| RATE... | | * | * | - | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 1,995 | 4 | - | - | - | 4 |
| RATE... | | * | - | - | - | * |
| 3,500-3,999 GRAMS.....NUMBER... | 1,260 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| 4,000-4,499 GRAMS.....NUMBER... | 297 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 45 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 3 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 3 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Delaware | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 11,051 | 106 | 73 | 57 | 16 | 33 |
| RATE... | | 9.6 | 6.6 | 5.2 | * | 3.0 |
| LESS THAN 1,500 GRAMS....NUMBER... | 212 | 64 | 57 | 49 | 8 | 7 |
| RATE... | | 301.1 | 268.1 | 230.3 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 960 | 77 | 63 | 55 | 8 | 14 |
| RATE... | | 80.1 | 65.6 | 57.2 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 30 | 25 | 24 | 24 | - | 1 |
| RATE... | | 847.4 | 814.1 | 814.1 | - | * |
| 500-749 GRAMS.....NUMBER... | 32 | 22 | 19 | 14 | 5 | 3 |
| RATE... | | 694.8 | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 52 | 14 | 11 | 10 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 49 | 2 | 2 | - | 2 | - |
| RATE... | | * | * | - | * | - |
| 1,250-1,499 GRAMS.....NUMBER... | 49 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 174 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 574 | 9 | 2 | 2 | - | 7 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Delaware | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... RATE... | 10,090 | 29 2.9 | 10 * | 2 * | 8 * | 19 * |
| 2,500-2,999 GRAMS.....NUMBER... RATE... | 1,827 | 9 * | 5 * | 1 * | 4 * | 4 * |
| 3,000-3,499 GRAMS.....NUMBER... RATE... | 4,150 | 13 * | 3 * | - - | 3 * | 10 * |
| 3,500-3,999 GRAMS.....NUMBER... RATE... | 3,118 | 6 * | 2 * | 1 * | 1 * | 4 * |
| 4,000-4,499 GRAMS.....NUMBER... RATE... | 856 | - - | - - | - - | - - | - - |
| 4,500-4,999 GRAMS.....NUMBER... RATE... | 129 | 1 * | - - | - - | - - | 1 * |
| 5,000 GRAMS OR MORE.....NUMBER... RATE... | 10 | - - | - - | - - | - - | - - |
| NOT STATED.....NUMBER... RATE... | 1 | - - | - - | - - | - - | - - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Delaware | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 8,009 | 65 | 43 | 30 | 13 | 22 |
| RATE... | | 8.2 | 5.4 | 3.8 | * | 2.7 |
| LESS THAN 1,500 GRAMS....NUMBER... | 120 | 34 | 32 | 26 | 6 | 2 |
| RATE... | | 286.6 | 270.0 | 220.0 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 572 | 42 | 34 | 28 | 6 | 8 |
| RATE... | | 74.2 | 60.2 | 49.7 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 12 | 9 | 9 | 9 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 21 | 14 | 14 | 10 | 4 | - |
| RATE... | | * | * | * | * | - |
| 750-999 GRAMS.....NUMBER... | 32 | 9 | 7 | 7 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,000-1,249 GRAMS.....NUMBER... | 26 | 2 | 2 | - | 2 | - |
| RATE... | | * | * | - | * | - |
| 1,250-1,499 GRAMS.....NUMBER... | 29 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 104 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 348 | 8 | 2 | 2 | - | 6 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Delaware | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... RATE... | 7,436 | 23 3.1 | 9 * | 2 * | 7 * | 14 * |
| 2,500-2,999 GRAMS.....NUMBER... RATE... | 1,154 | 8 * | 5 * | 1 * | 4 * | 3 * |
| 3,000-3,499 GRAMS.....NUMBER... RATE... | 2,927 | 11 * | 2 * | - - | 2 * | 9 * |
| 3,500-3,999 GRAMS.....NUMBER... RATE... | 2,495 | 3 * | 2 * | 1 * | 1 * | 1 * |
| 4,000-4,499 GRAMS.....NUMBER... RATE... | 740 | - - | - - | - - | - - | - - |
| 4,500-4,999 GRAMS.....NUMBER... RATE... | 112 | 1 * | - - | - - | - - | 1 * |
| 5,000 GRAMS OR MORE.....NUMBER... RATE... | 8 | - - | - - | - - | - - | - - |
| NOT STATED.....NUMBER... RATE... | 1 | - - | - - | - - | - - | - - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Delaware | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 2,634 | 35 | 26 | 23 | 3 | 9 |
| RATE... | | 13.5 | 10.0 | 8.9 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 83 | 24 | 21 | 19 | 2 | 3 |
| RATE... | | 293.7 | 257.6 | * | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 352 | 29 | 25 | 23 | 2 | 4 |
| RATE... | | 83.7 | 72.3 | 66.6 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 17 | 15 | 14 | 14 | - | 1 |
| RATE... | | * | * | * | - | * |
| 500-749 GRAMS.....NUMBER... | 9 | 6 | 4 | 3 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 17 | 3 | 3 | 2 | 1 | - |
| RATE... | | * | * | * | * | - |
| 1,000-1,249 GRAMS.....NUMBER... | 22 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 18 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 67 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 202 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Delaware | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... RATE... | 2,282 | 6 * | 1 * | - - | 1 * | 5 * |
| 2,500-2,999 GRAMS.....NUMBER... RATE... | 583 | 1 * | - - | - - | - - | 1 * |
| 3,000-3,499 GRAMS.....NUMBER... RATE... | 1,051 | 2 * | 1 * | - - | 1 * | 1 * |
| 3,500-3,999 GRAMS.....NUMBER... RATE... | 532 | 3 * | - - | - - | - - | 3 * |
| 4,000-4,499 GRAMS.....NUMBER... RATE... | 100 | - - | - - | - - | - - | - - |
| 4,500-4,999 GRAMS.....NUMBER... RATE... | 14 | - - | - - | - - | - - | - - |
| 5,000 GRAMS OR MORE.....NUMBER... RATE... | 2 | - - | - - | - - | - - | - - |
| NOT STATED.....NUMBER... RATE... | - | - - | - - | - - | - - | - - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| District of Columbia | | | | | | |
| ALL RACES 1/ | | | | | | |
| - | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 7,666 | 93 | 68 | 51 | 17 | 25 |
| RATE... | | 12.2 | 8.9 | 6.7 | * | 3.3 |
| LESS THAN 1,500 GRAMS....NUMBER... | 205 | 57 | 51 | 42 | 9 | 6 |
| RATE... | | 277.0 | 247.6 | 203.7 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 911 | 66 | 57 | 44 | 13 | 9 |
| RATE... | | 72.3 | 62.4 | 48.1 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 20 | 20 | 20 | 20 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 48 | 23 | 20 | 14 | 6 | 3 |
| RATE... | | 470.1 | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 35 | 5 | 4 | 2 | 2 | 1 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 48 | 8 | 6 | 5 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 54 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 190 | 4 | 3 | 1 | 2 | 1 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 516 | 5 | 3 | 1 | 2 | 2 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| District of Columbia | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 6,751 | 24 | 8 | 4 | 4 | 16 |
| RATE... | | 3.6 | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 1,614 | 13 | 4 | 2 | 2 | 9 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 2,889 | 6 | 2 | 1 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 1,737 | 4 | 2 | 1 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 430 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 74 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 7 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 4 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| District of Columbia | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 2,323 | 11 | 9 | 7 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 33 | 9 | 8 | 6 | 2 | 1 |
| RATE... | | * | * | * | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 172 | 10 | 9 | 7 | 2 | 1 |
| RATE... | | * | * | * | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 500-749 GRAMS.....NUMBER... | 11 | 7 | 7 | 5 | 2 | - |
| RATE... | | * | * | * | * | - |
| 750-999 GRAMS.....NUMBER... | 7 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 7 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 8 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 41 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 98 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| District of Columbia | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 2,151 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 2,500-2,999 GRAMS.....NUMBER... | 348 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,000-3,499 GRAMS.....NUMBER... | 887 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,500-3,999 GRAMS.....NUMBER... | 695 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 192 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 27 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 2 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| District of Columbia | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 5,157 | 81 | 59 | 44 | 15 | 22 |
| RATE... | | 15.7 | 11.4 | 8.5 | * | 4.3 |
| LESS THAN 1,500 GRAMS....NUMBER... | 168 | 47 | 43 | 36 | 7 | 4 |
| RATE... | | 277.0 | 253.1 | 211.5 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 723 | 55 | 48 | 37 | 11 | 7 |
| RATE... | | 75.5 | 65.8 | 50.6 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 20 | 20 | 20 | 20 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 35 | 14 | 12 | 8 | 4 | 2 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 28 | 5 | 4 | 2 | 2 | 1 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 40 | 6 | 5 | 4 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 45 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 147 | 3 | 2 | - | 2 | 1 |
| RATE... | | * | * | - | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 408 | 5 | 3 | 1 | 2 | 2 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| District of Columbia | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 4,430 | 23 | 8 | 4 | 4 | 15 |
| RATE... | | 5.2 | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 1,222 | 13 | 4 | 2 | 2 | 9 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 1,935 | 6 | 2 | 1 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 991 | 3 | 2 | 1 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 232 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 45 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 5 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 4 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Florida | | | | | | |
| ALL RACES 1/ — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 204,126 | 1,410 | 925 | 731 | 194 | 485 |
| RATE... | | 6.9 | 4.5 | 3.6 | 1.0 | 2.4 |
| LESS THAN 1,500 GRAMS....NUMBER... | 3,115 | 770 | 645 | 566 | 79 | 125 |
| RATE... | | 247.0 | 207.1 | 181.7 | 25.4 | 40.0 |
| LESS THAN 2,500 GRAMS....NUMBER... | 16,289 | 948 | 747 | 635 | 112 | 201 |
| RATE... | | 58.2 | 45.9 | 39.0 | 6.9 | 12.3 |
| LESS THAN 500 GRAMS.....NUMBER... | 310 | 289 | 275 | 267 | 8 | 14 |
| RATE... | | 932.4 | 887.1 | 861.3 | * | * |
| 500-749 GRAMS.....NUMBER... | 621 | 311 | 259 | 217 | 42 | 52 |
| RATE... | | 501.2 | 417.1 | 349.4 | 67.6 | 84.1 |
| 750-999 GRAMS.....NUMBER... | 643 | 82 | 48 | 31 | 17 | 34 |
| RATE... | | 127.8 | 74.7 | 48.2 | * | 53.1 |
| 1,000-1,249 GRAMS.....NUMBER... | 697 | 52 | 34 | 26 | 8 | 18 |
| RATE... | | 74.7 | 48.8 | 37.3 | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 838 | 35 | 29 | 25 | 4 | 6 |
| RATE... | | 41.8 | 34.6 | 29.8 | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 3,135 | 74 | 50 | 36 | 14 | 24 |
| RATE... | | 23.6 | 15.9 | 11.5 | * | 7.7 |
| 2,000-2,499 GRAMS.....NUMBER... | 10,045 | 104 | 52 | 33 | 19 | 52 |
| RATE... | | 10.4 | 5.2 | 3.3 | * | 5.2 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Florida | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 187,814 | 452 | 168 | 86 | 82 | 284 |
| RATE... | | 2.4 | .9 | .5 | .4 | 1.5 |
| 2,500-2,999 GRAMS.....NUMBER... | 35,744 | 145 | 59 | 30 | 29 | 86 |
| RATE... | | 4.1 | 1.7 | .8 | .8 | 2.4 |
| 3,000-3,499 GRAMS.....NUMBER... | 77,739 | 185 | 60 | 29 | 31 | 125 |
| RATE... | | 2.4 | .8 | .4 | .4 | 1.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 56,519 | 91 | 34 | 18 | 16 | 57 |
| RATE... | | 1.6 | .6 | * | * | 1.0 |
| 4,000-4,499 GRAMS.....NUMBER... | 15,290 | 23 | 10 | 6 | 4 | 13 |
| RATE... | | 1.5 | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 2,293 | 7 | 4 | 2 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 229 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 23 | 10 | 10 | 10 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Florida | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 150,609 | 797 | 519 | 397 | 122 | 278 |
| RATE... | | 5.3 | 3.4 | 2.6 | .8 | 1.8 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,696 | 387 | 330 | 285 | 45 | 57 |
| RATE... | | 228.3 | 194.6 | 168.0 | 26.5 | 33.8 |
| LESS THAN 2,500 GRAMS....NUMBER... | 9,926 | 489 | 391 | 326 | 65 | 98 |
| RATE... | | 49.3 | 39.4 | 32.8 | 6.5 | 9.9 |
| LESS THAN 500 GRAMS.....NUMBER... | 145 | 136 | 129 | 124 | 5 | 7 |
| RATE... | | 938.1 | 889.7 | 855.2 | * | * |
| 500-749 GRAMS.....NUMBER... | 306 | 155 | 135 | 110 | 25 | 20 |
| RATE... | | 506.8 | 441.2 | 359.5 | 81.7 | 65.6 |
| 750-999 GRAMS.....NUMBER... | 352 | 45 | 28 | 20 | 8 | 17 |
| RATE... | | 128.1 | 79.5 | 56.8 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 403 | 32 | 23 | 17 | 6 | 9 |
| RATE... | | 79.5 | 57.1 | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 486 | 19 | 15 | 14 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,925 | 41 | 31 | 20 | 11 | 10 |
| RATE... | | 21.3 | 16.1 | 10.4 | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 6,309 | 61 | 30 | 21 | 9 | 31 |
| RATE... | | 9.7 | 4.8 | 3.3 | * | 4.9 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Florida | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 140,668 | 304 | 124 | 67 | 57 | 180 |
| RATE... | | 2.2 | .9 | .5 | .4 | 1.3 |
| 2,500-2,999 GRAMS.....NUMBER... | 23,471 | 94 | 43 | 25 | 18 | 51 |
| RATE... | | 4.0 | 1.8 | 1.1 | * | 2.2 |
| 3,000-3,499 GRAMS.....NUMBER... | 56,726 | 119 | 45 | 21 | 24 | 74 |
| RATE... | | 2.1 | .8 | .4 | .4 | 1.3 |
| 3,500-3,999 GRAMS.....NUMBER... | 45,462 | 66 | 25 | 15 | 10 | 41 |
| RATE... | | 1.5 | .5 | * | * | .9 |
| 4,000-4,499 GRAMS.....NUMBER... | 12,875 | 18 | 7 | 3 | 4 | 11 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,945 | 5 | 3 | 2 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 189 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 15 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Florida | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 47,367 | 583 | 383 | 315 | 68 | 200 |
| RATE... | | 12.3 | 8.1 | 6.7 | 1.4 | 4.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,346 | 364 | 299 | 266 | 33 | 65 |
| RATE... | | 270.6 | 222.1 | 197.6 | 24.5 | 48.5 |
| LESS THAN 2,500 GRAMS....NUMBER... | 5,857 | 433 | 337 | 291 | 46 | 96 |
| RATE... | | 74.0 | 57.5 | 49.7 | 7.9 | 16.5 |
| LESS THAN 500 GRAMS.....NUMBER... | 157 | 146 | 140 | 137 | 3 | 6 |
| RATE... | | 930.1 | 891.7 | 872.6 | * | * |
| 500-749 GRAMS.....NUMBER... | 304 | 147 | 116 | 100 | 16 | 31 |
| RATE... | | 484.0 | 381.6 | 328.9 | * | 102.4 |
| 750-999 GRAMS.....NUMBER... | 275 | 36 | 19 | 10 | 9 | 17 |
| RATE... | | 131.2 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 276 | 19 | 10 | 8 | 2 | 9 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 332 | 16 | 14 | 11 | 3 | 2 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,116 | 28 | 18 | 15 | 3 | 10 |
| RATE... | | 25.1 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 3,397 | 41 | 20 | 10 | 10 | 21 |
| RATE... | | 12.1 | 5.9 | * | * | 6.2 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Florida | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 41,502 | 143 | 40 | 18 | 22 | 103 |
| RATE... | | 3.5 | 1.0 | * | .5 | 2.5 |
| 2,500-2,999 GRAMS.....NUMBER... | 10,961 | 49 | 15 | 5 | 10 | 34 |
| RATE... | | 4.5 | * | * | * | 3.1 |
| 3,000-3,499 GRAMS.....NUMBER... | 18,476 | 63 | 13 | 7 | 6 | 50 |
| RATE... | | 3.4 | * | * | * | 2.7 |
| 3,500-3,999 GRAMS.....NUMBER... | 9,602 | 24 | 8 | 3 | 5 | 16 |
| RATE... | | 2.5 | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 2,118 | 5 | 3 | 3 | - | 2 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 309 | 2 | 1 | - | 1 | 1 |
| RATE... | | * | * | - | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 36 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 8 | 6 | 6 | 6 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Georgia | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 132,644 | 1,121 | 759 | 602 | 157 | 362 |
| RATE... | | 8.5 | 5.7 | 4.5 | 1.2 | 2.7 |
| LESS THAN 1,500 GRAMS....NUMBER... | 2,387 | 625 | 544 | 452 | 92 | 81 |
| RATE... | | 261.9 | 227.9 | 189.4 | 38.5 | 33.9 |
| LESS THAN 2,500 GRAMS....NUMBER... | 11,489 | 790 | 637 | 521 | 116 | 153 |
| RATE... | | 68.8 | 55.4 | 45.3 | 10.1 | 13.3 |
| LESS THAN 500 GRAMS.....NUMBER... | 241 | 223 | 218 | 215 | 3 | 5 |
| RATE... | | 925.3 | 904.6 | 892.1 | * | * |
| 500-749 GRAMS.....NUMBER... | 469 | 227 | 199 | 154 | 45 | 28 |
| RATE... | | 484.0 | 424.3 | 328.4 | 95.9 | 59.7 |
| 750-999 GRAMS.....NUMBER... | 515 | 97 | 72 | 45 | 27 | 25 |
| RATE... | | 188.4 | 139.8 | 87.4 | 52.4 | 48.5 |
| 1,000-1,249 GRAMS.....NUMBER... | 546 | 55 | 35 | 23 | 12 | 20 |
| RATE... | | 100.8 | 64.1 | 42.1 | * | 36.7 |
| 1,250-1,499 GRAMS.....NUMBER... | 611 | 23 | 20 | 15 | 5 | 3 |
| RATE... | | 37.6 | 32.7 | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 2,208 | 70 | 49 | 36 | 13 | 21 |
| RATE... | | 31.7 | 22.2 | 16.3 | * | 9.5 |
| 2,000-2,499 GRAMS.....NUMBER... | 6,899 | 95 | 44 | 33 | 11 | 51 |
| RATE... | | 13.8 | 6.4 | 4.8 | * | 7.4 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Georgia | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 121,148 | 324 | 115 | 74 | 41 | 209 |
| RATE... | | 2.7 | .9 | .6 | .3 | 1.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 23,766 | 110 | 45 | 25 | 20 | 65 |
| RATE... | | 4.6 | 1.9 | 1.1 | .8 | 2.7 |
| 3,000-3,499 GRAMS.....NUMBER... | 50,091 | 112 | 30 | 21 | 9 | 82 |
| RATE... | | 2.2 | .6 | .4 | * | 1.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 35,705 | 82 | 33 | 22 | 11 | 49 |
| RATE... | | 2.3 | .9 | .6 | * | 1.4 |
| 4,000-4,499 GRAMS.....NUMBER... | 9,899 | 15 | 6 | 5 | 1 | 9 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,513 | 5 | 1 | 1 | - | 4 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 174 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 7 | 7 | 7 | 7 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Georgia | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 84,646 | 507 | 337 | 261 | 76 | 170 |
| RATE... | | 6.0 | 4.0 | 3.1 | .9 | 2.0 |
| LESS THAN 1,500 GRAMS....NUMBER... | 983 | 236 | 211 | 179 | 32 | 25 |
| RATE... | | 240.1 | 214.7 | 182.1 | 32.6 | 25.5 |
| LESS THAN 2,500 GRAMS....NUMBER... | 5,563 | 322 | 264 | 214 | 50 | 58 |
| RATE... | | 57.9 | 47.5 | 38.5 | 9.0 | 10.4 |
| LESS THAN 500 GRAMS.....NUMBER... | 77 | 71 | 70 | 69 | 1 | 1 |
| RATE... | | 922.1 | 909.1 | 896.1 | * | * |
| 500-749 GRAMS.....NUMBER... | 175 | 90 | 82 | 67 | 15 | 8 |
| RATE... | | 514.3 | 468.6 | 382.9 | * | * |
| 750-999 GRAMS.....NUMBER... | 202 | 39 | 32 | 20 | 12 | 7 |
| RATE... | | 193.1 | 158.5 | 99.1 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 242 | 24 | 17 | 15 | 2 | 7 |
| RATE... | | 99.3 | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 286 | 12 | 10 | 8 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,099 | 40 | 31 | 19 | 12 | 9 |
| RATE... | | 36.4 | 28.2 | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 3,482 | 46 | 22 | 16 | 6 | 24 |
| RATE... | | 13.2 | 6.3 | * | * | 6.9 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Georgia | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 79,079 | 181 | 69 | 43 | 26 | 112 |
| RATE... | | 2.3 | .9 | .5 | .3 | 1.4 |
| 2,500-2,999 GRAMS.....NUMBER... | 12,505 | 58 | 24 | 14 | 10 | 34 |
| RATE... | | 4.6 | 1.9 | * | * | 2.7 |
| 3,000-3,499 GRAMS.....NUMBER... | 31,385 | 58 | 18 | 11 | 7 | 40 |
| RATE... | | 1.8 | * | * | * | 1.3 |
| 3,500-3,999 GRAMS.....NUMBER... | 26,018 | 50 | 22 | 14 | 8 | 28 |
| RATE... | | 1.9 | .8 | * | * | 1.1 |
| 4,000-4,499 GRAMS.....NUMBER... | 7,827 | 11 | 4 | 3 | 1 | 7 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,208 | 4 | 1 | 1 | - | 3 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 136 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 4 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Georgia | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 44,161 | 598 | 411 | 332 | 79 | 187 |
| RATE... | | 13.5 | 9.3 | 7.5 | 1.8 | 4.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,370 | 382 | 326 | 267 | 59 | 56 |
| RATE... | | 278.8 | 238.0 | 194.9 | 43.1 | 40.9 |
| LESS THAN 2,500 GRAMS....NUMBER... | 5,634 | 458 | 363 | 299 | 64 | 95 |
| RATE... | | 81.3 | 64.4 | 53.1 | 11.4 | 16.9 |
| LESS THAN 500 GRAMS.....NUMBER... | 159 | 147 | 143 | 141 | 2 | 4 |
| RATE... | | 924.5 | 899.4 | 886.8 | * | * |
| 500-749 GRAMS.....NUMBER... | 290 | 136 | 116 | 86 | 30 | 20 |
| RATE... | | 469.0 | 400.0 | 296.6 | 103.4 | 69.0 |
| 750-999 GRAMS.....NUMBER... | 303 | 57 | 39 | 25 | 14 | 18 |
| RATE... | | 188.1 | 128.7 | 82.5 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 294 | 31 | 18 | 8 | 10 | 13 |
| RATE... | | 105.5 | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 320 | 11 | 10 | 7 | 3 | 1 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,052 | 28 | 16 | 15 | 1 | 12 |
| RATE... | | 26.6 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 3,216 | 48 | 21 | 17 | 4 | 27 |
| RATE... | | 14.9 | 6.5 | * | * | 8.4 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Georgia | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 38,524 | 137 | 45 | 30 | 15 | 92 |
| RATE... | | 3.6 | 1.2 | .8 | * | 2.4 |
| 2,500-2,999 GRAMS.....NUMBER... | 10,410 | 51 | 21 | 11 | 10 | 30 |
| RATE... | | 4.9 | 2.0 | * | * | 2.9 |
| 3,000-3,499 GRAMS.....NUMBER... | 17,077 | 52 | 12 | 10 | 2 | 40 |
| RATE... | | 3.0 | * | * | * | 2.3 |
| 3,500-3,999 GRAMS.....NUMBER... | 8,857 | 30 | 10 | 7 | 3 | 20 |
| RATE... | | 3.4 | * | * | * | 2.3 |
| 4,000-4,499 GRAMS.....NUMBER... | 1,870 | 3 | 2 | 2 | - | 1 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 276 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 34 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 3 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Hawaii | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 17,551 | 142 | 107 | 82 | 25 | 35 |
| RATE... | | 8.1 | 6.1 | 4.7 | 1.4 | 2.0 |
| LESS THAN 1,500 GRAMS....NUMBER... | 215 | 75 | 70 | 56 | 14 | 5 |
| RATE... | | 349.6 | 325.7 | 260.6 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 1,314 | 87 | 74 | 58 | 16 | 13 |
| RATE... | | 66.6 | 56.4 | 44.2 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 24 | 24 | 24 | 21 | 3 | - |
| RATE... | | 989.6 | 989.6 | 864.6 | * | - |
| 500-749 GRAMS.....NUMBER... | 41 | 24 | 23 | 17 | 6 | 1 |
| RATE... | | 576.3 | 551.2 | * | * | * |
| 750-999 GRAMS.....NUMBER... | 35 | 14 | 12 | 10 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 47 | 6 | 4 | 3 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 66 | 7 | 7 | 5 | 2 | - |
| RATE... | | * | * | * | * | - |
| 1,500-1,999 GRAMS.....NUMBER... | 253 | 6 | 2 | 1 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 848 | 6 | 2 | 1 | 1 | 4 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Hawaii | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 16,122 | 46 | 26 | 17 | 9 | 21 |
| RATE... | | 2.9 | 1.6 | * | * | 1.3 |
| 2,500-2,999 GRAMS.....NUMBER... | 3,433 | 15 | 9 | 5 | 4 | 6 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 6,799 | 17 | 11 | 6 | 5 | 6 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 4,420 | 8 | 3 | 3 | - | 5 |
| RATE... | | * | * | * | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,236 | 4 | 2 | 2 | - | 2 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 189 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 45 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 115 | 8 | 7 | 7 | - | 1 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Hawaii | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 4,022 | 31 | 25 | 20 | 5 | 6 |
| RATE... | | 7.7 | 6.1 | * | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 40 | 18 | 15 | 12 | 3 | 2 |
| RATE... | | * | * | * | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 213 | 22 | 18 | 13 | 5 | 3 |
| RATE... | | 101.3 | * | * | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 9 | 9 | 9 | 8 | 1 | - |
| RATE... | | * | * | * | * | - |
| 500-749 GRAMS.....NUMBER... | 7 | 3 | 3 | 1 | 2 | - |
| RATE... | | * | * | * | * | - |
| 750-999 GRAMS.....NUMBER... | 4 | 4 | 2 | 2 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,000-1,249 GRAMS.....NUMBER... | 6 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 14 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 47 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| 2,000-2,499 GRAMS.....NUMBER... | 126 | 3 | 2 | 1 | 1 | 1 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Hawaii | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... RATE... | 3,802 | 9 * | 6 * | 6 * | - - | 3 * |
| 2,500-2,999 GRAMS.....NUMBER... RATE... | 559 | 4 * | 2 * | 2 * | - - | 2 * |
| 3,000-3,499 GRAMS.....NUMBER... RATE... | 1,468 | 3 * | 2 * | 2 * | - - | 1 * |
| 3,500-3,999 GRAMS.....NUMBER... RATE... | 1,269 | 1 * | 1 * | 1 * | - - | - - |
| 4,000-4,499 GRAMS.....NUMBER... RATE... | 425 | 1 * | 1 * | 1 * | - - | - - |
| 4,500-4,999 GRAMS.....NUMBER... RATE... | 66 | - - | - - | - - | - - | - - |
| 5,000 GRAMS OR MORE.....NUMBER... RATE... | 15 | - - | - - | - - | - - | - - |
| NOT STATED.....NUMBER... RATE... | 7 | - - | - - | - - | - - | - - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Hawaii | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 472 | 5 | 3 | 2 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 10 | 3 | 3 | 2 | 1 | - |
| RATE... | | * | * | * | * | - |
| LESS THAN 2,500 GRAMS....NUMBER... | 50 | 4 | 3 | 2 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 2 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 2 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| 750-999 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 3 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 2 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 9 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 31 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Hawaii | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 420 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 2,500-2,999 GRAMS.....NUMBER... | 84 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,000-3,499 GRAMS.....NUMBER... | 204 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,500-3,999 GRAMS.....NUMBER... | 102 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 26 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 4 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 2 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Idaho | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 20,366 | 154 | 109 | 94 | 15 | 45 |
| RATE... | | 7.6 | 5.4 | 4.6 | * | 2.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 228 | 67 | 64 | 61 | 3 | 3 |
| RATE... | | 294.8 | 281.5 | 267.8 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 1,369 | 94 | 83 | 74 | 9 | 11 |
| RATE... | | 68.9 | 60.8 | 54.1 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 29 | 28 | 28 | 28 | - | - |
| RATE... | | 966.5 | 966.5 | 966.5 | - | - |
| 500-749 GRAMS.....NUMBER... | 34 | 18 | 16 | 14 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 44 | 7 | 7 | 6 | 1 | - |
| RATE... | | * | * | * | * | - |
| 1,000-1,249 GRAMS.....NUMBER... | 50 | 8 | 7 | 7 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 71 | 6 | 6 | 6 | - | - |
| RATE... | | * | * | * | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 263 | 12 | 7 | 5 | 2 | 5 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 878 | 15 | 12 | 8 | 4 | 3 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Idaho | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 18,991 | 58 | 24 | 18 | 6 | 34 |
| RATE... | | 3.1 | 1.3 | * | * | 1.8 |
| 2,500-2,999 GRAMS.....NUMBER... | 3,333 | 20 | 7 | 4 | 3 | 13 |
| RATE... | | 6.0 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 7,876 | 26 | 10 | 8 | 2 | 16 |
| RATE... | | 3.3 | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 5,959 | 9 | 6 | 5 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,570 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 231 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 22 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 6 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Idaho | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 19,705 | 146 | 103 | 88 | 15 | 43 |
| RATE... | | 7.4 | 5.2 | 4.5 | * | 2.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 219 | 63 | 60 | 57 | 3 | 3 |
| RATE... | | 288.6 | 274.8 | 260.6 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 1,322 | 87 | 77 | 68 | 9 | 10 |
| RATE... | | 66.0 | 58.4 | 51.5 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 29 | 28 | 28 | 28 | - | - |
| RATE... | | 966.5 | 966.5 | 966.5 | - | - |
| 500-749 GRAMS.....NUMBER... | 30 | 16 | 14 | 12 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 44 | 7 | 7 | 6 | 1 | - |
| RATE... | | * | * | * | * | - |
| 1,000-1,249 GRAMS.....NUMBER... | 48 | 8 | 7 | 7 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 68 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 252 | 10 | 6 | 4 | 2 | 4 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 851 | 14 | 11 | 7 | 4 | 3 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Idaho | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 18,377 | 57 | 24 | 18 | 6 | 33 |
| RATE... | | 3.1 | 1.3 | * | * | 1.8 |
| 2,500-2,999 GRAMS.....NUMBER... | 3,207 | 19 | 7 | 4 | 3 | 12 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 7,632 | 26 | 10 | 8 | 2 | 16 |
| RATE... | | 3.4 | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 5,771 | 9 | 6 | 5 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,522 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 225 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 20 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 6 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Idaho | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 75 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 1,500 GRAMS....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 2,500 GRAMS....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 500 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 500-749 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 750-999 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Idaho | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 74 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,500-2,999 GRAMS.....NUMBER... | 21 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,000-3,499 GRAMS.....NUMBER... | 28 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,500-3,999 GRAMS.....NUMBER... | 22 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,000-4,499 GRAMS.....NUMBER... | 3 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Illinois | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 185,038 | 1,569 | 1,068 | 885 | 183 | 500 |
| RATE... | | 8.5 | 5.8 | 4.8 | 1.0 | 2.7 |
| LESS THAN 1,500 GRAMS....NUMBER... | 3,056 | 905 | 789 | 696 | 93 | 116 |
| RATE... | | 296.1 | 258.2 | 227.7 | 30.5 | 38.0 |
| LESS THAN 2,500 GRAMS....NUMBER... | 14,738 | 1,119 | 912 | 783 | 128 | 208 |
| RATE... | | 75.9 | 61.9 | 53.2 | 8.7 | 14.1 |
| LESS THAN 500 GRAMS.....NUMBER... | 411 | 365 | 352 | 344 | 8 | 12 |
| RATE... | | 886.9 | 857.4 | 838.0 | * | * |
| 500-749 GRAMS.....NUMBER... | 666 | 355 | 314 | 269 | 45 | 41 |
| RATE... | | 533.4 | 471.3 | 403.8 | 67.6 | 62.1 |
| 750-999 GRAMS.....NUMBER... | 594 | 98 | 63 | 42 | 21 | 34 |
| RATE... | | 164.4 | 106.7 | 71.2 | 35.5 | 57.7 |
| 1,000-1,249 GRAMS.....NUMBER... | 616 | 49 | 33 | 22 | 11 | 16 |
| RATE... | | 80.0 | 53.8 | 36.0 | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 766 | 38 | 26 | 18 | 8 | 12 |
| RATE... | | 49.9 | 34.1 | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 2,923 | 108 | 63 | 53 | 10 | 44 |
| RATE... | | 36.9 | 21.7 | 18.3 | * | 15.2 |
| 2,000-2,499 GRAMS.....NUMBER... | 8,762 | 107 | 59 | 34 | 25 | 47 |
| RATE... | | 12.2 | 6.8 | 3.9 | 2.9 | 5.4 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Illinois | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 170,272 | 434 | 142 | 87 | 55 | 293 |
| RATE... | | 2.5 | .8 | .5 | .3 | 1.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 30,483 | 156 | 60 | 37 | 23 | 96 |
| RATE... | | 5.1 | 2.0 | 1.2 | .8 | 3.1 |
| 3,000-3,499 GRAMS.....NUMBER... | 68,271 | 160 | 41 | 26 | 15 | 119 |
| RATE... | | 2.3 | .6 | .4 | * | 1.7 |
| 3,500-3,999 GRAMS.....NUMBER... | 53,148 | 93 | 25 | 13 | 12 | 68 |
| RATE... | | 1.7 | .5 | * | * | 1.3 |
| 4,000-4,499 GRAMS.....NUMBER... | 15,544 | 21 | 12 | 8 | 4 | 9 |
| RATE... | | 1.4 | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 2,526 | 2 | 2 | 1 | 1 | - |
| RATE... | | * | * | * | * | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 300 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| NOT STATED.....NUMBER... | 28 | 15 | 15 | 15 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Illinois | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 142,391 | 943 | 658 | 549 | 109 | 285 |
| RATE... | | 6.6 | 4.6 | 3.9 | .8 | 2.0 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,766 | 526 | 464 | 414 | 50 | 62 |
| RATE... | | 297.6 | 262.7 | 234.4 | 28.3 | 34.8 |
| LESS THAN 2,500 GRAMS....NUMBER... | 9,196 | 664 | 550 | 475 | 75 | 114 |
| RATE... | | 72.2 | 59.9 | 51.7 | 8.2 | 12.4 |
| LESS THAN 500 GRAMS.....NUMBER... | 214 | 189 | 182 | 179 | 3 | 7 |
| RATE... | | 884.6 | 851.6 | 837.6 | * | * |
| 500-749 GRAMS.....NUMBER... | 382 | 221 | 198 | 176 | 22 | 23 |
| RATE... | | 579.7 | 519.0 | 461.4 | 57.6 | 60.7 |
| 750-999 GRAMS.....NUMBER... | 322 | 61 | 40 | 28 | 12 | 21 |
| RATE... | | 190.8 | 125.0 | 87.6 | * | 65.8 |
| 1,000-1,249 GRAMS.....NUMBER... | 371 | 31 | 28 | 19 | 9 | 3 |
| RATE... | | 84.0 | 75.8 | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 476 | 22 | 15 | 11 | 4 | 7 |
| RATE... | | 46.5 | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,867 | 72 | 48 | 40 | 8 | 24 |
| RATE... | | 38.8 | 25.9 | 21.6 | * | 13.0 |
| 2,000-2,499 GRAMS.....NUMBER... | 5,564 | 66 | 38 | 21 | 17 | 28 |
| RATE... | | 11.9 | 6.9 | 3.8 | * | 5.1 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Illinois | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 133,178 | 269 | 97 | 63 | 34 | 171 |
| RATE... | | 2.0 | .7 | .5 | .3 | 1.3 |
| 2,500-2,999 GRAMS.....NUMBER... | 20,514 | 85 | 39 | 26 | 13 | 45 |
| RATE... | | 4.1 | 1.9 | 1.3 | * | 2.2 |
| 3,000-3,499 GRAMS.....NUMBER... | 51,835 | 97 | 24 | 20 | 4 | 73 |
| RATE... | | 1.9 | .5 | .4 | * | 1.4 |
| 3,500-3,999 GRAMS.....NUMBER... | 44,561 | 64 | 21 | 9 | 12 | 43 |
| RATE... | | 1.4 | .5 | * | * | 1.0 |
| 4,000-4,499 GRAMS.....NUMBER... | 13,731 | 19 | 10 | 6 | 4 | 9 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 2,275 | 2 | 2 | 1 | 1 | - |
| RATE... | | * | * | * | * | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 262 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| NOT STATED.....NUMBER... | 17 | 10 | 10 | 10 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Illinois | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 34,318 | 567 | 365 | 298 | 67 | 202 |
| RATE... | | 16.5 | 10.6 | 8.7 | 2.0 | 5.9 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,192 | 347 | 297 | 256 | 41 | 50 |
| RATE... | | 291.3 | 249.0 | 214.6 | 34.4 | 42.3 |
| LESS THAN 2,500 GRAMS....NUMBER... | 4,829 | 412 | 327 | 277 | 50 | 85 |
| RATE... | | 85.2 | 67.7 | 57.3 | 10.4 | 17.5 |
| LESS THAN 500 GRAMS.....NUMBER... | 181 | 159 | 154 | 150 | 4 | 5 |
| RATE... | | 879.0 | 851.1 | 829.0 | * | * |
| 500-749 GRAMS.....NUMBER... | 268 | 126 | 109 | 87 | 22 | 17 |
| RATE... | | 469.2 | 405.2 | 323.1 | 82.1 | * |
| 750-999 GRAMS.....NUMBER... | 249 | 32 | 20 | 11 | 9 | 12 |
| RATE... | | 129.2 | 80.6 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 226 | 16 | 5 | 3 | 2 | 11 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 267 | 14 | 9 | 5 | 4 | 5 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 939 | 31 | 13 | 11 | 2 | 18 |
| RATE... | | 33.3 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,699 | 33 | 17 | 10 | 7 | 16 |
| RATE... | | 12.3 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Illinois | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 29,480 | 151 | 34 | 17 | 17 | 117 |
| RATE... | | 5.1 | 1.2 | * | * | 4.0 |
| 2,500-2,999 GRAMS.....NUMBER... | 8,176 | 64 | 16 | 9 | 7 | 48 |
| RATE... | | 7.9 | * | * | * | 5.9 |
| 3,000-3,499 GRAMS.....NUMBER... | 12,979 | 60 | 14 | 4 | 10 | 46 |
| RATE... | | 4.7 | * | * | * | 3.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 6,667 | 25 | 3 | 3 | - | 22 |
| RATE... | | 3.8 | * | * | - | 3.3 |
| 4,000-4,499 GRAMS.....NUMBER... | 1,427 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 199 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 32 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 9 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Indiana | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 87,699 | 683 | 458 | 354 | 104 | 225 |
| RATE... | | 7.8 | 5.2 | 4.0 | 1.2 | 2.6 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,233 | 306 | 273 | 232 | 41 | 33 |
| RATE... | | 248.0 | 221.3 | 188.5 | 32.9 | 26.6 |
| LESS THAN 2,500 GRAMS....NUMBER... | 6,521 | 430 | 346 | 281 | 64 | 84 |
| RATE... | | 65.9 | 53.0 | 43.1 | 9.9 | 12.9 |
| LESS THAN 500 GRAMS.....NUMBER... | 145 | 124 | 122 | 116 | 6 | 2 |
| RATE... | | 855.0 | 840.9 | 797.7 | * | * |
| 500-749 GRAMS.....NUMBER... | 235 | 103 | 89 | 74 | 15 | 14 |
| RATE... | | 438.2 | 377.0 | 315.1 | * | * |
| 750-999 GRAMS.....NUMBER... | 232 | 33 | 28 | 15 | 12 | 5 |
| RATE... | | 141.4 | 119.3 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 314 | 29 | 21 | 16 | 5 | 7 |
| RATE... | | 91.2 | 68.4 | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 307 | 17 | 13 | 11 | 2 | 4 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,241 | 54 | 36 | 25 | 10 | 18 |
| RATE... | | 43.7 | 28.8 | 20.4 | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 4,047 | 70 | 37 | 23 | 13 | 33 |
| RATE... | | 17.2 | 9.1 | 5.8 | * | 8.1 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Indiana | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 81,108 | 241 | 101 | 62 | 39 | 141 |
| RATE... | | 3.0 | 1.2 | .8 | .5 | 1.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 14,191 | 81 | 39 | 21 | 18 | 42 |
| RATE... | | 5.7 | 2.8 | 1.5 | * | 3.0 |
| 3,000-3,499 GRAMS.....NUMBER... | 32,138 | 93 | 34 | 21 | 12 | 60 |
| RATE... | | 2.9 | 1.1 | .7 | * | 1.9 |
| 3,500-3,999 GRAMS.....NUMBER... | 25,791 | 43 | 18 | 14 | 4 | 25 |
| RATE... | | 1.7 | * | * | * | 1.0 |
| 4,000-4,499 GRAMS.....NUMBER... | 7,562 | 20 | 7 | 4 | 3 | 12 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,287 | 4 | 2 | 1 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 139 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 70 | 12 | 12 | 11 | 1 | - |
| RATE... | | * | * | * | * | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Indiana | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 76,845 | 532 | 370 | 285 | 85 | 161 |
| RATE... | | 6.9 | 4.8 | 3.7 | 1.1 | 2.1 |
| LESS THAN 1,500 GRAMS....NUMBER... | 949 | 237 | 212 | 182 | 30 | 26 |
| RATE... | | 250.1 | 223.1 | 191.3 | 31.7 | 27.0 |
| LESS THAN 2,500 GRAMS....NUMBER... | 5,216 | 337 | 274 | 224 | 50 | 63 |
| RATE... | | 64.6 | 52.5 | 43.0 | 9.6 | 12.0 |
| LESS THAN 500 GRAMS.....NUMBER... | 109 | 94 | 94 | 88 | 6 | - |
| RATE... | | 866.8 | 866.8 | 809.4 | * | - |
| 500-749 GRAMS.....NUMBER... | 175 | 83 | 69 | 59 | 10 | 13 |
| RATE... | | 471.8 | 395.4 | 336.2 | * | * |
| 750-999 GRAMS.....NUMBER... | 183 | 25 | 20 | 11 | 9 | 4 |
| RATE... | | 134.4 | 111.9 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 233 | 21 | 16 | 12 | 4 | 5 |
| RATE... | | 92.2 | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 249 | 14 | 11 | 11 | - | 3 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,003 | 43 | 30 | 21 | 8 | 13 |
| RATE... | | 42.8 | 29.5 | 21.2 | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 3,264 | 56 | 33 | 21 | 11 | 24 |
| RATE... | | 17.3 | 10.0 | 6.5 | * | 7.2 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Indiana | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 71,574 | 188 | 89 | 55 | 34 | 99 |
| RATE... | | 2.6 | 1.2 | .8 | .5 | 1.4 |
| 2,500-2,999 GRAMS.....NUMBER... | 11,658 | 62 | 34 | 19 | 15 | 28 |
| RATE... | | 5.3 | 2.9 | * | * | 2.4 |
| 3,000-3,499 GRAMS.....NUMBER... | 27,977 | 70 | 32 | 19 | 12 | 38 |
| RATE... | | 2.5 | 1.1 | * | * | 1.4 |
| 3,500-3,999 GRAMS.....NUMBER... | 23,490 | 37 | 15 | 11 | 4 | 22 |
| RATE... | | 1.6 | * | * | * | .9 |
| 4,000-4,499 GRAMS.....NUMBER... | 7,096 | 15 | 6 | 4 | 2 | 9 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,223 | 4 | 2 | 1 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 130 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 55 | 7 | 7 | 6 | 1 | - |
| RATE... | | * | * | * | * | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Indiana | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 9,521 | 142 | 83 | 64 | 19 | 60 |
| RATE... | | 14.9 | 8.7 | 6.7 | * | 6.3 |
| LESS THAN 1,500 GRAMS....NUMBER... | 276 | 65 | 58 | 48 | 10 | 7 |
| RATE... | | 236.8 | 210.8 | 173.0 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 1,211 | 86 | 67 | 53 | 15 | 18 |
| RATE... | | 70.9 | 55.7 | 43.6 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 34 | 28 | 26 | 26 | - | 2 |
| RATE... | | 837.9 | 777.4 | 777.4 | - | * |
| 500-749 GRAMS.....NUMBER... | 59 | 19 | 18 | 14 | 4 | 1 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 47 | 7 | 6 | 3 | 3 | 1 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 79 | 7 | 5 | 4 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 57 | 3 | 2 | - | 2 | 1 |
| RATE... | | * | * | - | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 220 | 9 | 5 | 3 | 2 | 4 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 715 | 11 | 4 | 2 | 2 | 7 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Indiana | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 8,297 | 52 | 11 | 7 | 4 | 41 |
| RATE... | | 6.3 | * | * | * | 5.0 |
| 2,500-2,999 GRAMS.....NUMBER... | 2,262 | 18 | 5 | 2 | 3 | 13 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 3,590 | 24 | 2 | 2 | - | 22 |
| RATE... | | 6.6 | * | * | - | 6.0 |
| 3,500-3,999 GRAMS.....NUMBER... | 1,986 | 6 | 3 | 3 | - | 3 |
| RATE... | | * | * | * | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 396 | 4 | 1 | - | 1 | 3 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 57 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 6 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 13 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Iowa | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 38,266 | 246 | 161 | 131 | 30 | 85 |
| RATE... | | 6.4 | 4.2 | 3.4 | .8 | 2.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 492 | 124 | 112 | 102 | 10 | 12 |
| RATE... | | 252.1 | 227.6 | 207.3 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,347 | 159 | 134 | 120 | 14 | 25 |
| RATE... | | 67.8 | 57.1 | 51.1 | * | 10.7 |
| LESS THAN 500 GRAMS.....NUMBER... | 63 | 52 | 51 | 49 | 2 | 1 |
| RATE... | | 825.4 | 809.5 | 777.8 | * | * |
| 500-749 GRAMS.....NUMBER... | 72 | 42 | 37 | 34 | 3 | 5 |
| RATE... | | 583.6 | 513.9 | 472.2 | * | * |
| 750-999 GRAMS.....NUMBER... | 86 | 10 | 8 | 7 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 123 | 14 | 11 | 9 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 148 | 6 | 5 | 3 | 2 | 1 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 449 | 17 | 14 | 13 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,406 | 18 | 8 | 5 | 3 | 10 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Iowa | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 35,915 | 87 | 27 | 11 | 16 | 60 |
| RATE... | | 2.4 | .8 | * | * | 1.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 5,339 | 27 | 11 | 6 | 5 | 16 |
| RATE... | | 5.1 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 13,636 | 33 | 8 | 2 | 6 | 25 |
| RATE... | | 2.4 | * | * | * | 1.8 |
| 3,500-3,999 GRAMS.....NUMBER... | 12,196 | 21 | 7 | 2 | 5 | 14 |
| RATE... | | 1.7 | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 3,975 | 5 | 1 | 1 | - | 4 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 708 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 61 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 4 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Iowa | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 35,887 | 220 | 144 | 118 | 26 | 76 |
| RATE... | | 6.1 | 4.0 | 3.3 | .7 | 2.1 |
| LESS THAN 1,500 GRAMS....NUMBER... | 435 | 110 | 98 | 91 | 7 | 12 |
| RATE... | | 253.0 | 225.3 | 209.2 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,121 | 142 | 118 | 107 | 11 | 24 |
| RATE... | | 67.0 | 55.6 | 50.4 | * | 11.4 |
| LESS THAN 500 GRAMS.....NUMBER... | 51 | 44 | 43 | 41 | 2 | 1 |
| RATE... | | 862.7 | 843.1 | 803.9 | * | * |
| 500-749 GRAMS.....NUMBER... | 62 | 38 | 33 | 31 | 2 | 5 |
| RATE... | | 613.2 | 532.3 | 500.0 | * | * |
| 750-999 GRAMS.....NUMBER... | 75 | 9 | 7 | 7 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,000-1,249 GRAMS.....NUMBER... | 114 | 14 | 11 | 9 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 133 | 5 | 4 | 3 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 405 | 15 | 12 | 11 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,281 | 17 | 8 | 5 | 3 | 9 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Iowa | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 33,763 | 78 | 26 | 11 | 15 | 52 |
| RATE... | | 2.3 | .8 | * | * | 1.5 |
| 2,500-2,999 GRAMS.....NUMBER... | 4,819 | 24 | 10 | 6 | 4 | 14 |
| RATE... | | 5.0 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 12,687 | 28 | 8 | 2 | 6 | 20 |
| RATE... | | 2.2 | * | * | * | 1.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 11,657 | 20 | 7 | 2 | 5 | 13 |
| RATE... | | 1.7 | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 3,850 | 5 | 1 | 1 | - | 4 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 690 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 60 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 3 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Iowa | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 1,234 | 19 | 12 | 10 | 2 | 7 |
| RATE... | | * | * | * | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 46 | 11 | 11 | 9 | 2 | - |
| RATE... | | * | * | * | * | - |
| LESS THAN 2,500 GRAMS....NUMBER... | 144 | 13 | 12 | 10 | 2 | 1 |
| RATE... | | * | * | * | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 12 | 8 | 8 | 8 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 8 | 2 | 2 | 1 | 1 | - |
| RATE... | | * | * | * | * | - |
| 750-999 GRAMS.....NUMBER... | 9 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| 1,000-1,249 GRAMS.....NUMBER... | 7 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 10 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 28 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 70 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Iowa | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 1,089 | 6 | - | - | - | 6 |
| RATE... | | * | - | - | - | * |
| 2,500-2,999 GRAMS.....NUMBER... | 287 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 3,000-3,499 GRAMS.....NUMBER... | 497 | 3 | - | - | - | 3 |
| RATE... | | * | - | - | - | * |
| 3,500-3,999 GRAMS.....NUMBER... | 244 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 54 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 6 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Kansas | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 39,666 | 260 | 172 | 147 | 25 | 88 |
| RATE... | | 6.6 | 4.3 | 3.7 | .6 | 2.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 547 | 129 | 120 | 109 | 11 | 9 |
| RATE... | | 235.6 | 218.9 | 198.8 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,747 | 170 | 145 | 130 | 15 | 25 |
| RATE... | | 62.0 | 52.7 | 47.3 | * | 9.2 |
| LESS THAN 500 GRAMS.....NUMBER... | 69 | 63 | 62 | 61 | 1 | 1 |
| RATE... | | 919.7 | 905.0 | 890.5 | * | * |
| 500-749 GRAMS.....NUMBER... | 92 | 37 | 34 | 28 | 6 | 3 |
| RATE... | | 404.5 | 371.5 | 306.3 | * | * |
| 750-999 GRAMS.....NUMBER... | 104 | 14 | 13 | 10 | 3 | 1 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 118 | 6 | 4 | 4 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 161 | 8 | 6 | 5 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 532 | 13 | 9 | 7 | 2 | 4 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,671 | 28 | 16 | 14 | 2 | 12 |
| RATE... | | 16.9 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Kansas | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 36,917 | 88 | 25 | 15 | 10 | 63 |
| RATE... | | 2.4 | .7 | * | * | 1.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 6,275 | 32 | 10 | 6 | 4 | 22 |
| RATE... | | 5.1 | * | * | * | 3.5 |
| 3,000-3,499 GRAMS.....NUMBER... | 14,507 | 32 | 9 | 6 | 3 | 23 |
| RATE... | | 2.2 | * | * | * | 1.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 11,940 | 18 | 4 | 3 | 1 | 14 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 3,552 | 5 | 2 | - | 2 | 3 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 571 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 72 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 2 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Kansas | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 35,297 | 224 | 142 | 121 | 21 | 82 |
| RATE... | | 6.3 | 4.0 | 3.4 | .6 | 2.3 |
| LESS THAN 1,500 GRAMS....NUMBER... | 444 | 102 | 95 | 86 | 9 | 7 |
| RATE... | | 228.9 | 213.0 | 192.7 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,302 | 141 | 119 | 106 | 13 | 22 |
| RATE... | | 61.2 | 51.6 | 45.9 | * | 9.7 |
| LESS THAN 500 GRAMS.....NUMBER... | 52 | 48 | 47 | 46 | 1 | 1 |
| RATE... | | 929.1 | 909.7 | 890.5 | * | * |
| 500-749 GRAMS.....NUMBER... | 72 | 32 | 29 | 24 | 5 | 3 |
| RATE... | | 447.1 | 405.0 | 335.5 | * | * |
| 750-999 GRAMS.....NUMBER... | 81 | 9 | 9 | 7 | 2 | - |
| RATE... | | * | * | * | * | - |
| 1,000-1,249 GRAMS.....NUMBER... | 103 | 6 | 4 | 4 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 133 | 6 | 5 | 4 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 460 | 12 | 9 | 7 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,401 | 27 | 15 | 13 | 2 | 12 |
| RATE... | | 19.4 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Kansas | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 32,993 | 81 | 21 | 13 | 8 | 60 |
| RATE... | | 2.4 | .6 | * | * | 1.8 |
| 2,500-2,999 GRAMS.....NUMBER... | 5,285 | 28 | 9 | 5 | 4 | 19 |
| RATE... | | 5.3 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 12,811 | 32 | 9 | 6 | 3 | 23 |
| RATE... | | 2.5 | * | * | * | 1.8 |
| 3,500-3,999 GRAMS.....NUMBER... | 10,986 | 16 | 2 | 2 | - | 14 |
| RATE... | | * | * | * | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 3,307 | 4 | 1 | - | 1 | 3 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 534 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 70 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 2 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Kansas | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 2,870 | 29 | 24 | 21 | 3 | 5 |
| RATE... | | 10.2 | 8.4 | 7.4 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 93 | 23 | 21 | 19 | 2 | 2 |
| RATE... | | 249.4 | 227.6 | * | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 353 | 25 | 22 | 20 | 2 | 3 |
| RATE... | | 71.4 | 62.8 | 57.1 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 15 | 13 | 13 | 13 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 18 | 4 | 4 | 3 | 1 | - |
| RATE... | | * | * | * | * | - |
| 750-999 GRAMS.....NUMBER... | 22 | 4 | 3 | 2 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 15 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 23 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 59 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 201 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Kansas | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 2,517 | 4 | 2 | 1 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 685 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 3,000-3,499 GRAMS.....NUMBER... | 1,069 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,500-3,999 GRAMS.....NUMBER... | 590 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,000-4,499 GRAMS.....NUMBER... | 152 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| 4,500-4,999 GRAMS.....NUMBER... | 21 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Kentucky | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 56,031 | 398 | 258 | 198 | 60 | 140 |
| RATE... | | 7.1 | 4.6 | 3.5 | 1.1 | 2.5 |
| LESS THAN 1,500 GRAMS....NUMBER... | 835 | 184 | 159 | 132 | 26 | 25 |
| RATE... | | 219.9 | 189.9 | 158.2 | 31.7 | 30.0 |
| LESS THAN 2,500 GRAMS....NUMBER... | 4,636 | 242 | 196 | 158 | 38 | 46 |
| RATE... | | 52.2 | 42.3 | 34.2 | 8.1 | 9.9 |
| LESS THAN 500 GRAMS.....NUMBER... | 93 | 60 | 57 | 53 | 4 | 3 |
| RATE... | | 650.2 | 617.8 | 574.0 | * | * |
| 500-749 GRAMS.....NUMBER... | 154 | 73 | 67 | 54 | 13 | 6 |
| RATE... | | 472.3 | 433.3 | 347.4 | * | * |
| 750-999 GRAMS.....NUMBER... | 178 | 28 | 22 | 13 | 9 | 6 |
| RATE... | | 159.0 | 125.3 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 199 | 15 | 8 | 8 | - | 7 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 209 | 7 | 4 | 4 | - | 3 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 922 | 26 | 19 | 15 | 4 | 7 |
| RATE... | | 28.5 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,881 | 32 | 18 | 11 | 7 | 14 |
| RATE... | | 11.2 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Kentucky | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 51,365 | 151 | 57 | 35 | 21 | 94 |
| RATE... | | 2.9 | 1.1 | .7 | .4 | 1.8 |
| 2,500-2,999 GRAMS.....NUMBER... | 9,310 | 58 | 23 | 17 | 6 | 35 |
| RATE... | | 6.3 | 2.5 | * | * | 3.8 |
| 3,000-3,499 GRAMS.....NUMBER... | 20,312 | 57 | 19 | 9 | 10 | 38 |
| RATE... | | 2.8 | * | * | * | 1.9 |
| 3,500-3,999 GRAMS.....NUMBER... | 15,951 | 18 | 5 | 1 | 4 | 13 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 4,866 | 11 | 4 | 3 | 1 | 7 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 801 | 3 | 2 | 2 | - | 1 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 125 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 30 | 5 | 5 | 4 | 1 | - |
| RATE... | | * | * | * | * | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Kentucky | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 50,217 | 333 | 213 | 161 | 52 | 120 |
| RATE... | | 6.6 | 4.2 | 3.2 | 1.0 | 2.4 |
| LESS THAN 1,500 GRAMS....NUMBER... | 667 | 147 | 130 | 108 | 22 | 17 |
| RATE... | | 220.8 | 195.2 | 161.7 | 33.6 | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 3,872 | 202 | 166 | 132 | 34 | 36 |
| RATE... | | 52.1 | 42.8 | 34.1 | 8.7 | 9.3 |
| LESS THAN 500 GRAMS.....NUMBER... | 71 | 48 | 46 | 42 | 4 | 2 |
| RATE... | | 681.1 | 652.9 | 595.4 | * | * |
| 500-749 GRAMS.....NUMBER... | 122 | 59 | 55 | 44 | 10 | 4 |
| RATE... | | 480.1 | 447.2 | 363.8 | * | * |
| 750-999 GRAMS.....NUMBER... | 140 | 22 | 19 | 11 | 8 | 3 |
| RATE... | | 159.2 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 158 | 11 | 6 | 6 | - | 5 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 175 | 7 | 4 | 4 | - | 3 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 789 | 24 | 18 | 14 | 4 | 6 |
| RATE... | | 30.8 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,417 | 30 | 17 | 10 | 7 | 13 |
| RATE... | | 12.5 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Kentucky | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 46,322 | 128 | 44 | 26 | 17 | 84 |
| RATE... | | 2.8 | .9 | .6 | * | 1.8 |
| 2,500-2,999 GRAMS.....NUMBER... | 7,976 | 46 | 16 | 11 | 5 | 30 |
| RATE... | | 5.8 | * | * | * | 3.8 |
| 3,000-3,499 GRAMS.....NUMBER... | 18,087 | 49 | 15 | 8 | 7 | 34 |
| RATE... | | 2.7 | * | * | * | 1.9 |
| 3,500-3,999 GRAMS.....NUMBER... | 14,767 | 18 | 5 | 1 | 4 | 13 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 4,610 | 10 | 4 | 3 | 1 | 6 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 767 | 3 | 2 | 2 | - | 1 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 115 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 23 | 4 | 4 | 3 | 1 | - |
| RATE... | | * | * | * | * | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Kentucky | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 5,127 | 58 | 40 | 32 | 8 | 18 |
| RATE... | | 11.4 | 7.9 | 6.3 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 159 | 33 | 26 | 22 | 4 | 7 |
| RATE... | | 208.7 | 164.6 | 139.0 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 706 | 35 | 27 | 23 | 4 | 8 |
| RATE... | | 49.8 | 38.5 | 32.7 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 21 | 11 | 10 | 10 | - | 1 |
| RATE... | | * | * | * | - | * |
| 500-749 GRAMS.....NUMBER... | 30 | 13 | 11 | 8 | 3 | 2 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 34 | 5 | 3 | 2 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 40 | 4 | 2 | 2 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 33 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 130 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 418 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Kentucky | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 4,415 | 22 | 12 | 8 | 4 | 10 |
| RATE... | | 5.0 | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 1,198 | 11 | 6 | 5 | 1 | 5 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 1,940 | 8 | 4 | 1 | 3 | 4 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 1,021 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,000-4,499 GRAMS.....NUMBER... | 218 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 28 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 10 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 6 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Louisiana | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 67,905 | 613 | 397 | 301 | 96 | 216 |
| RATE... | | 9.0 | 5.8 | 4.4 | 1.4 | 3.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,397 | 321 | 277 | 232 | 45 | 44 |
| RATE... | | 229.9 | 198.1 | 166.0 | 32.1 | 31.8 |
| LESS THAN 2,500 GRAMS....NUMBER... | 7,025 | 409 | 323 | 260 | 63 | 86 |
| RATE... | | 58.2 | 46.0 | 37.0 | 9.0 | 12.2 |
| LESS THAN 500 GRAMS.....NUMBER... | 181 | 108 | 104 | 99 | 5 | 4 |
| RATE... | | 598.4 | 576.1 | 547.9 | * | * |
| 500-749 GRAMS.....NUMBER... | 277 | 112 | 98 | 79 | 18 | 14 |
| RATE... | | 404.0 | 353.0 | 286.7 | * | * |
| 750-999 GRAMS.....NUMBER... | 295 | 42 | 33 | 23 | 10 | 9 |
| RATE... | | 143.1 | 112.3 | 77.8 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 304 | 35 | 24 | 16 | 8 | 11 |
| RATE... | | 114.9 | 78.4 | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 339 | 24 | 18 | 15 | 3 | 6 |
| RATE... | | 70.1 | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,417 | 35 | 20 | 11 | 8 | 15 |
| RATE... | | 24.5 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 4,212 | 53 | 27 | 17 | 10 | 26 |
| RATE... | | 12.6 | 6.4 | * | * | 6.2 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Louisiana | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 60,875 | 203 | 72 | 40 | 33 | 130 |
| RATE... | | 3.3 | 1.2 | .7 | .5 | 2.1 |
| 2,500-2,999 GRAMS.....NUMBER... | 13,590 | 74 | 32 | 20 | 12 | 42 |
| RATE... | | 5.5 | 2.4 | * | * | 3.1 |
| 3,000-3,499 GRAMS.....NUMBER... | 26,062 | 82 | 24 | 11 | 12 | 59 |
| RATE... | | 3.2 | .9 | * | * | 2.2 |
| 3,500-3,999 GRAMS.....NUMBER... | 16,483 | 35 | 12 | 6 | 6 | 22 |
| RATE... | | 2.1 | * | * | * | 1.3 |
| 4,000-4,499 GRAMS.....NUMBER... | 4,089 | 9 | 4 | 2 | 2 | 5 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 586 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 65 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 5 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Louisiana | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 38,126 | 235 | 154 | 117 | 37 | 82 |
| RATE... | | 6.2 | 4.0 | 3.1 | 1.0 | 2.1 |
| LESS THAN 1,500 GRAMS....NUMBER... | 407 | 104 | 94 | 79 | 14 | 10 |
| RATE... | | 254.9 | 230.1 | 195.0 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,821 | 144 | 119 | 96 | 22 | 25 |
| RATE... | | 51.0 | 42.0 | 34.1 | 8.0 | 8.9 |
| LESS THAN 500 GRAMS.....NUMBER... | 37 | 26 | 26 | 25 | 1 | - |
| RATE... | | 705.3 | 705.3 | 677.7 | * | - |
| 500-749 GRAMS.....NUMBER... | 71 | 40 | 37 | 30 | 7 | 3 |
| RATE... | | 570.0 | 527.4 | 426.8 | * | * |
| 750-999 GRAMS.....NUMBER... | 96 | 21 | 18 | 14 | 4 | 3 |
| RATE... | | 215.0 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 89 | 7 | 4 | 2 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 114 | 9 | 8 | 8 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 571 | 16 | 10 | 7 | 3 | 6 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,843 | 24 | 15 | 9 | 5 | 9 |
| RATE... | | 12.8 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Louisiana | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 35,301 | 92 | 35 | 21 | 14 | 57 |
| RATE... | | 2.6 | 1.0 | .6 | * | 1.6 |
| 2,500-2,999 GRAMS.....NUMBER... | 6,323 | 35 | 20 | 11 | 8 | 15 |
| RATE... | | 5.5 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 14,517 | 32 | 6 | 4 | 2 | 26 |
| RATE... | | 2.2 | * | * | * | 1.8 |
| 3,500-3,999 GRAMS.....NUMBER... | 10,998 | 19 | 7 | 4 | 3 | 12 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 2,979 | 5 | 2 | 1 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 441 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 43 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 4 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Louisiana | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 28,357 | 370 | 237 | 179 | 58 | 133 |
| RATE... | | 13.0 | 8.3 | 6.3 | 2.1 | 4.7 |
| LESS THAN 1,500 GRAMS....NUMBER... | 971 | 214 | 180 | 149 | 31 | 34 |
| RATE... | | 220.7 | 185.3 | 153.8 | 31.5 | 35.3 |
| LESS THAN 2,500 GRAMS....NUMBER... | 4,084 | 261 | 202 | 161 | 41 | 60 |
| RATE... | | 63.9 | 49.4 | 39.4 | 10.0 | 14.6 |
| LESS THAN 500 GRAMS.....NUMBER... | 140 | 80 | 76 | 72 | 4 | 4 |
| RATE... | | 572.3 | 543.5 | 514.3 | * | * |
| 500-749 GRAMS.....NUMBER... | 205 | 71 | 60 | 49 | 11 | 11 |
| RATE... | | 348.5 | 294.3 | 239.5 | * | * |
| 750-999 GRAMS.....NUMBER... | 193 | 22 | 16 | 9 | 6 | 6 |
| RATE... | | 111.8 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 211 | 28 | 20 | 14 | 6 | 8 |
| RATE... | | 131.7 | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 221 | 13 | 8 | 5 | 3 | 5 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 823 | 17 | 9 | 4 | 5 | 8 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,291 | 30 | 12 | 7 | 5 | 17 |
| RATE... | | 12.9 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Louisiana | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 24,273 | 109 | 35 | 18 | 17 | 74 |
| RATE... | | 4.5 | 1.4 | * | * | 3.0 |
| 2,500-2,999 GRAMS.....NUMBER... | 6,939 | 40 | 12 | 8 | 4 | 27 |
| RATE... | | 5.7 | * | * | * | 3.9 |
| 3,000-3,499 GRAMS.....NUMBER... | 10,956 | 48 | 15 | 6 | 9 | 32 |
| RATE... | | 4.4 | * | * | * | 2.9 |
| 3,500-3,999 GRAMS.....NUMBER... | 5,169 | 15 | 5 | 2 | 3 | 10 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,053 | 4 | 2 | 1 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 135 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 21 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Maine | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 13,603 | 66 | 47 | 37 | 10 | 19 |
| RATE... | | 4.8 | 3.5 | 2.7 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 152 | 30 | 24 | 21 | 3 | 6 |
| RATE... | | 194.3 | 154.9 | 135.1 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 820 | 38 | 30 | 26 | 4 | 8 |
| RATE... | | 45.9 | 36.2 | 31.3 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 18 | 15 | 13 | 12 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 500-749 GRAMS.....NUMBER... | 24 | 6 | 5 | 4 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 22 | 5 | 4 | 3 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 43 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 45 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 170 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 498 | 6 | 5 | 4 | 1 | 1 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Maine | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 12,774 | 28 | 17 | 11 | 6 | 11 |
| RATE... | | 2.2 | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 1,815 | 8 | 5 | 4 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 4,625 | 14 | 10 | 6 | 4 | 4 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 4,390 | 5 | 2 | 1 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,600 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 314 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 30 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 9 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Maine | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 13,185 | 65 | 46 | 37 | 9 | 19 |
| RATE... | | 4.9 | 3.5 | 2.8 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 148 | 30 | 24 | 21 | 3 | 6 |
| RATE... | | 199.6 | 159.1 | 138.8 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 796 | 38 | 30 | 26 | 4 | 8 |
| RATE... | | 47.3 | 37.3 | 32.3 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 17 | 15 | 13 | 12 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 500-749 GRAMS.....NUMBER... | 24 | 6 | 5 | 4 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 22 | 5 | 4 | 3 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 43 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 42 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 167 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 481 | 6 | 5 | 4 | 1 | 1 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Maine | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 12,380 | 27 | 16 | 11 | 5 | 11 |
| RATE... | | 2.2 | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 1,743 | 8 | 5 | 4 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 4,469 | 13 | 9 | 6 | 3 | 4 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 4,268 | 5 | 2 | 1 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,562 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 309 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 29 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 9 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Maine | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 112 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 1,500 GRAMS....NUMBER... | 3 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 2,500 GRAMS....NUMBER... | 11 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 500 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 500-749 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 750-999 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 2 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 3 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 5 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Maine | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 101 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,500-2,999 GRAMS.....NUMBER... | 22 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,000-3,499 GRAMS.....NUMBER... | 32 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,500-3,999 GRAMS.....NUMBER... | 33 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,000-4,499 GRAMS.....NUMBER... | 12 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Maryland | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 74,318 | 558 | 413 | 323 | 90 | 145 |
| RATE... | | 7.5 | 5.6 | 4.3 | 1.2 | 2.0 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,365 | 352 | 306 | 254 | 52 | 47 |
| RATE... | | 258.1 | 224.0 | 185.9 | 38.1 | 34.1 |
| LESS THAN 2,500 GRAMS....NUMBER... | 6,418 | 412 | 343 | 277 | 66 | 69 |
| RATE... | | 64.2 | 53.4 | 43.2 | 10.3 | 10.7 |
| LESS THAN 500 GRAMS.....NUMBER... | 151 | 142 | 142 | 134 | 8 | - |
| RATE... | | 940.4 | 940.4 | 887.5 | * | - |
| 500-749 GRAMS.....NUMBER... | 297 | 137 | 114 | 90 | 24 | 22 |
| RATE... | | 459.9 | 385.0 | 304.2 | 80.8 | 74.9 |
| 750-999 GRAMS.....NUMBER... | 284 | 39 | 26 | 15 | 11 | 13 |
| RATE... | | 138.6 | 92.2 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 277 | 21 | 13 | 9 | 4 | 8 |
| RATE... | | 76.5 | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 355 | 13 | 10 | 5 | 5 | 3 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,252 | 28 | 21 | 12 | 9 | 7 |
| RATE... | | 22.5 | 16.9 | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 3,802 | 31 | 16 | 11 | 5 | 15 |
| RATE... | | 8.2 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Maryland | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 67,892 | 140 | 63 | 39 | 24 | 76 |
| RATE... | | 2.1 | .9 | .6 | .4 | 1.1 |
| 2,500-2,999 GRAMS.....NUMBER... | 12,849 | 50 | 24 | 15 | 9 | 25 |
| RATE... | | 3.9 | 1.9 | * | * | 2.0 |
| 3,000-3,499 GRAMS.....NUMBER... | 27,135 | 50 | 23 | 14 | 9 | 26 |
| RATE... | | 1.8 | .9 | * | * | 1.0 |
| 3,500-3,999 GRAMS.....NUMBER... | 20,685 | 28 | 11 | 6 | 5 | 17 |
| RATE... | | 1.4 | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 6,183 | 10 | 5 | 4 | 1 | 5 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 946 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 94 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 8 | 6 | 6 | 6 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Maryland | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 45,554 | 216 | 150 | 117 | 33 | 66 |
| RATE... | | 4.7 | 3.3 | 2.6 | .7 | 1.4 |
| LESS THAN 1,500 GRAMS....NUMBER... | 530 | 114 | 100 | 84 | 16 | 14 |
| RATE... | | 215.4 | 188.7 | 158.5 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,923 | 146 | 117 | 97 | 20 | 28 |
| RATE... | | 49.8 | 40.1 | 33.2 | 6.8 | 9.7 |
| LESS THAN 500 GRAMS.....NUMBER... | 39 | 38 | 38 | 35 | 3 | - |
| RATE... | | 985.4 | 985.4 | 908.5 | * | - |
| 500-749 GRAMS.....NUMBER... | 103 | 49 | 42 | 37 | 5 | 6 |
| RATE... | | 471.2 | 412.4 | 363.8 | * | * |
| 750-999 GRAMS.....NUMBER... | 98 | 14 | 9 | 4 | 5 | 5 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 130 | 10 | 7 | 5 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 160 | 3 | 3 | 2 | 1 | - |
| RATE... | | * | * | * | * | - |
| 1,500-1,999 GRAMS.....NUMBER... | 588 | 15 | 10 | 6 | 4 | 5 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,805 | 16 | 7 | 7 | - | 9 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Maryland | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 42,629 | 70 | 32 | 19 | 13 | 38 |
| RATE... | | 1.6 | .8 | * | * | .9 |
| 2,500-2,999 GRAMS.....NUMBER... | 6,341 | 22 | 13 | 8 | 5 | 9 |
| RATE... | | 3.5 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 16,169 | 21 | 10 | 6 | 4 | 11 |
| RATE... | | 1.3 | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 14,533 | 19 | 6 | 3 | 3 | 13 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 4,771 | 5 | 3 | 2 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 741 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 74 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 2 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Maryland | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 24,912 | 323 | 248 | 194 | 54 | 75 |
| RATE... | | 13.0 | 10.0 | 7.8 | 2.2 | 3.0 |
| LESS THAN 1,500 GRAMS....NUMBER... | 795 | 225 | 196 | 163 | 33 | 29 |
| RATE... | | 283.0 | 246.1 | 204.6 | 41.5 | 36.9 |
| LESS THAN 2,500 GRAMS....NUMBER... | 3,200 | 252 | 215 | 172 | 43 | 37 |
| RATE... | | 78.8 | 67.1 | 53.7 | 13.4 | 11.7 |
| LESS THAN 500 GRAMS.....NUMBER... | 108 | 100 | 100 | 95 | 5 | - |
| RATE... | | 921.6 | 921.6 | 875.3 | * | - |
| 500-749 GRAMS.....NUMBER... | 189 | 84 | 69 | 50 | 19 | 15 |
| RATE... | | 444.5 | 364.2 | 263.7 | * | * |
| 750-999 GRAMS.....NUMBER... | 179 | 22 | 15 | 11 | 4 | 7 |
| RATE... | | 124.3 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 142 | 10 | 6 | 4 | 2 | 4 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 176 | 9 | 6 | 3 | 3 | 3 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 608 | 12 | 10 | 5 | 5 | 2 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,798 | 15 | 9 | 4 | 5 | 6 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Maryland | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 21,707 | 67 | 29 | 18 | 11 | 38 |
| RATE... | | 3.1 | 1.3 | * | * | 1.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 5,670 | 25 | 10 | 6 | 4 | 15 |
| RATE... | | 4.5 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 9,335 | 27 | 12 | 7 | 5 | 15 |
| RATE... | | 2.9 | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 5,283 | 9 | 5 | 3 | 2 | 4 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,224 | 5 | 2 | 2 | - | 3 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 177 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 18 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 5 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Massachusetts | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 81,614 | 376 | 288 | 245 | 43 | 88 |
| RATE... | | 4.6 | 3.5 | 3.0 | .5 | 1.1 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,102 | 229 | 214 | 190 | 24 | 15 |
| RATE... | | 208.2 | 194.4 | 172.6 | 21.8 | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 5,736 | 266 | 235 | 206 | 29 | 30 |
| RATE... | | 46.3 | 41.0 | 36.0 | 5.1 | 5.3 |
| LESS THAN 500 GRAMS.....NUMBER... | 123 | 101 | 101 | 100 | 1 | - |
| RATE... | | 822.6 | 822.6 | 814.5 | * | - |
| 500-749 GRAMS.....NUMBER... | 185 | 73 | 67 | 58 | 9 | 6 |
| RATE... | | 393.3 | 360.5 | 311.9 | * | * |
| 750-999 GRAMS.....NUMBER... | 234 | 32 | 31 | 19 | 12 | 1 |
| RATE... | | 137.8 | 133.4 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 243 | 12 | 9 | 7 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 313 | 11 | 6 | 6 | - | 5 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,173 | 14 | 9 | 9 | - | 5 |
| RATE... | | * | * | * | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 3,465 | 22 | 12 | 7 | 5 | 10 |
| RATE... | | 6.4 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Massachusetts | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 74,584 | 101 | 45 | 31 | 14 | 56 |
| RATE... | | 1.4 | .6 | .4 | * | .7 |
| 2,500-2,999 GRAMS.....NUMBER... | 11,782 | 30 | 19 | 13 | 6 | 11 |
| RATE... | | 2.6 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 28,456 | 36 | 13 | 11 | 2 | 23 |
| RATE... | | 1.3 | * | * | * | .8 |
| 3,500-3,999 GRAMS.....NUMBER... | 24,839 | 23 | 7 | 5 | 2 | 16 |
| RATE... | | .9 | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 7,963 | 8 | 3 | - | 3 | 5 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,392 | 3 | 3 | 2 | 1 | - |
| RATE... | | * | * | * | * | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 152 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 1,294 | 9 | 7 | 7 | - | 2 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Massachusetts | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 68,553 | 273 | 211 | 176 | 35 | 62 |
| RATE... | | 4.0 | 3.1 | 2.6 | .5 | .9 |
| LESS THAN 1,500 GRAMS....NUMBER... | 814 | 164 | 156 | 134 | 22 | 8 |
| RATE... | | 201.0 | 191.1 | 164.1 | 27.0 | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 4,508 | 188 | 171 | 147 | 24 | 17 |
| RATE... | | 41.7 | 37.9 | 32.5 | 5.3 | * |
| LESS THAN 500 GRAMS.....NUMBER... | 82 | 72 | 72 | 71 | 1 | - |
| RATE... | | 875.8 | 875.8 | 863.7 | * | - |
| 500-749 GRAMS.....NUMBER... | 135 | 53 | 50 | 41 | 9 | 2 |
| RATE... | | 389.0 | 374.0 | 307.3 | * | * |
| 750-999 GRAMS.....NUMBER... | 164 | 22 | 22 | 12 | 10 | - |
| RATE... | | 135.0 | 135.0 | * | * | - |
| 1,000-1,249 GRAMS.....NUMBER... | 186 | 11 | 8 | 6 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 244 | 6 | 3 | 3 | - | 3 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 941 | 12 | 8 | 8 | - | 4 |
| RATE... | | * | * | * | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,756 | 12 | 7 | 5 | 2 | 5 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Massachusetts | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 62,867 | 77 | 34 | 23 | 11 | 42 |
| RATE... | | 1.2 | .5 | .4 | * | .7 |
| 2,500-2,999 GRAMS.....NUMBER... | 9,194 | 23 | 15 | 10 | 5 | 8 |
| RATE... | | 2.5 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 23,403 | 25 | 9 | 7 | 2 | 16 |
| RATE... | | 1.1 | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 21,665 | 18 | 5 | 4 | 1 | 13 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 7,208 | 7 | 2 | - | 2 | 5 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,261 | 3 | 3 | 2 | 1 | - |
| RATE... | | * | * | * | * | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 136 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 1,178 | 8 | 6 | 6 | - | 2 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Massachusetts | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 8,086 | 82 | 63 | 56 | 7 | 19 |
| RATE... | | 10.1 | 7.8 | 6.9 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 232 | 55 | 51 | 49 | 2 | 4 |
| RATE... | | 235.5 | 218.1 | 209.5 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 867 | 64 | 56 | 52 | 4 | 8 |
| RATE... | | 73.5 | 64.2 | 59.6 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 36 | 26 | 26 | 26 | - | - |
| RATE... | | 731.3 | 731.3 | 731.3 | - | - |
| 500-749 GRAMS.....NUMBER... | 43 | 17 | 14 | 14 | - | 3 |
| RATE... | | * | * | * | - | * |
| 750-999 GRAMS.....NUMBER... | 57 | 7 | 7 | 5 | 2 | - |
| RATE... | | * | * | * | * | - |
| 1,000-1,249 GRAMS.....NUMBER... | 44 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 51 | 4 | 3 | 3 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 172 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 464 | 7 | 4 | 2 | 2 | 3 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Massachusetts | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... RATE... | 7,198 | 18 * | 7 * | 4 * | 3 * | 11 * |
| 2,500-2,999 GRAMS.....NUMBER... RATE... | 1,522 | 6 * | 3 * | 2 * | 1 * | 3 * |
| 3,000-3,499 GRAMS.....NUMBER... RATE... | 3,012 | 8 * | 2 * | 2 * | - - | 6 * |
| 3,500-3,999 GRAMS.....NUMBER... RATE... | 2,044 | 3 * | 1 * | - - | 1 * | 2 * |
| 4,000-4,499 GRAMS.....NUMBER... RATE... | 509 | 1 * | 1 * | - - | 1 * | - - |
| 4,500-4,999 GRAMS.....NUMBER... RATE... | 101 | - - | - - | - - | - - | - - |
| 5,000 GRAMS OR MORE.....NUMBER... RATE... | 10 | - - | - - | - - | - - | - - |
| NOT STATED.....NUMBER... RATE... | 21 | - - | - - | - - | - - | - - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Michigan | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 136,177 | 1,115 | 776 | 655 | 121 | 338 |
| RATE... | | 8.2 | 5.7 | 4.8 | .9 | 2.5 |
| LESS THAN 1,500 GRAMS....NUMBER... | 2,170 | 620 | 547 | 483 | 64 | 73 |
| RATE... | | 285.8 | 252.2 | 222.7 | 29.5 | 33.6 |
| LESS THAN 2,500 GRAMS....NUMBER... | 10,768 | 758 | 625 | 543 | 82 | 133 |
| RATE... | | 70.4 | 58.1 | 50.5 | 7.6 | 12.4 |
| LESS THAN 500 GRAMS.....NUMBER... | 297 | 268 | 261 | 255 | 6 | 7 |
| RATE... | | 903.1 | 879.5 | 859.3 | * | * |
| 500-749 GRAMS.....NUMBER... | 415 | 230 | 199 | 160 | 39 | 31 |
| RATE... | | 554.4 | 479.7 | 385.7 | 94.0 | 74.7 |
| 750-999 GRAMS.....NUMBER... | 420 | 65 | 50 | 39 | 11 | 15 |
| RATE... | | 154.8 | 119.0 | 92.9 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 491 | 27 | 19 | 14 | 5 | 8 |
| RATE... | | 55.0 | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 541 | 30 | 18 | 15 | 3 | 12 |
| RATE... | | 55.5 | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 2,115 | 60 | 31 | 26 | 5 | 29 |
| RATE... | | 28.4 | 14.7 | 12.3 | * | 13.7 |
| 2,000-2,499 GRAMS.....NUMBER... | 6,489 | 78 | 47 | 34 | 13 | 31 |
| RATE... | | 12.0 | 7.3 | 5.3 | * | 4.8 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Michigan | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 125,309 | 319 | 116 | 77 | 39 | 203 |
| RATE... | | 2.5 | .9 | .6 | .3 | 1.6 |
| 2,500-2,999 GRAMS.....NUMBER... | 21,586 | 88 | 35 | 25 | 10 | 53 |
| RATE... | | 4.1 | 1.6 | 1.2 | * | 2.5 |
| 3,000-3,499 GRAMS.....NUMBER... | 48,340 | 138 | 50 | 29 | 21 | 88 |
| RATE... | | 2.9 | 1.0 | .6 | .4 | 1.8 |
| 3,500-3,999 GRAMS.....NUMBER... | 40,263 | 66 | 21 | 15 | 6 | 45 |
| RATE... | | 1.6 | .5 | * | * | 1.1 |
| 4,000-4,499 GRAMS.....NUMBER... | 12,702 | 20 | 6 | 4 | 2 | 14 |
| RATE... | | 1.6 | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 2,171 | 7 | 4 | 4 | - | 3 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 247 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 100 | 37 | 35 | 35 | - | 2 |
| RATE... | | 370.0 | 350.0 | 350.0 | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Michigan | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 107,364 | 675 | 469 | 395 | 74 | 206 |
| RATE... | | 6.3 | 4.4 | 3.7 | .7 | 1.9 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,275 | 336 | 296 | 264 | 32 | 40 |
| RATE... | | 263.6 | 232.3 | 207.2 | 25.1 | 31.4 |
| LESS THAN 2,500 GRAMS....NUMBER... | 6,903 | 425 | 354 | 310 | 44 | 71 |
| RATE... | | 61.6 | 51.3 | 44.9 | 6.4 | 10.3 |
| LESS THAN 500 GRAMS.....NUMBER... | 139 | 126 | 122 | 119 | 3 | 4 |
| RATE... | | 907.0 | 878.2 | 856.6 | * | * |
| 500-749 GRAMS.....NUMBER... | 230 | 131 | 115 | 99 | 16 | 16 |
| RATE... | | 569.9 | 500.3 | 430.7 | * | * |
| 750-999 GRAMS.....NUMBER... | 240 | 43 | 34 | 27 | 7 | 9 |
| RATE... | | 179.2 | 141.7 | 112.5 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 297 | 17 | 13 | 9 | 4 | 4 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 367 | 19 | 12 | 10 | 2 | 7 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,370 | 39 | 24 | 22 | 2 | 15 |
| RATE... | | 28.5 | 17.6 | 16.1 | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 4,260 | 50 | 34 | 24 | 10 | 16 |
| RATE... | | 11.8 | 8.0 | 5.6 | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Michigan | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 100,389 | 226 | 92 | 62 | 30 | 134 |
| RATE... | | 2.3 | .9 | .6 | .3 | 1.3 |
| 2,500-2,999 GRAMS.....NUMBER... | 15,076 | 62 | 28 | 21 | 7 | 34 |
| RATE... | | 4.1 | 1.9 | 1.4 | * | 2.3 |
| 3,000-3,499 GRAMS.....NUMBER... | 37,571 | 96 | 38 | 22 | 16 | 58 |
| RATE... | | 2.6 | 1.0 | .6 | * | 1.5 |
| 3,500-3,999 GRAMS.....NUMBER... | 34,258 | 48 | 20 | 15 | 5 | 28 |
| RATE... | | 1.4 | .6 | * | * | .8 |
| 4,000-4,499 GRAMS.....NUMBER... | 11,305 | 16 | 5 | 3 | 2 | 11 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,956 | 4 | 1 | 1 | - | 3 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 223 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 72 | 24 | 23 | 23 | - | 1 |
| RATE... | | 333.3 | 319.4 | 319.4 | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Michigan | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 24,318 | 410 | 290 | 244 | 46 | 120 |
| RATE... | | 16.9 | 11.9 | 10.0 | 1.9 | 4.9 |
| LESS THAN 1,500 GRAMS....NUMBER... | 844 | 273 | 241 | 210 | 31 | 32 |
| RATE... | | 323.6 | 285.7 | 249.0 | 36.7 | 37.9 |
| LESS THAN 2,500 GRAMS....NUMBER... | 3,547 | 315 | 255 | 218 | 37 | 60 |
| RATE... | | 88.8 | 71.9 | 61.5 | 10.4 | 16.9 |
| LESS THAN 500 GRAMS.....NUMBER... | 152 | 136 | 134 | 131 | 3 | 2 |
| RATE... | | 895.6 | 882.5 | 862.7 | * | * |
| 500-749 GRAMS.....NUMBER... | 180 | 97 | 82 | 59 | 23 | 15 |
| RATE... | | 538.9 | 455.6 | 327.8 | 127.8 | * |
| 750-999 GRAMS.....NUMBER... | 167 | 20 | 14 | 11 | 3 | 6 |
| RATE... | | 119.8 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 177 | 10 | 6 | 5 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 164 | 10 | 5 | 4 | 1 | 5 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 687 | 19 | 5 | 2 | 3 | 14 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,020 | 23 | 9 | 6 | 3 | 14 |
| RATE... | | 11.4 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Michigan | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 20,746 | 82 | 23 | 14 | 9 | 59 |
| RATE... | | 4.0 | 1.1 | * | * | 2.8 |
| 2,500-2,999 GRAMS.....NUMBER... | 5,570 | 22 | 6 | 3 | 3 | 16 |
| RATE... | | 3.9 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 8,971 | 38 | 12 | 7 | 5 | 26 |
| RATE... | | 4.2 | * | * | * | 2.9 |
| 3,500-3,999 GRAMS.....NUMBER... | 4,875 | 16 | 1 | - | 1 | 15 |
| RATE... | | * | * | - | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,143 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 168 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 19 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 25 | 13 | 12 | 12 | - | 1 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Minnesota | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 67,604 | 380 | 252 | 201 | 51 | 128 |
| RATE... | | 5.6 | 3.7 | 3.0 | .8 | 1.9 |
| LESS THAN 1,500 GRAMS....NUMBER... | 752 | 171 | 156 | 140 | 16 | 15 |
| RATE... | | 227.5 | 207.4 | 186.2 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 4,165 | 237 | 200 | 171 | 29 | 37 |
| RATE... | | 57.0 | 48.0 | 41.1 | 7.0 | 9.0 |
| LESS THAN 500 GRAMS.....NUMBER... | 77 | 60 | 59 | 59 | - | 1 |
| RATE... | | 779.3 | 766.2 | 766.2 | - | * |
| 500-749 GRAMS.....NUMBER... | 157 | 61 | 55 | 47 | 8 | 6 |
| RATE... | | 388.8 | 350.3 | 299.4 | * | * |
| 750-999 GRAMS.....NUMBER... | 159 | 30 | 25 | 21 | 4 | 5 |
| RATE... | | 188.9 | 157.2 | 132.1 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 156 | 9 | 8 | 6 | 2 | 1 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 202 | 11 | 9 | 7 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 819 | 32 | 20 | 15 | 5 | 12 |
| RATE... | | 39.2 | 24.4 | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,595 | 34 | 24 | 16 | 8 | 10 |
| RATE... | | 13.1 | 9.2 | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Minnesota | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 63,425 | 141 | 50 | 28 | 22 | 91 |
| RATE... | | 2.2 | .8 | .4 | .3 | 1.4 |
| 2,500-2,999 GRAMS.....NUMBER... | 9,124 | 42 | 15 | 8 | 7 | 27 |
| RATE... | | 4.6 | * | * | * | 3.0 |
| 3,000-3,499 GRAMS.....NUMBER... | 23,726 | 59 | 24 | 15 | 9 | 35 |
| RATE... | | 2.5 | 1.0 | * | * | 1.5 |
| 3,500-3,999 GRAMS.....NUMBER... | 21,845 | 31 | 8 | 4 | 4 | 23 |
| RATE... | | 1.4 | * | * | * | 1.1 |
| 4,000-4,499 GRAMS.....NUMBER... | 7,262 | 5 | 2 | - | 2 | 3 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,310 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 158 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| NOT STATED.....NUMBER... | 14 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Minnesota | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 58,431 | 286 | 186 | 147 | 39 | 100 |
| RATE... | | 4.9 | 3.2 | 2.5 | .7 | 1.7 |
| LESS THAN 1,500 GRAMS....NUMBER... | 576 | 122 | 113 | 101 | 12 | 9 |
| RATE... | | 211.9 | 196.2 | 175.3 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 3,355 | 172 | 146 | 125 | 21 | 26 |
| RATE... | | 51.3 | 43.5 | 37.3 | 6.3 | 7.8 |
| LESS THAN 500 GRAMS.....NUMBER... | 49 | 38 | 37 | 37 | - | 1 |
| RATE... | | 775.7 | 755.1 | 755.1 | - | * |
| 500-749 GRAMS.....NUMBER... | 115 | 43 | 40 | 35 | 5 | 3 |
| RATE... | | 374.1 | 347.8 | 304.3 | * | * |
| 750-999 GRAMS.....NUMBER... | 123 | 26 | 22 | 18 | 4 | 4 |
| RATE... | | 211.6 | 178.9 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 121 | 7 | 7 | 5 | 2 | - |
| RATE... | | * | * | * | * | - |
| 1,250-1,499 GRAMS.....NUMBER... | 167 | 8 | 7 | 6 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 668 | 26 | 16 | 12 | 4 | 10 |
| RATE... | | 39.0 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,112 | 24 | 17 | 12 | 5 | 7 |
| RATE... | | 11.4 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Minnesota | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 55,067 | 113 | 39 | 21 | 18 | 74 |
| RATE... | | 2.0 | .7 | .4 | * | 1.3 |
| 2,500-2,999 GRAMS.....NUMBER... | 7,268 | 33 | 11 | 5 | 6 | 22 |
| RATE... | | 4.6 | * | * | * | 3.0 |
| 3,000-3,499 GRAMS.....NUMBER... | 20,137 | 49 | 18 | 11 | 7 | 31 |
| RATE... | | 2.4 | * | * | * | 1.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 19,638 | 24 | 8 | 4 | 4 | 16 |
| RATE... | | 1.2 | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 6,661 | 4 | 1 | - | 1 | 3 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,219 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 144 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 9 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Minnesota | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 4,450 | 62 | 43 | 35 | 8 | 19 |
| RATE... | | 14.0 | 9.7 | 7.9 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 118 | 33 | 28 | 25 | 3 | 5 |
| RATE... | | 280.0 | 237.3 | 211.9 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 496 | 43 | 34 | 30 | 4 | 9 |
| RATE... | | 86.8 | 68.5 | 60.5 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 20 | 15 | 15 | 15 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 28 | 12 | 9 | 7 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 25 | 3 | 2 | 2 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,000-1,249 GRAMS.....NUMBER... | 21 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 24 | 2 | 2 | 1 | 1 | - |
| RATE... | | * | * | * | * | - |
| 1,500-1,999 GRAMS.....NUMBER... | 99 | 5 | 3 | 3 | - | 2 |
| RATE... | | * | * | * | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 279 | 5 | 3 | 2 | 1 | 2 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Minnesota | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... RATE... | 3,951 | 18 * | 8 * | 4 * | 4 * | 10 * |
| 2,500-2,999 GRAMS.....NUMBER... RATE... | 893 | 7 * | 3 * | 2 * | 1 * | 4 * |
| 3,000-3,499 GRAMS.....NUMBER... RATE... | 1,696 | 7 * | 4 * | 2 * | 2 * | 3 * |
| 3,500-3,999 GRAMS.....NUMBER... RATE... | 1,049 | 3 * | - - | - - | - - | 3 * |
| 4,000-4,499 GRAMS.....NUMBER... RATE... | 273 | 1 * | 1 * | - - | 1 * | - - |
| 4,500-4,999 GRAMS.....NUMBER... RATE... | 39 | - - | - - | - - | - - | - - |
| 5,000 GRAMS OR MORE.....NUMBER... RATE... | 1 | - - | - - | - - | - - | - - |
| NOT STATED.....NUMBER... RATE... | 3 | 1 * | 1 * | 1 * | - - | - - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Mississippi | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 44,075 | 469 | 286 | 227 | 59 | 183 |
| RATE... | | 10.6 | 6.5 | 5.2 | 1.3 | 4.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 966 | 242 | 197 | 166 | 31 | 45 |
| RATE... | | 250.8 | 203.9 | 171.8 | 32.1 | 46.9 |
| LESS THAN 2,500 GRAMS....NUMBER... | 4,699 | 310 | 238 | 196 | 42 | 72 |
| RATE... | | 66.1 | 50.7 | 41.7 | 8.9 | 15.4 |
| LESS THAN 500 GRAMS.....NUMBER... | 79 | 71 | 69 | 67 | 2 | 2 |
| RATE... | | 898.9 | 873.4 | 848.1 | * | * |
| 500-749 GRAMS.....NUMBER... | 219 | 115 | 95 | 79 | 16 | 20 |
| RATE... | | 525.7 | 433.8 | 360.7 | * | 91.9 |
| 750-999 GRAMS.....NUMBER... | 207 | 26 | 17 | 8 | 9 | 9 |
| RATE... | | 125.8 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 212 | 17 | 9 | 7 | 2 | 8 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 247 | 12 | 6 | 4 | 2 | 6 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 974 | 34 | 22 | 14 | 8 | 12 |
| RATE... | | 35.0 | 22.6 | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,761 | 35 | 20 | 17 | 3 | 15 |
| RATE... | | 12.7 | 7.2 | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Mississippi | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 39,364 | 153 | 42 | 25 | 17 | 111 |
| RATE... | | 3.9 | 1.1 | .6 | * | 2.8 |
| 2,500-2,999 GRAMS.....NUMBER... | 8,945 | 48 | 13 | 6 | 7 | 35 |
| RATE... | | 5.4 | * | * | * | 3.9 |
| 3,000-3,499 GRAMS.....NUMBER... | 16,615 | 72 | 19 | 12 | 7 | 53 |
| RATE... | | 4.4 | * | * | * | 3.2 |
| 3,500-3,999 GRAMS.....NUMBER... | 10,570 | 27 | 6 | 4 | 2 | 21 |
| RATE... | | 2.6 | * | * | * | 2.0 |
| 4,000-4,499 GRAMS.....NUMBER... | 2,764 | 4 | 3 | 2 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 420 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 50 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 12 | 6 | 6 | 6 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Mississippi | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 23,540 | 164 | 92 | 71 | 21 | 71 |
| RATE... | | 6.9 | 3.9 | 3.0 | .9 | 3.0 |
| LESS THAN 1,500 GRAMS....NUMBER... | 317 | 64 | 50 | 43 | 7 | 14 |
| RATE... | | 202.2 | 157.7 | 135.6 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 1,869 | 98 | 72 | 60 | 12 | 26 |
| RATE... | | 52.5 | 38.5 | 32.1 | * | 14.0 |
| LESS THAN 500 GRAMS.....NUMBER... | 24 | 20 | 20 | 20 | - | - |
| RATE... | | 833.3 | 833.3 | 833.3 | - | - |
| 500-749 GRAMS.....NUMBER... | 64 | 29 | 24 | 19 | 5 | 5 |
| RATE... | | 453.6 | 375.0 | * | * | * |
| 750-999 GRAMS.....NUMBER... | 62 | 7 | 4 | 2 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 79 | 5 | 1 | 1 | - | 4 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 88 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 411 | 15 | 11 | 7 | 4 | 4 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,141 | 19 | 11 | 10 | 1 | 8 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Mississippi | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 21,667 | 65 | 20 | 11 | 9 | 45 |
| RATE... | | 3.0 | .9 | * | * | 2.1 |
| 2,500-2,999 GRAMS.....NUMBER... | 3,820 | 19 | 5 | 3 | 2 | 14 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 8,650 | 29 | 9 | 5 | 4 | 20 |
| RATE... | | 3.4 | * | * | * | 2.3 |
| 3,500-3,999 GRAMS.....NUMBER... | 6,823 | 14 | 4 | 2 | 2 | 10 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 2,022 | 3 | 2 | 1 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 318 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 34 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 4 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Mississippi | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 19,893 | 300 | 191 | 154 | 37 | 109 |
| RATE... | | 15.1 | 9.6 | 7.7 | 1.9 | 5.5 |
| LESS THAN 1,500 GRAMS....NUMBER... | 641 | 177 | 146 | 122 | 24 | 31 |
| RATE... | | 276.4 | 227.8 | 190.3 | 37.4 | 48.7 |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,787 | 211 | 165 | 135 | 30 | 46 |
| RATE... | | 75.8 | 59.2 | 48.4 | 10.8 | 16.6 |
| LESS THAN 500 GRAMS.....NUMBER... | 54 | 51 | 49 | 47 | 2 | 2 |
| RATE... | | 944.7 | 907.4 | 870.4 | * | * |
| 500-749 GRAMS.....NUMBER... | 153 | 85 | 70 | 59 | 11 | 15 |
| RATE... | | 556.2 | 457.5 | 385.6 | * | * |
| 750-999 GRAMS.....NUMBER... | 142 | 19 | 13 | 6 | 7 | 6 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 133 | 12 | 8 | 6 | 2 | 4 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 157 | 9 | 5 | 3 | 2 | 4 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 551 | 19 | 11 | 7 | 4 | 8 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,597 | 16 | 9 | 7 | 2 | 7 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Mississippi | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 17,098 | 82 | 20 | 13 | 7 | 62 |
| RATE... | | 4.8 | 1.2 | * | * | 3.6 |
| 2,500-2,999 GRAMS.....NUMBER... | 4,991 | 28 | 8 | 3 | 5 | 20 |
| RATE... | | 5.6 | * | * | * | 4.0 |
| 3,000-3,499 GRAMS.....NUMBER... | 7,709 | 39 | 8 | 6 | 2 | 31 |
| RATE... | | 5.1 | * | * | * | 4.0 |
| 3,500-3,999 GRAMS.....NUMBER... | 3,590 | 13 | 2 | 2 | - | 11 |
| RATE... | | * | * | * | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 698 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 94 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 16 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 8 | 6 | 6 | 6 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Missouri | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 76,463 | 550 | 364 | 286 | 78 | 186 |
| RATE... | | 7.2 | 4.8 | 3.7 | 1.0 | 2.4 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,106 | 273 | 247 | 219 | 28 | 26 |
| RATE... | | 246.8 | 223.0 | 197.7 | 25.3 | 23.7 |
| LESS THAN 2,500 GRAMS....NUMBER... | 5,810 | 358 | 300 | 252 | 48 | 59 |
| RATE... | | 61.7 | 51.6 | 43.3 | 8.3 | 10.1 |
| LESS THAN 500 GRAMS.....NUMBER... | 140 | 124 | 120 | 117 | 3 | 4 |
| RATE... | | 888.6 | 859.7 | 838.3 | * | * |
| 500-749 GRAMS.....NUMBER... | 214 | 78 | 69 | 55 | 14 | 9 |
| RATE... | | 365.7 | 323.2 | 257.8 | * | * |
| 750-999 GRAMS.....NUMBER... | 210 | 31 | 24 | 20 | 4 | 7 |
| RATE... | | 148.3 | 114.6 | 95.6 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 240 | 21 | 18 | 13 | 5 | 3 |
| RATE... | | 87.8 | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 300 | 18 | 15 | 13 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,162 | 33 | 25 | 19 | 6 | 8 |
| RATE... | | 28.5 | 21.6 | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 3,544 | 52 | 28 | 14 | 14 | 24 |
| RATE... | | 14.8 | 7.9 | * | * | 6.8 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Missouri | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 70,645 | 186 | 59 | 29 | 30 | 127 |
| RATE... | | 2.6 | .8 | .4 | .4 | 1.8 |
| 2,500-2,999 GRAMS.....NUMBER... | 12,269 | 64 | 22 | 11 | 11 | 42 |
| RATE... | | 5.3 | 1.8 | * | * | 3.5 |
| 3,000-3,499 GRAMS.....NUMBER... | 28,275 | 72 | 22 | 9 | 13 | 49 |
| RATE... | | 2.5 | .8 | * | * | 1.8 |
| 3,500-3,999 GRAMS.....NUMBER... | 22,446 | 38 | 13 | 8 | 5 | 25 |
| RATE... | | 1.7 | * | * | * | 1.1 |
| 4,000-4,499 GRAMS.....NUMBER... | 6,479 | 10 | 1 | - | 1 | 9 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,064 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 112 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 8 | 5 | 5 | 5 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Missouri | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 63,168 | 385 | 250 | 193 | 57 | 135 |
| RATE... | | 6.1 | 4.0 | 3.0 | .9 | 2.1 |
| LESS THAN 1,500 GRAMS....NUMBER... | 731 | 183 | 165 | 144 | 21 | 17 |
| RATE... | | 249.8 | 226.3 | 197.6 | 28.7 | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 4,158 | 247 | 206 | 170 | 36 | 41 |
| RATE... | | 59.4 | 49.4 | 40.8 | 8.7 | 10.0 |
| LESS THAN 500 GRAMS.....NUMBER... | 88 | 79 | 76 | 73 | 3 | 3 |
| RATE... | | 900.6 | 866.2 | 832.1 | * | * |
| 500-749 GRAMS.....NUMBER... | 141 | 55 | 50 | 40 | 10 | 5 |
| RATE... | | 391.3 | 355.5 | 284.6 | * | * |
| 750-999 GRAMS.....NUMBER... | 131 | 20 | 15 | 12 | 3 | 5 |
| RATE... | | 153.4 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 155 | 13 | 11 | 8 | 3 | 2 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 216 | 15 | 13 | 11 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 840 | 26 | 20 | 15 | 5 | 6 |
| RATE... | | 31.1 | 23.9 | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,587 | 38 | 20 | 10 | 10 | 18 |
| RATE... | | 14.8 | 7.7 | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Missouri | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 59,004 | 134 | 40 | 19 | 21 | 94 |
| RATE... | | 2.3 | .7 | * | .4 | 1.6 |
| 2,500-2,999 GRAMS.....NUMBER... | 9,214 | 41 | 14 | 7 | 7 | 27 |
| RATE... | | 4.5 | * | * | * | 3.0 |
| 3,000-3,499 GRAMS.....NUMBER... | 23,198 | 49 | 13 | 5 | 8 | 36 |
| RATE... | | 2.1 | * | * | * | 1.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 19,654 | 31 | 11 | 6 | 5 | 20 |
| RATE... | | 1.6 | * | * | * | 1.0 |
| 4,000-4,499 GRAMS.....NUMBER... | 5,872 | 10 | 1 | - | 1 | 9 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 967 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 99 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 6 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Missouri | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 11,474 | 160 | 110 | 90 | 20 | 49 |
| RATE... | | 13.9 | 9.6 | 7.9 | 1.7 | 4.3 |
| LESS THAN 1,500 GRAMS....NUMBER... | 358 | 89 | 80 | 73 | 7 | 9 |
| RATE... | | 249.5 | 224.1 | 204.6 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 1,523 | 109 | 92 | 80 | 12 | 17 |
| RATE... | | 71.8 | 60.6 | 52.7 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 50 | 44 | 43 | 43 | - | 1 |
| RATE... | | 882.9 | 862.7 | 862.7 | - | * |
| 500-749 GRAMS.....NUMBER... | 71 | 23 | 19 | 15 | 4 | 4 |
| RATE... | | 325.2 | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 75 | 11 | 9 | 8 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 79 | 8 | 7 | 5 | 2 | 1 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 81 | 3 | 2 | 2 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 296 | 6 | 4 | 3 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 871 | 14 | 8 | 4 | 4 | 6 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Missouri | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 9,949 | 49 | 17 | 9 | 8 | 32 |
| RATE... | | 5.0 | * | * | * | 3.2 |
| 2,500-2,999 GRAMS.....NUMBER... | 2,686 | 23 | 8 | 4 | 4 | 15 |
| RATE... | | 8.6 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 4,319 | 19 | 7 | 3 | 4 | 12 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 2,337 | 7 | 2 | 2 | - | 5 |
| RATE... | | * | * | * | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 516 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 82 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 9 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 2 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Montana | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 10,957 | 66 | 44 | 38 | 6 | 22 |
| RATE... | | 6.0 | 4.0 | 3.5 | * | 2.0 |
| LESS THAN 1,500 GRAMS....NUMBER... | 111 | 23 | 21 | 21 | - | 2 |
| RATE... | | 202.9 | 184.8 | 184.8 | - | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 680 | 31 | 25 | 25 | - | 6 |
| RATE... | | 45.0 | 36.2 | 36.2 | - | * |
| LESS THAN 500 GRAMS.....NUMBER... | 9 | 7 | 7 | 7 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 13 | 5 | 4 | 4 | - | 1 |
| RATE... | | * | * | * | - | * |
| 750-999 GRAMS.....NUMBER... | 35 | 5 | 5 | 5 | - | - |
| RATE... | | * | * | * | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 18 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 36 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 121 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 448 | 5 | 1 | 1 | - | 4 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Montana | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... RATE... | 10,270 | 31 3.0 | 15 * | 9 * | 6 * | 16 * |
| 2,500-2,999 GRAMS.....NUMBER... RATE... | 1,686 | 9 * | 5 * | 3 * | 2 * | 4 * |
| 3,000-3,499 GRAMS.....NUMBER... RATE... | 4,232 | 15 * | 7 * | 6 * | 1 * | 8 * |
| 3,500-3,999 GRAMS.....NUMBER... RATE... | 3,259 | 7 * | 3 * | - - | 3 * | 4 * |
| 4,000-4,499 GRAMS.....NUMBER... RATE... | 926 | - - | - - | - - | - - | - - |
| 4,500-4,999 GRAMS.....NUMBER... RATE... | 154 | - - | - - | - - | - - | - - |
| 5,000 GRAMS OR MORE.....NUMBER... RATE... | 13 | - - | - - | - - | - - | - - |
| NOT STATED.....NUMBER... RATE... | 7 | 4 * | 4 * | 4 * | - - | - - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Montana | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 9,470 | 51 | 33 | 30 | 3 | 18 |
| RATE... | | 5.4 | 3.5 | 3.1 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 91 | 14 | 13 | 13 | - | 1 |
| RATE... | | * | * | * | - | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 580 | 22 | 17 | 17 | - | 5 |
| RATE... | | 38.7 | * | * | - | * |
| LESS THAN 500 GRAMS.....NUMBER... | 6 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 12 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |
| 750-999 GRAMS.....NUMBER... | 29 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 14 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 30 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 104 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 385 | 5 | 1 | 1 | - | 4 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Montana | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... RATE... | 8,885 | 25 2.8 | 12 * | 9 * | 3 * | 13 * |
| 2,500-2,999 GRAMS.....NUMBER... RATE... | 1,482 | 7 * | 3 * | 3 * | - - | 4 * |
| 3,000-3,499 GRAMS.....NUMBER... RATE... | 3,688 | 13 * | 6 * | 6 * | - - | 7 * |
| 3,500-3,999 GRAMS.....NUMBER... RATE... | 2,813 | 5 * | 3 * | - - | 3 * | 2 * |
| 4,000-4,499 GRAMS.....NUMBER... RATE... | 776 | - - | - - | - - | - - | - - |
| 4,500-4,999 GRAMS.....NUMBER... RATE... | 117 | - - | - - | - - | - - | - - |
| 5,000 GRAMS OR MORE.....NUMBER... RATE... | 9 | - - | - - | - - | - - | - - |
| NOT STATED.....NUMBER... RATE... | 5 | 3 * | 3 * | 3 * | - - | - - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Montana | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 45 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| LESS THAN 1,500 GRAMS....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 2,500 GRAMS....NUMBER... | 3 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 500 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 500-749 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 750-999 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 3 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Montana | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 41 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,500-2,999 GRAMS.....NUMBER... | 9 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,000-3,499 GRAMS.....NUMBER... | 17 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,500-3,999 GRAMS.....NUMBER... | 12 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,000-4,499 GRAMS.....NUMBER... | 3 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 1 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Nebraska | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 24,646 | 177 | 119 | 100 | 19 | 58 |
| RATE... | | 7.2 | 4.8 | 4.1 | * | 2.3 |
| LESS THAN 1,500 GRAMS....NUMBER... | 310 | 79 | 73 | 64 | 9 | 6 |
| RATE... | | 255.1 | 235.5 | 206.5 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 1,687 | 113 | 92 | 81 | 11 | 21 |
| RATE... | | 67.2 | 54.5 | 48.0 | * | 12.6 |
| LESS THAN 500 GRAMS.....NUMBER... | 42 | 36 | 36 | 35 | 1 | - |
| RATE... | | 857.1 | 857.1 | 833.3 | * | - |
| 500-749 GRAMS.....NUMBER... | 44 | 26 | 22 | 17 | 5 | 4 |
| RATE... | | 592.4 | 500.0 | * | * | * |
| 750-999 GRAMS.....NUMBER... | 60 | 11 | 9 | 7 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 74 | 3 | 3 | 2 | 1 | - |
| RATE... | | * | * | * | * | - |
| 1,250-1,499 GRAMS.....NUMBER... | 90 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 317 | 13 | 8 | 6 | 2 | 5 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,060 | 21 | 11 | 11 | - | 10 |
| RATE... | | 19.9 | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Nebraska | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 22,954 | 61 | 24 | 16 | 8 | 37 |
| RATE... | | 2.6 | 1.0 | * | * | 1.6 |
| 2,500-2,999 GRAMS.....NUMBER... | 3,708 | 21 | 10 | 5 | 5 | 11 |
| RATE... | | 5.7 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 9,273 | 23 | 10 | 8 | 2 | 13 |
| RATE... | | 2.5 | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 7,486 | 9 | 3 | 2 | 1 | 6 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 2,133 | 6 | - | - | - | 6 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 327 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 27 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 5 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Nebraska | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 22,261 | 145 | 99 | 84 | 15 | 46 |
| RATE... | | 6.5 | 4.4 | 3.8 | * | 2.1 |
| LESS THAN 1,500 GRAMS....NUMBER... | 261 | 64 | 59 | 51 | 8 | 5 |
| RATE... | | 245.5 | 226.1 | 195.4 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 1,435 | 92 | 76 | 66 | 10 | 16 |
| RATE... | | 64.3 | 53.0 | 46.0 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 35 | 30 | 30 | 29 | 1 | - |
| RATE... | | 857.1 | 857.1 | 828.6 | * | - |
| 500-749 GRAMS.....NUMBER... | 38 | 21 | 18 | 13 | 5 | 3 |
| RATE... | | 553.9 | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 52 | 8 | 6 | 4 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 60 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 76 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 276 | 13 | 8 | 6 | 2 | 5 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 898 | 15 | 9 | 9 | - | 6 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Nebraska | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 20,822 | 49 | 20 | 15 | 5 | 29 |
| RATE... | | 2.4 | 1.0 | * | * | 1.4 |
| 2,500-2,999 GRAMS.....NUMBER... | 3,202 | 18 | 7 | 4 | 3 | 11 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 8,313 | 16 | 9 | 8 | 1 | 7 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 6,966 | 9 | 3 | 2 | 1 | 6 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 2,013 | 5 | - | - | - | 5 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 303 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 25 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 4 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Nebraska | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 1,377 | 20 | 14 | 11 | 3 | 6 |
| RATE... | | 14.6 | * | * | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 32 | 10 | 9 | 8 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 179 | 14 | 11 | 10 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 5 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 4 | 3 | 2 | 2 | - | 1 |
| RATE... | | * | * | * | - | * |
| 750-999 GRAMS.....NUMBER... | 5 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 9 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| 1,250-1,499 GRAMS.....NUMBER... | 9 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 29 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 118 | 4 | 2 | 2 | - | 2 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Nebraska | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 1,197 | 6 | 3 | 1 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 324 | 2 | 2 | 1 | 1 | - |
| RATE... | | * | * | * | * | - |
| 3,000-3,499 GRAMS.....NUMBER... | 556 | 3 | 1 | - | 1 | 2 |
| RATE... | | * | * | - | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 275 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,000-4,499 GRAMS.....NUMBER... | 34 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 8 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Nevada | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 30,829 | 199 | 124 | 82 | 42 | 75 |
| RATE... | | 6.5 | 4.0 | 2.7 | 1.4 | 2.4 |
| LESS THAN 1,500 GRAMS....NUMBER... | 393 | 83 | 70 | 53 | 17 | 13 |
| RATE... | | 211.6 | 177.6 | 134.2 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,225 | 120 | 92 | 67 | 25 | 28 |
| RATE... | | 53.8 | 41.3 | 30.1 | 11.3 | 12.5 |
| LESS THAN 500 GRAMS.....NUMBER... | 32 | 22 | 21 | 20 | 1 | 1 |
| RATE... | | 696.7 | 664.6 | 633.4 | * | * |
| 500-749 GRAMS.....NUMBER... | 66 | 33 | 27 | 22 | 5 | 5 |
| RATE... | | 492.8 | 415.0 | 338.3 | * | * |
| 750-999 GRAMS.....NUMBER... | 90 | 21 | 15 | 7 | 8 | 6 |
| RATE... | | 236.3 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 92 | 6 | 5 | 3 | 2 | 1 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 113 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| 1,500-1,999 GRAMS.....NUMBER... | 391 | 11 | 8 | 6 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,441 | 25 | 14 | 8 | 6 | 11 |
| RATE... | | 17.6 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Nevada | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 28,592 | 78 | 31 | 14 | 17 | 47 |
| RATE... | | 2.7 | 1.1 | * | * | 1.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 5,391 | 18 | 9 | 3 | 6 | 9 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 12,252 | 40 | 15 | 5 | 10 | 25 |
| RATE... | | 3.2 | * | * | * | 2.0 |
| 3,500-3,999 GRAMS.....NUMBER... | 8,447 | 13 | 2 | 2 | - | 11 |
| RATE... | | * | * | * | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 2,164 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 296 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 42 | 3 | 3 | 2 | 1 | - |
| RATE... | | * | * | * | * | - |
| NOT STATED.....NUMBER... | 12 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Nevada | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 26,033 | 149 | 101 | 69 | 32 | 48 |
| RATE... | | 5.7 | 3.9 | 2.6 | 1.2 | 1.9 |
| LESS THAN 1,500 GRAMS....NUMBER... | 306 | 64 | 57 | 45 | 12 | 7 |
| RATE... | | 208.8 | 185.2 | 145.8 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 1,751 | 91 | 75 | 56 | 19 | 16 |
| RATE... | | 52.1 | 42.7 | 31.9 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 26 | 19 | 18 | 17 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 500-749 GRAMS.....NUMBER... | 54 | 25 | 23 | 19 | 4 | 2 |
| RATE... | | 470.4 | 432.4 | * | * | * |
| 750-999 GRAMS.....NUMBER... | 61 | 14 | 10 | 5 | 5 | 4 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 77 | 5 | 5 | 3 | 2 | - |
| RATE... | | * | * | * | * | - |
| 1,250-1,499 GRAMS.....NUMBER... | 88 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 299 | 6 | 6 | 5 | 1 | - |
| RATE... | | * | * | * | * | - |
| 2,000-2,499 GRAMS.....NUMBER... | 1,146 | 21 | 12 | 6 | 6 | 9 |
| RATE... | | 18.6 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Nevada | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 24,274 | 58 | 26 | 13 | 13 | 32 |
| RATE... | | 2.4 | 1.1 | * | * | 1.3 |
| 2,500-2,999 GRAMS.....NUMBER... | 4,306 | 16 | 8 | 3 | 5 | 8 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 10,247 | 26 | 11 | 4 | 7 | 15 |
| RATE... | | 2.6 | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 7,472 | 9 | 2 | 2 | - | 7 |
| RATE... | | * | * | * | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,941 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 272 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 36 | 3 | 3 | 2 | 1 | - |
| RATE... | | * | * | * | * | - |
| NOT STATED.....NUMBER... | 8 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Nevada | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 2,369 | 29 | 12 | 5 | 7 | 16 |
| RATE... | | 12.0 | * | * | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 65 | 11 | 6 | 3 | 3 | 5 |
| RATE... | | * | * | * | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 306 | 15 | 8 | 4 | 4 | 7 |
| RATE... | | * | * | * | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 5 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 7 | 3 | 1 | - | 1 | 2 |
| RATE... | | * | * | - | * | * |
| 750-999 GRAMS.....NUMBER... | 24 | 5 | 3 | 1 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 11 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 18 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 57 | 2 | 1 | - | 1 | 1 |
| RATE... | | * | * | - | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 184 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Nevada | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 2,059 | 12 | 3 | - | 3 | 9 |
| RATE... | | * | * | - | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 581 | 2 | 1 | - | 1 | 1 |
| RATE... | | * | * | - | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 948 | 8 | 2 | - | 2 | 6 |
| RATE... | | * | * | - | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 434 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 86 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 10 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 4 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Hampshire | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 14,609 | 85 | 59 | 53 | 6 | 26 |
| RATE... | | 5.8 | 4.0 | 3.6 | * | 1.8 |
| LESS THAN 1,500 GRAMS....NUMBER... | 196 | 46 | 42 | 40 | 2 | 4 |
| RATE... | | 233.7 | 213.2 | 203.0 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 924 | 53 | 46 | 44 | 2 | 7 |
| RATE... | | 57.2 | 49.6 | 47.5 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 22 | 20 | 19 | 19 | - | 1 |
| RATE... | | 927.5 | * | * | - | * |
| 500-749 GRAMS.....NUMBER... | 31 | 16 | 15 | 14 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 42 | 5 | 5 | 5 | - | - |
| RATE... | | * | * | * | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 48 | 4 | 2 | 1 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 53 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 184 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 544 | 5 | 2 | 2 | - | 3 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Hampshire | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 13,639 | 32 | 13 | 9 | 4 | 19 |
| RATE... | | 2.4 | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 1,783 | 11 | 5 | 3 | 2 | 6 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 5,136 | 9 | 3 | 3 | - | 6 |
| RATE... | | * | * | * | - | * |
| 3,500-3,999 GRAMS.....NUMBER... | 4,708 | 7 | 1 | - | 1 | 6 |
| RATE... | | * | * | - | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,662 | 3 | 2 | 1 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 321 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 29 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 46 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Hampshire | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 14,070 | 82 | 57 | 51 | 6 | 25 |
| RATE... | | 5.8 | 4.1 | 3.6 | * | 1.8 |
| LESS THAN 1,500 GRAMS....NUMBER... | 186 | 44 | 40 | 38 | 2 | 4 |
| RATE... | | 235.2 | 213.7 | 202.9 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 887 | 51 | 44 | 42 | 2 | 7 |
| RATE... | | 57.3 | 49.4 | 47.2 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 21 | 19 | 18 | 18 | - | 1 |
| RATE... | | * | * | * | - | * |
| 500-749 GRAMS.....NUMBER... | 29 | 15 | 14 | 13 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 42 | 5 | 5 | 5 | - | - |
| RATE... | | * | * | * | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 44 | 4 | 2 | 1 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 50 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 179 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 522 | 5 | 2 | 2 | - | 3 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Hampshire | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... RATE... | 13,137 | 31 2.4 | 13 * | 9 * | 4 * | 18 * |
| 2,500-2,999 GRAMS.....NUMBER... RATE... | 1,695 | 11 * | 5 * | 3 * | 2 * | 6 * |
| 3,000-3,499 GRAMS.....NUMBER... RATE... | 4,898 | 8 * | 3 * | 3 * | - - | 5 * |
| 3,500-3,999 GRAMS.....NUMBER... RATE... | 4,571 | 7 * | 1 * | - - | 1 * | 6 * |
| 4,000-4,499 GRAMS.....NUMBER... RATE... | 1,627 | 3 * | 2 * | 1 * | 1 * | 1 * |
| 4,500-4,999 GRAMS.....NUMBER... RATE... | 317 | 1 * | 1 * | 1 * | - - | - - |
| 5,000 GRAMS OR MORE.....NUMBER... RATE... | 29 | 1 * | 1 * | 1 * | - - | - - |
| NOT STATED.....NUMBER... RATE... | 46 | - - | - - | - - | - - | - - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Hampshire | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 182 | 3 | 2 | 2 | - | 1 |
| RATE... | | * | * | * | - | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 6 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| LESS THAN 2,500 GRAMS....NUMBER... | 14 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| LESS THAN 500 GRAMS.....NUMBER... | 1 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 2 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 750-999 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 2 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 3 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 5 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Hampshire | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 168 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 2,500-2,999 GRAMS.....NUMBER... | 31 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,000-3,499 GRAMS.....NUMBER... | 77 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 3,500-3,999 GRAMS.....NUMBER... | 44 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,000-4,499 GRAMS.....NUMBER... | 14 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 2 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Jersey | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 115,632 | 724 | 502 | 391 | 111 | 222 |
| RATE... | | 6.3 | 4.3 | 3.4 | 1.0 | 1.9 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,819 | 412 | 352 | 296 | 57 | 59 |
| RATE... | | 226.3 | 193.7 | 162.6 | 31.1 | 32.6 |
| LESS THAN 2,500 GRAMS....NUMBER... | 8,978 | 510 | 407 | 332 | 75 | 103 |
| RATE... | | 56.8 | 45.3 | 36.9 | 8.4 | 11.5 |
| LESS THAN 500 GRAMS.....NUMBER... | 152 | 129 | 124 | 114 | 10 | 5 |
| RATE... | | 850.8 | 817.7 | 750.3 | * | * |
| 500-749 GRAMS.....NUMBER... | 390 | 176 | 153 | 129 | 24 | 23 |
| RATE... | | 450.3 | 391.1 | 330.5 | 60.6 | 59.2 |
| 750-999 GRAMS.....NUMBER... | 365 | 61 | 42 | 25 | 16 | 19 |
| RATE... | | 167.0 | 114.7 | 69.6 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 409 | 26 | 20 | 16 | 4 | 6 |
| RATE... | | 63.6 | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 490 | 20 | 14 | 12 | 2 | 6 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,826 | 47 | 28 | 19 | 9 | 19 |
| RATE... | | 25.9 | 15.5 | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 5,346 | 51 | 26 | 17 | 9 | 25 |
| RATE... | | 9.6 | 4.9 | * | * | 4.7 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Jersey | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 106,635 | 207 | 89 | 53 | 36 | 119 |
| RATE... | | 1.9 | .8 | .5 | .3 | 1.1 |
| 2,500-2,999 GRAMS.....NUMBER... | 18,729 | 72 | 32 | 22 | 10 | 39 |
| RATE... | | 3.8 | 1.7 | 1.2 | * | 2.1 |
| 3,000-3,499 GRAMS.....NUMBER... | 42,045 | 77 | 35 | 19 | 16 | 41 |
| RATE... | | 1.8 | .8 | * | * | 1.0 |
| 3,500-3,999 GRAMS.....NUMBER... | 33,649 | 49 | 18 | 10 | 8 | 31 |
| RATE... | | 1.5 | * | * | * | .9 |
| 4,000-4,499 GRAMS.....NUMBER... | 10,327 | 8 | 2 | 1 | 1 | 6 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,705 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 180 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 19 | 6 | 6 | 6 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Jersey | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 84,844 | 407 | 287 | 222 | 66 | 120 |
| RATE... | | 4.8 | 3.4 | 2.6 | .8 | 1.4 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,055 | 206 | 181 | 155 | 26 | 25 |
| RATE... | | 195.0 | 171.2 | 146.9 | 24.3 | 23.8 |
| LESS THAN 2,500 GRAMS....NUMBER... | 5,546 | 260 | 214 | 176 | 38 | 46 |
| RATE... | | 46.9 | 38.6 | 31.8 | 6.8 | 8.3 |
| LESS THAN 500 GRAMS.....NUMBER... | 77 | 68 | 66 | 60 | 6 | 2 |
| RATE... | | 883.9 | 857.9 | 778.2 | * | * |
| 500-749 GRAMS.....NUMBER... | 189 | 72 | 63 | 57 | 6 | 9 |
| RATE... | | 381.3 | 333.5 | 301.0 | * | * |
| 750-999 GRAMS.....NUMBER... | 216 | 35 | 26 | 16 | 10 | 9 |
| RATE... | | 163.2 | 121.4 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 255 | 19 | 16 | 13 | 3 | 3 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 309 | 12 | 10 | 10 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,129 | 24 | 17 | 12 | 5 | 7 |
| RATE... | | 21.1 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 3,371 | 31 | 17 | 9 | 7 | 14 |
| RATE... | | 9.1 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Jersey | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 79,285 | 141 | 68 | 40 | 28 | 73 |
| RATE... | | 1.8 | .9 | .5 | .4 | .9 |
| 2,500-2,999 GRAMS.....NUMBER... | 12,222 | 43 | 24 | 18 | 6 | 19 |
| RATE... | | 3.5 | 2.0 | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 30,282 | 54 | 28 | 14 | 14 | 26 |
| RATE... | | 1.8 | .9 | * | * | .9 |
| 3,500-3,999 GRAMS.....NUMBER... | 26,565 | 40 | 15 | 7 | 7 | 25 |
| RATE... | | 1.5 | * | * | * | .9 |
| 4,000-4,499 GRAMS.....NUMBER... | 8,624 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,443 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 149 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 13 | 5 | 5 | 5 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Jersey | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 21,131 | 279 | 189 | 149 | 40 | 89 |
| RATE... | | 13.2 | 9.0 | 7.1 | 1.9 | 4.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 682 | 186 | 154 | 126 | 28 | 32 |
| RATE... | | 272.8 | 225.7 | 184.9 | 40.8 | 47.1 |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,716 | 223 | 170 | 136 | 34 | 53 |
| RATE... | | 82.1 | 62.5 | 49.9 | 12.5 | 19.6 |
| LESS THAN 500 GRAMS.....NUMBER... | 70 | 56 | 54 | 50 | 4 | 2 |
| RATE... | | 800.1 | 771.4 | 712.5 | * | * |
| 500-749 GRAMS.....NUMBER... | 180 | 94 | 80 | 65 | 15 | 14 |
| RATE... | | 523.0 | 444.9 | 359.1 | * | * |
| 750-999 GRAMS.....NUMBER... | 140 | 25 | 15 | 8 | 6 | 10 |
| RATE... | | 176.4 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 138 | 5 | 2 | 2 | - | 3 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 150 | 6 | 3 | 1 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 570 | 20 | 9 | 5 | 4 | 11 |
| RATE... | | 35.9 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,468 | 16 | 6 | 4 | 2 | 10 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Jersey | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 18,410 | 55 | 19 | 13 | 6 | 36 |
| RATE... | | 3.0 | * | * | * | 2.0 |
| 2,500-2,999 GRAMS.....NUMBER... | 4,409 | 24 | 7 | 4 | 3 | 17 |
| RATE... | | 5.5 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 7,771 | 19 | 7 | 5 | 2 | 12 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 4,809 | 8 | 3 | 2 | 1 | 5 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,198 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 198 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 25 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 5 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Mexico | | | | | | |
| ALL RACES 1/ — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 27,226 | 183 | 101 | 69 | 32 | 82 |
| RATE... | | 6.7 | 3.7 | 2.5 | 1.2 | 3.0 |
| LESS THAN 1,500 GRAMS....NUMBER... | 366 | 85 | 66 | 47 | 19 | 19 |
| RATE... | | 231.8 | 180.6 | 128.0 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,191 | 106 | 74 | 51 | 22 | 32 |
| RATE... | | 48.2 | 33.6 | 23.4 | 10.2 | 14.6 |
| LESS THAN 500 GRAMS.....NUMBER... | 18 | 13 | 13 | 13 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 70 | 33 | 29 | 21 | 8 | 3 |
| RATE... | | 465.3 | 419.2 | 298.6 | * | * |
| 750-999 GRAMS.....NUMBER... | 68 | 23 | 14 | 4 | 10 | 9 |
| RATE... | | 336.5 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 88 | 11 | 8 | 7 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 118 | 4 | 2 | 2 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 413 | 6 | 1 | - | 1 | 4 |
| RATE... | | * | * | - | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,416 | 16 | 6 | 4 | 2 | 10 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Mexico | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 25,020 | 76 | 26 | 16 | 10 | 50 |
| RATE... | | 3.0 | 1.0 | * | * | 2.0 |
| 2,500-2,999 GRAMS.....NUMBER... | 5,428 | 28 | 12 | 9 | 3 | 16 |
| RATE... | | 5.1 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 11,201 | 33 | 9 | 5 | 3 | 24 |
| RATE... | | 3.0 | * | * | * | 2.2 |
| 3,500-3,999 GRAMS.....NUMBER... | 6,543 | 12 | 4 | 2 | 2 | 8 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,615 | 3 | 1 | - | 1 | 2 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 200 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 33 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 15 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Mexico | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 22,893 | 147 | 82 | 58 | 23 | 65 |
| RATE... | | 6.4 | 3.6 | 2.5 | 1.0 | 2.9 |
| LESS THAN 1,500 GRAMS....NUMBER... | 309 | 68 | 53 | 39 | 14 | 14 |
| RATE... | | 219.0 | 172.7 | 127.7 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 1,878 | 83 | 58 | 43 | 15 | 25 |
| RATE... | | 44.2 | 30.7 | 22.7 | * | 13.5 |
| LESS THAN 500 GRAMS.....NUMBER... | 16 | 12 | 12 | 12 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 59 | 29 | 26 | 19 | 7 | 3 |
| RATE... | | 497.6 | 442.8 | * | * | * |
| 750-999 GRAMS.....NUMBER... | 55 | 14 | 8 | 2 | 5 | 7 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 70 | 9 | 7 | 5 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 106 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 349 | 3 | - | - | - | 3 |
| RATE... | | * | - | - | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,223 | 12 | 4 | 3 | 1 | 8 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Mexico | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 21,002 | 64 | 24 | 15 | 9 | 40 |
| RATE... | | 3.0 | 1.1 | * | * | 1.9 |
| 2,500-2,999 GRAMS.....NUMBER... | 4,592 | 26 | 12 | 9 | 3 | 14 |
| RATE... | | 5.8 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 9,430 | 24 | 7 | 4 | 2 | 18 |
| RATE... | | 2.6 | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 5,437 | 11 | 4 | 2 | 2 | 7 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,344 | 2 | 1 | - | 1 | 1 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 172 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 27 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 13 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Mexico | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 498 | 10 | 7 | 4 | 3 | 2 |
| RATE... | | * | * | * | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 23 | 5 | 5 | 3 | 2 | - |
| RATE... | | * | * | * | * | - |
| LESS THAN 2,500 GRAMS....NUMBER... | 65 | 6 | 6 | 3 | 3 | - |
| RATE... | | * | * | * | * | - |
| LESS THAN 500 GRAMS.....NUMBER... | 1 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 6 | 2 | 2 | 1 | 1 | - |
| RATE... | | * | * | * | * | - |
| 750-999 GRAMS.....NUMBER... | 4 | 2 | 2 | 1 | 1 | - |
| RATE... | | * | * | * | * | - |
| 1,000-1,249 GRAMS.....NUMBER... | 6 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 6 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 9 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| 2,000-2,499 GRAMS.....NUMBER... | 33 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New Mexico | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 431 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 2,500-2,999 GRAMS.....NUMBER... | 128 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,000-3,499 GRAMS.....NUMBER... | 199 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 3,500-3,999 GRAMS.....NUMBER... | 86 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,000-4,499 GRAMS.....NUMBER... | 18 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 2 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New York | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 137,696 | 892 | 642 | 522 | 120 | 250 |
| RATE... | | 6.5 | 4.7 | 3.8 | .9 | 1.8 |
| LESS THAN 1,500 GRAMS....NUMBER... | 2,000 | 520 | 474 | 421 | 53 | 46 |
| RATE... | | 260.0 | 237.2 | 210.5 | 26.7 | 22.8 |
| LESS THAN 2,500 GRAMS....NUMBER... | 10,104 | 645 | 539 | 465 | 75 | 106 |
| RATE... | | 63.8 | 53.4 | 46.0 | 7.4 | 10.5 |
| LESS THAN 500 GRAMS.....NUMBER... | 224 | 212 | 210 | 204 | 6 | 2 |
| RATE... | | 946.0 | 936.9 | 909.9 | * | * |
| 500-749 GRAMS.....NUMBER... | 369 | 175 | 162 | 140 | 22 | 13 |
| RATE... | | 474.3 | 438.5 | 378.4 | 60.1 | * |
| 750-999 GRAMS.....NUMBER... | 411 | 74 | 57 | 42 | 15 | 17 |
| RATE... | | 180.5 | 138.6 | 101.8 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 452 | 41 | 31 | 23 | 8 | 9 |
| RATE... | | 89.9 | 69.7 | 51.8 | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 536 | 18 | 14 | 12 | 2 | 4 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 2,061 | 50 | 32 | 24 | 7 | 18 |
| RATE... | | 24.2 | 15.3 | 11.9 | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 6,051 | 75 | 33 | 19 | 14 | 42 |
| RATE... | | 12.4 | 5.5 | * | * | 6.9 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New York | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 127,439 | 237 | 93 | 48 | 45 | 143 |
| RATE... | | 1.9 | .7 | .4 | .4 | 1.1 |
| 2,500-2,999 GRAMS.....NUMBER... | 20,468 | 71 | 31 | 19 | 12 | 40 |
| RATE... | | 3.5 | 1.5 | * | * | 1.9 |
| 3,000-3,499 GRAMS.....NUMBER... | 49,077 | 88 | 32 | 13 | 19 | 56 |
| RATE... | | 1.8 | .7 | * | * | 1.1 |
| 3,500-3,999 GRAMS.....NUMBER... | 41,689 | 50 | 17 | 9 | 8 | 33 |
| RATE... | | 1.2 | * | * | * | .8 |
| 4,000-4,499 GRAMS.....NUMBER... | 13,657 | 24 | 11 | 5 | 6 | 13 |
| RATE... | | 1.8 | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 2,312 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 236 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| NOT STATED.....NUMBER... | 153 | 10 | 9 | 9 | - | 1 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New York | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 117,439 | 640 | 443 | 360 | 83 | 197 |
| RATE... | | 5.4 | 3.8 | 3.1 | .7 | 1.7 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,403 | 343 | 313 | 278 | 34 | 30 |
| RATE... | | 244.5 | 222.8 | 198.4 | 24.4 | 21.7 |
| LESS THAN 2,500 GRAMS....NUMBER... | 7,719 | 446 | 367 | 317 | 50 | 78 |
| RATE... | | 57.7 | 47.6 | 41.1 | 6.5 | 10.1 |
| LESS THAN 500 GRAMS.....NUMBER... | 132 | 124 | 122 | 117 | 5 | 2 |
| RATE... | | 941.5 | 926.1 | 887.9 | * | * |
| 500-749 GRAMS.....NUMBER... | 249 | 121 | 110 | 98 | 12 | 11 |
| RATE... | | 486.6 | 441.7 | 393.1 | * | * |
| 750-999 GRAMS.....NUMBER... | 275 | 54 | 45 | 35 | 10 | 9 |
| RATE... | | 196.0 | 162.8 | 126.2 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 334 | 29 | 23 | 18 | 5 | 6 |
| RATE... | | 88.2 | 70.0 | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 406 | 14 | 12 | 10 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,621 | 44 | 28 | 22 | 5 | 16 |
| RATE... | | 27.0 | 17.0 | 13.8 | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 4,702 | 59 | 27 | 16 | 11 | 32 |
| RATE... | | 12.5 | 5.8 | * | * | 6.7 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New York | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 109,583 | 189 | 70 | 38 | 32 | 119 |
| RATE... | | 1.7 | .6 | .3 | .3 | 1.1 |
| 2,500-2,999 GRAMS.....NUMBER... | 16,224 | 54 | 21 | 14 | 7 | 33 |
| RATE... | | 3.3 | 1.3 | * | * | 2.0 |
| 3,000-3,499 GRAMS.....NUMBER... | 41,293 | 76 | 25 | 10 | 15 | 51 |
| RATE... | | 1.8 | .6 | * | * | 1.2 |
| 3,500-3,999 GRAMS.....NUMBER... | 37,183 | 36 | 12 | 8 | 4 | 23 |
| RATE... | | 1.0 | * | * | * | .6 |
| 4,000-4,499 GRAMS.....NUMBER... | 12,514 | 21 | 10 | 4 | 6 | 11 |
| RATE... | | 1.7 | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 2,145 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 224 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| NOT STATED.....NUMBER... | 137 | 5 | 5 | 5 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New York | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 15,119 | 232 | 184 | 148 | 36 | 48 |
| RATE... | | 15.3 | 12.2 | 9.8 | 2.4 | 3.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 535 | 164 | 150 | 130 | 19 | 14 |
| RATE... | | 306.2 | 279.6 | 243.8 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 1,981 | 184 | 159 | 135 | 24 | 25 |
| RATE... | | 92.9 | 80.1 | 67.9 | 12.2 | 12.8 |
| LESS THAN 500 GRAMS.....NUMBER... | 86 | 83 | 83 | 82 | 1 | - |
| RATE... | | 959.8 | 959.8 | 948.1 | * | - |
| 500-749 GRAMS.....NUMBER... | 111 | 50 | 48 | 38 | 10 | 2 |
| RATE... | | 448.8 | 430.5 | 339.6 | * | * |
| 750-999 GRAMS.....NUMBER... | 115 | 17 | 10 | 5 | 5 | 7 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 106 | 11 | 8 | 5 | 3 | 3 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 116 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 364 | 6 | 4 | 2 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,083 | 14 | 5 | 2 | 3 | 9 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New York | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 13,125 | 43 | 21 | 9 | 12 | 21 |
| RATE... | | 3.2 | 1.6 | * | * | 1.6 |
| 2,500-2,999 GRAMS.....NUMBER... | 3,203 | 14 | 8 | 4 | 4 | 6 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 5,678 | 12 | 7 | 3 | 4 | 5 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 3,270 | 14 | 5 | 1 | 4 | 9 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 839 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 127 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 8 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 13 | 5 | 4 | 4 | - | 1 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New York City | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 121,041 | 763 | 529 | 422 | 107 | 234 |
| RATE... | | 6.3 | 4.4 | 3.5 | .9 | 1.9 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,976 | 464 | 400 | 333 | 67 | 64 |
| RATE... | | 234.9 | 202.5 | 168.6 | 33.9 | 32.4 |
| LESS THAN 2,500 GRAMS....NUMBER... | 9,931 | 561 | 454 | 374 | 80 | 107 |
| RATE... | | 56.5 | 45.7 | 37.7 | 8.1 | 10.8 |
| LESS THAN 500 GRAMS.....NUMBER... | 134 | 127 | 123 | 121 | 2 | 4 |
| RATE... | | 948.3 | 918.3 | 903.4 | * | * |
| 500-749 GRAMS.....NUMBER... | 406 | 221 | 186 | 149 | 37 | 35 |
| RATE... | | 544.7 | 458.4 | 367.3 | 91.2 | 86.2 |
| 750-999 GRAMS.....NUMBER... | 425 | 71 | 59 | 43 | 16 | 12 |
| RATE... | | 167.1 | 138.9 | 101.2 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 449 | 20 | 15 | 10 | 5 | 5 |
| RATE... | | 44.5 | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 549 | 24 | 16 | 9 | 7 | 8 |
| RATE... | | 43.7 | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,956 | 45 | 31 | 23 | 8 | 14 |
| RATE... | | 23.0 | 15.9 | 11.8 | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 6,012 | 53 | 24 | 19 | 5 | 29 |
| RATE... | | 8.8 | 4.0 | * | * | 4.8 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New York City | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 111,106 | 200 | 73 | 46 | 27 | 127 |
| RATE... | | 1.8 | .7 | .4 | .2 | 1.1 |
| 2,500-2,999 GRAMS.....NUMBER... | 22,127 | 69 | 27 | 15 | 12 | 42 |
| RATE... | | 3.1 | 1.2 | * | * | 1.9 |
| 3,000-3,499 GRAMS.....NUMBER... | 46,992 | 83 | 30 | 20 | 10 | 53 |
| RATE... | | 1.8 | .6 | .4 | * | 1.1 |
| 3,500-3,999 GRAMS.....NUMBER... | 31,943 | 39 | 13 | 9 | 4 | 26 |
| RATE... | | 1.2 | * | * | * | .8 |
| 4,000-4,499 GRAMS.....NUMBER... | 8,521 | 6 | 1 | - | 1 | 5 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,349 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 174 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| NOT STATED.....NUMBER... | 4 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New York City | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 66,229 | 314 | 215 | 176 | 39 | 99 |
| RATE... | | 4.7 | 3.2 | 2.7 | .6 | 1.5 |
| LESS THAN 1,500 GRAMS....NUMBER... | 795 | 176 | 149 | 128 | 21 | 27 |
| RATE... | | 221.6 | 187.6 | 161.2 | 26.4 | 34.0 |
| LESS THAN 2,500 GRAMS....NUMBER... | 4,617 | 225 | 181 | 154 | 27 | 44 |
| RATE... | | 48.8 | 39.2 | 33.4 | 5.8 | 9.5 |
| LESS THAN 500 GRAMS.....NUMBER... | 56 | 52 | 51 | 51 | - | 1 |
| RATE... | | 928.9 | 911.1 | 911.1 | - | * |
| 500-749 GRAMS.....NUMBER... | 140 | 77 | 62 | 52 | 10 | 15 |
| RATE... | | 550.9 | 443.7 | 372.2 | * | * |
| 750-999 GRAMS.....NUMBER... | 163 | 25 | 21 | 17 | 4 | 4 |
| RATE... | | 153.4 | 128.8 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 197 | 9 | 7 | 4 | 3 | 2 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 234 | 13 | 8 | 4 | 4 | 5 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 930 | 22 | 17 | 14 | 3 | 5 |
| RATE... | | 23.7 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,897 | 27 | 15 | 12 | 3 | 12 |
| RATE... | | 9.3 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New York City | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 61,610 | 88 | 33 | 21 | 12 | 55 |
| RATE... | | 1.4 | .5 | .3 | * | .9 |
| 2,500-2,999 GRAMS.....NUMBER... | 10,883 | 29 | 12 | 6 | 6 | 17 |
| RATE... | | 2.7 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 25,567 | 34 | 13 | 9 | 4 | 21 |
| RATE... | | 1.3 | * | * | * | .8 |
| 3,500-3,999 GRAMS.....NUMBER... | 18,798 | 20 | 7 | 6 | 1 | 13 |
| RATE... | | 1.1 | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 5,392 | 4 | 1 | - | 1 | 3 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 868 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 102 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| NOT STATED.....NUMBER... | 2 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New York City | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 39,703 | 394 | 274 | 214 | 60 | 120 |
| RATE... | | 9.9 | 6.9 | 5.4 | 1.5 | 3.0 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,029 | 253 | 217 | 176 | 41 | 36 |
| RATE... | | 246.0 | 210.9 | 171.1 | 39.9 | 35.0 |
| LESS THAN 2,500 GRAMS....NUMBER... | 4,292 | 297 | 237 | 190 | 47 | 60 |
| RATE... | | 69.2 | 55.2 | 44.3 | 11.0 | 14.0 |
| LESS THAN 500 GRAMS.....NUMBER... | 73 | 70 | 67 | 65 | 2 | 3 |
| RATE... | | 959.6 | 918.2 | 890.8 | * | * |
| 500-749 GRAMS.....NUMBER... | 242 | 127 | 108 | 83 | 25 | 19 |
| RATE... | | 524.8 | 446.3 | 343.0 | 103.3 | * |
| 750-999 GRAMS.....NUMBER... | 232 | 41 | 33 | 22 | 11 | 8 |
| RATE... | | 176.9 | 142.3 | 94.9 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 216 | 8 | 5 | 4 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 261 | 7 | 4 | 2 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 857 | 19 | 12 | 8 | 4 | 7 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,411 | 25 | 8 | 6 | 2 | 17 |
| RATE... | | 10.4 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| New York City | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 35,410 | 96 | 36 | 23 | 13 | 60 |
| RATE... | | 2.7 | 1.0 | .7 | * | 1.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 8,127 | 34 | 13 | 9 | 4 | 21 |
| RATE... | | 4.2 | * | * | * | 2.6 |
| 3,000-3,499 GRAMS.....NUMBER... | 14,905 | 44 | 17 | 11 | 6 | 27 |
| RATE... | | 3.0 | * | * | * | 1.8 |
| 3,500-3,999 GRAMS.....NUMBER... | 9,494 | 14 | 4 | 1 | 3 | 10 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 2,424 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 396 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 64 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 1 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| North Carolina | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 120,311 | 1,035 | 748 | 601 | 147 | 287 |
| RATE... | | 8.6 | 6.2 | 5.0 | 1.2 | 2.4 |
| LESS THAN 1,500 GRAMS....NUMBER... | 2,307 | 597 | 540 | 464 | 76 | 57 |
| RATE... | | 258.9 | 234.2 | 201.3 | 32.9 | 24.7 |
| LESS THAN 2,500 GRAMS....NUMBER... | 10,584 | 730 | 617 | 522 | 95 | 113 |
| RATE... | | 68.9 | 58.3 | 49.3 | 9.0 | 10.7 |
| LESS THAN 500 GRAMS.....NUMBER... | 295 | 260 | 257 | 248 | 9 | 3 |
| RATE... | | 882.3 | 872.1 | 841.6 | * | * |
| 500-749 GRAMS.....NUMBER... | 474 | 213 | 194 | 155 | 39 | 19 |
| RATE... | | 448.9 | 408.8 | 326.5 | 82.3 | * |
| 750-999 GRAMS.....NUMBER... | 470 | 66 | 49 | 34 | 15 | 17 |
| RATE... | | 140.8 | 104.6 | 72.7 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 521 | 34 | 23 | 14 | 9 | 11 |
| RATE... | | 65.4 | 44.3 | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 546 | 24 | 17 | 13 | 4 | 7 |
| RATE... | | 44.1 | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 2,121 | 67 | 46 | 35 | 11 | 21 |
| RATE... | | 31.7 | 21.8 | 16.6 | * | 9.9 |
| 2,000-2,499 GRAMS.....NUMBER... | 6,157 | 65 | 30 | 22 | 8 | 35 |
| RATE... | | 10.6 | 4.9 | 3.6 | * | 5.7 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| North Carolina | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 109,668 | 281 | 107 | 55 | 52 | 174 |
| RATE... | | 2.6 | 1.0 | .5 | .5 | 1.6 |
| 2,500-2,999 GRAMS.....NUMBER... | 20,466 | 89 | 36 | 21 | 15 | 53 |
| RATE... | | 4.4 | 1.8 | 1.0 | * | 2.6 |
| 3,000-3,499 GRAMS.....NUMBER... | 43,760 | 116 | 42 | 19 | 23 | 74 |
| RATE... | | 2.7 | 1.0 | * | .5 | 1.7 |
| 3,500-3,999 GRAMS.....NUMBER... | 33,538 | 53 | 19 | 11 | 8 | 34 |
| RATE... | | 1.6 | * | * | * | 1.0 |
| 4,000-4,499 GRAMS.....NUMBER... | 10,003 | 20 | 8 | 3 | 5 | 12 |
| RATE... | | 2.0 | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,727 | 3 | 2 | 1 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 174 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 59 | 24 | 24 | 24 | - | - |
| RATE... | | 408.8 | 408.8 | 408.8 | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| North Carolina | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 86,428 | 561 | 407 | 321 | 86 | 154 |
| RATE... | | 6.5 | 4.7 | 3.7 | 1.0 | 1.8 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,182 | 288 | 262 | 226 | 36 | 26 |
| RATE... | | 243.8 | 221.8 | 191.3 | 30.5 | 22.0 |
| LESS THAN 2,500 GRAMS....NUMBER... | 6,166 | 367 | 314 | 268 | 46 | 53 |
| RATE... | | 59.6 | 51.0 | 43.5 | 7.5 | 8.6 |
| LESS THAN 500 GRAMS.....NUMBER... | 129 | 118 | 117 | 112 | 5 | 1 |
| RATE... | | 911.4 | 903.6 | 864.9 | * | * |
| 500-749 GRAMS.....NUMBER... | 215 | 97 | 90 | 70 | 20 | 7 |
| RATE... | | 452.8 | 420.2 | 327.2 | 93.0 | * |
| 750-999 GRAMS.....NUMBER... | 226 | 37 | 29 | 24 | 5 | 8 |
| RATE... | | 164.2 | 128.8 | 106.7 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 292 | 22 | 15 | 11 | 4 | 7 |
| RATE... | | 75.5 | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 320 | 14 | 11 | 9 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,265 | 38 | 27 | 24 | 3 | 11 |
| RATE... | | 30.1 | 21.4 | 19.1 | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 3,719 | 41 | 25 | 18 | 7 | 16 |
| RATE... | | 11.0 | 6.7 | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| North Carolina | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 80,226 | 183 | 82 | 42 | 40 | 101 |
| RATE... | | 2.3 | 1.0 | .5 | .5 | 1.3 |
| 2,500-2,999 GRAMS.....NUMBER... | 12,996 | 52 | 28 | 17 | 11 | 24 |
| RATE... | | 4.0 | 2.2 | * | * | 1.8 |
| 3,000-3,499 GRAMS.....NUMBER... | 30,832 | 74 | 29 | 14 | 15 | 45 |
| RATE... | | 2.4 | .9 | * | * | 1.5 |
| 3,500-3,999 GRAMS.....NUMBER... | 26,387 | 40 | 15 | 7 | 8 | 25 |
| RATE... | | 1.5 | * | * | * | .9 |
| 4,000-4,499 GRAMS.....NUMBER... | 8,377 | 15 | 8 | 3 | 5 | 7 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,488 | 2 | 2 | 1 | 1 | - |
| RATE... | | * | * | * | * | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 146 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 36 | 10 | 10 | 10 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| North Carolina | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 29,369 | 438 | 315 | 259 | 56 | 123 |
| RATE... | | 14.9 | 10.7 | 8.8 | 1.9 | 4.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,057 | 286 | 258 | 221 | 37 | 28 |
| RATE... | | 270.7 | 244.2 | 209.2 | 35.0 | 26.5 |
| LESS THAN 2,500 GRAMS....NUMBER... | 4,011 | 334 | 279 | 234 | 45 | 55 |
| RATE... | | 83.3 | 69.6 | 58.4 | 11.2 | 13.7 |
| LESS THAN 500 GRAMS.....NUMBER... | 155 | 133 | 131 | 127 | 4 | 2 |
| RATE... | | 855.9 | 843.0 | 817.2 | * | * |
| 500-749 GRAMS.....NUMBER... | 247 | 111 | 100 | 81 | 19 | 11 |
| RATE... | | 451.1 | 406.5 | 329.6 | * | * |
| 750-999 GRAMS.....NUMBER... | 229 | 23 | 15 | 7 | 8 | 8 |
| RATE... | | 100.6 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 219 | 11 | 7 | 2 | 5 | 4 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 206 | 8 | 5 | 4 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 781 | 27 | 17 | 10 | 7 | 10 |
| RATE... | | 34.6 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,174 | 21 | 4 | 3 | 1 | 17 |
| RATE... | | 9.7 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| North Carolina | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 25,337 | 90 | 22 | 11 | 11 | 68 |
| RATE... | | 3.6 | .9 | * | * | 2.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 6,565 | 32 | 6 | 3 | 3 | 26 |
| RATE... | | 4.9 | * | * | * | 4.0 |
| 3,000-3,499 GRAMS.....NUMBER... | 11,150 | 40 | 13 | 5 | 8 | 27 |
| RATE... | | 3.6 | * | * | * | 2.4 |
| 3,500-3,999 GRAMS.....NUMBER... | 6,035 | 12 | 3 | 3 | - | 9 |
| RATE... | | * | * | * | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,363 | 5 | - | - | - | 5 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 201 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 23 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 21 | 14 | 14 | 14 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| North Dakota | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 7,676 | 64 | 42 | 36 | 6 | 22 |
| RATE... | | 8.3 | 5.5 | 4.7 | * | 2.9 |
| LESS THAN 1,500 GRAMS....NUMBER... | 90 | 28 | 25 | 23 | 2 | 3 |
| RATE... | | 311.5 | 278.1 | 255.9 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 491 | 38 | 32 | 29 | 3 | 6 |
| RATE... | | 77.5 | 65.2 | 59.1 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 15 | 10 | 10 | 10 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 18 | 11 | 10 | 8 | 2 | 1 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 15 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 23 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 19 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 109 | 5 | 3 | 2 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 292 | 5 | 4 | 4 | - | 1 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| North Dakota | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 7,183 | 26 | 10 | 7 | 3 | 16 |
| RATE... | | 3.6 | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 1,038 | 6 | 4 | 2 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 2,705 | 12 | 4 | 3 | 1 | 8 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 2,426 | 5 | 2 | 2 | - | 3 |
| RATE... | | * | * | * | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 872 | 3 | - | - | - | 3 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 131 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 11 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 2 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| North Dakota | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 6,709 | 51 | 35 | 30 | 5 | 16 |
| RATE... | | 7.6 | 5.2 | 4.5 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 76 | 24 | 22 | 20 | 2 | 2 |
| RATE... | | 316.2 | 289.9 | 263.6 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 435 | 34 | 29 | 26 | 3 | 5 |
| RATE... | | 78.3 | 66.7 | 59.8 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 13 | 8 | 8 | 8 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 15 | 10 | 10 | 8 | 2 | - |
| RATE... | | * | * | * | * | - |
| 750-999 GRAMS.....NUMBER... | 13 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 20 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 15 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 97 | 5 | 3 | 2 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 262 | 5 | 4 | 4 | - | 1 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| North Dakota | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 6,274 | 17 | 6 | 4 | 2 | 11 |
| RATE... | | * | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 897 | 4 | 3 | 2 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 2,383 | 7 | 1 | - | 1 | 6 |
| RATE... | | * | * | - | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 2,131 | 4 | 2 | 2 | - | 2 |
| RATE... | | * | * | * | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 752 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 104 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 7 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| North Dakota | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 82 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| LESS THAN 1,500 GRAMS....NUMBER... | 2 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| LESS THAN 2,500 GRAMS....NUMBER... | 8 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| LESS THAN 500 GRAMS.....NUMBER... | 1 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 750-999 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 3 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 3 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| North Dakota | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 73 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,500-2,999 GRAMS.....NUMBER... | 15 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,000-3,499 GRAMS.....NUMBER... | 31 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,500-3,999 GRAMS.....NUMBER... | 20 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,000-4,499 GRAMS.....NUMBER... | 6 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Ohio | | | | | | |
| ALL RACES 1/ — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 155,484 | 1,191 | 824 | 647 | 177 | 367 |
| RATE... | | 7.7 | 5.3 | 4.2 | 1.1 | 2.4 |
| LESS THAN 1,500 GRAMS....NUMBER... | 2,333 | 618 | 546 | 460 | 86 | 72 |
| RATE... | | 265.1 | 234.2 | 197.2 | 37.0 | 30.8 |
| LESS THAN 2,500 GRAMS....NUMBER... | 12,365 | 787 | 650 | 541 | 109 | 137 |
| RATE... | | 63.6 | 52.6 | 43.8 | 8.8 | 11.1 |
| LESS THAN 500 GRAMS.....NUMBER... | 268 | 248 | 245 | 240 | 5 | 3 |
| RATE... | | 926.3 | 914.9 | 895.7 | * | * |
| 500-749 GRAMS.....NUMBER... | 398 | 219 | 185 | 141 | 44 | 33 |
| RATE... | | 549.3 | 465.3 | 354.3 | 111.1 | 84.0 |
| 750-999 GRAMS.....NUMBER... | 474 | 72 | 56 | 35 | 21 | 16 |
| RATE... | | 152.0 | 117.8 | 74.4 | 43.4 | * |
| 1,000-1,249 GRAMS.....NUMBER... | 553 | 44 | 28 | 18 | 10 | 15 |
| RATE... | | 79.0 | 51.5 | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 617 | 34 | 30 | 23 | 6 | 4 |
| RATE... | | 54.6 | 48.0 | 38.0 | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 2,403 | 79 | 56 | 49 | 7 | 22 |
| RATE... | | 32.7 | 23.4 | 20.4 | * | 9.3 |
| 2,000-2,499 GRAMS.....NUMBER... | 7,652 | 92 | 50 | 34 | 15 | 43 |
| RATE... | | 12.0 | 6.5 | 4.5 | * | 5.6 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Ohio | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 143,095 | 386 | 156 | 89 | 68 | 230 |
| RATE... | | 2.7 | 1.1 | .6 | .5 | 1.6 |
| 2,500-2,999 GRAMS.....NUMBER... | 26,597 | 141 | 59 | 36 | 23 | 82 |
| RATE... | | 5.3 | 2.2 | 1.4 | .8 | 3.1 |
| 3,000-3,499 GRAMS.....NUMBER... | 55,690 | 140 | 50 | 27 | 24 | 90 |
| RATE... | | 2.5 | .9 | .5 | .4 | 1.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 44,931 | 68 | 27 | 13 | 14 | 41 |
| RATE... | | 1.5 | .6 | * | * | .9 |
| 4,000-4,499 GRAMS.....NUMBER... | 13,590 | 28 | 15 | 7 | 7 | 13 |
| RATE... | | 2.0 | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 2,073 | 8 | 4 | 4 | - | 4 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 214 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 24 | 17 | 17 | 17 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Ohio | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 128,533 | 828 | 565 | 436 | 128 | 263 |
| RATE... | | 6.4 | 4.4 | 3.4 | 1.0 | 2.1 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,609 | 403 | 353 | 298 | 56 | 50 |
| RATE... | | 250.3 | 219.5 | 185.0 | 34.5 | 30.9 |
| LESS THAN 2,500 GRAMS....NUMBER... | 8,985 | 522 | 430 | 356 | 74 | 91 |
| RATE... | | 58.1 | 47.9 | 39.7 | 8.2 | 10.2 |
| LESS THAN 500 GRAMS.....NUMBER... | 157 | 145 | 142 | 141 | 1 | 3 |
| RATE... | | 921.9 | 902.5 | 896.0 | * | * |
| 500-749 GRAMS.....NUMBER... | 249 | 143 | 121 | 91 | 30 | 22 |
| RATE... | | 573.7 | 484.2 | 364.5 | 119.7 | 89.5 |
| 750-999 GRAMS.....NUMBER... | 333 | 53 | 42 | 28 | 14 | 11 |
| RATE... | | 160.2 | 126.7 | 83.4 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 390 | 32 | 23 | 16 | 7 | 9 |
| RATE... | | 83.0 | 59.6 | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 461 | 27 | 23 | 20 | 3 | 4 |
| RATE... | | 59.4 | 50.6 | 43.9 | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,763 | 55 | 40 | 34 | 6 | 14 |
| RATE... | | 30.9 | 22.9 | 19.4 | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 5,632 | 66 | 39 | 27 | 12 | 27 |
| RATE... | | 11.8 | 6.9 | 4.7 | * | 4.9 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Ohio | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 119,534 | 300 | 128 | 74 | 54 | 172 |
| RATE... | | 2.5 | 1.1 | .6 | .5 | 1.4 |
| 2,500-2,999 GRAMS.....NUMBER... | 20,155 | 97 | 46 | 28 | 18 | 51 |
| RATE... | | 4.8 | 2.3 | 1.4 | * | 2.5 |
| 3,000-3,499 GRAMS.....NUMBER... | 45,598 | 117 | 41 | 23 | 17 | 76 |
| RATE... | | 2.6 | .9 | .5 | * | 1.7 |
| 3,500-3,999 GRAMS.....NUMBER... | 39,373 | 54 | 23 | 12 | 11 | 31 |
| RATE... | | 1.4 | .6 | * | * | .8 |
| 4,000-4,499 GRAMS.....NUMBER... | 12,313 | 25 | 14 | 6 | 7 | 11 |
| RATE... | | 2.0 | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,903 | 6 | 3 | 3 | - | 3 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 192 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 14 | 6 | 6 | 6 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Ohio | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 23,732 | 350 | 249 | 205 | 44 | 100 |
| RATE... | | 14.7 | 10.5 | 8.6 | 1.9 | 4.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 698 | 208 | 186 | 159 | 27 | 22 |
| RATE... | | 298.4 | 266.4 | 228.1 | 38.3 | 32.0 |
| LESS THAN 2,500 GRAMS....NUMBER... | 3,121 | 256 | 210 | 179 | 31 | 46 |
| RATE... | | 82.0 | 67.4 | 57.5 | 9.9 | 14.6 |
| LESS THAN 500 GRAMS.....NUMBER... | 108 | 101 | 101 | 98 | 3 | - |
| RATE... | | 938.9 | 938.9 | 910.4 | * | - |
| 500-749 GRAMS.....NUMBER... | 142 | 72 | 60 | 48 | 12 | 11 |
| RATE... | | 504.1 | 425.6 | 338.7 | * | * |
| 750-999 GRAMS.....NUMBER... | 135 | 19 | 14 | 7 | 6 | 5 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 159 | 10 | 4 | 2 | 2 | 6 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 150 | 6 | 6 | 3 | 3 | - |
| RATE... | | * | * | * | * | - |
| 1,500-1,999 GRAMS.....NUMBER... | 588 | 22 | 14 | 13 | 1 | 8 |
| RATE... | | 37.2 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,839 | 26 | 11 | 7 | 3 | 15 |
| RATE... | | 14.0 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Ohio | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 20,601 | 83 | 28 | 15 | 13 | 55 |
| RATE... | | 4.0 | 1.4 | * | * | 2.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 5,779 | 42 | 13 | 9 | 4 | 29 |
| RATE... | | 7.3 | * | * | * | 5.1 |
| 3,000-3,499 GRAMS.....NUMBER... | 8,772 | 23 | 9 | 3 | 6 | 13 |
| RATE... | | 2.6 | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 4,795 | 13 | 4 | 1 | 3 | 9 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,081 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 156 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 18 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 10 | 11 | 11 | 11 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Oklahoma | | | | | | |
| ALL RACES 1/ — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 49,785 | 418 | 260 | 194 | 66 | 158 |
| RATE... | | 8.4 | 5.2 | 3.9 | 1.3 | 3.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 637 | 173 | 140 | 114 | 26 | 33 |
| RATE... | | 271.2 | 219.6 | 178.2 | 41.4 | 51.6 |
| LESS THAN 2,500 GRAMS....NUMBER... | 3,721 | 246 | 181 | 140 | 41 | 65 |
| RATE... | | 66.0 | 48.6 | 37.7 | 10.9 | 17.4 |
| LESS THAN 500 GRAMS.....NUMBER... | 65 | 44 | 43 | 41 | 2 | 1 |
| RATE... | | 681.7 | 665.4 | 634.2 | * | * |
| 500-749 GRAMS.....NUMBER... | 129 | 74 | 62 | 47 | 15 | 12 |
| RATE... | | 570.7 | 480.3 | 362.4 | * | * |
| 750-999 GRAMS.....NUMBER... | 134 | 27 | 16 | 12 | 4 | 11 |
| RATE... | | 200.6 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 144 | 15 | 10 | 7 | 3 | 5 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 165 | 13 | 9 | 7 | 2 | 4 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 732 | 31 | 18 | 11 | 7 | 13 |
| RATE... | | 42.4 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,352 | 42 | 23 | 16 | 7 | 19 |
| RATE... | | 17.7 | 9.6 | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Oklahoma | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 45,982 | 156 | 63 | 38 | 25 | 92 |
| RATE... | | 3.4 | 1.4 | .8 | .6 | 2.0 |
| 2,500-2,999 GRAMS.....NUMBER... | 8,360 | 56 | 24 | 17 | 7 | 32 |
| RATE... | | 6.7 | 2.9 | * | * | 3.8 |
| 3,000-3,499 GRAMS.....NUMBER... | 18,638 | 70 | 31 | 16 | 15 | 39 |
| RATE... | | 3.8 | 1.7 | * | * | 2.1 |
| 3,500-3,999 GRAMS.....NUMBER... | 14,344 | 19 | 6 | 3 | 3 | 13 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 3,913 | 9 | 1 | 1 | - | 7 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 659 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 68 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| NOT STATED.....NUMBER... | 82 | 16 | 15 | 15 | - | 1 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Oklahoma | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 38,790 | 303 | 197 | 152 | 45 | 106 |
| RATE... | | 7.8 | 5.1 | 3.9 | 1.2 | 2.7 |
| LESS THAN 1,500 GRAMS....NUMBER... | 442 | 125 | 104 | 88 | 16 | 21 |
| RATE... | | 283.2 | 235.2 | 198.5 | * | 48.0 |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,697 | 178 | 135 | 109 | 26 | 42 |
| RATE... | | 65.9 | 50.2 | 40.4 | 9.8 | 15.7 |
| LESS THAN 500 GRAMS.....NUMBER... | 38 | 26 | 25 | 24 | 1 | 1 |
| RATE... | | 697.1 | 669.2 | 642.4 | * | * |
| 500-749 GRAMS.....NUMBER... | 89 | 59 | 50 | 39 | 11 | 8 |
| RATE... | | 657.7 | 562.3 | 437.1 | * | * |
| 750-999 GRAMS.....NUMBER... | 91 | 18 | 13 | 11 | 2 | 5 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 109 | 12 | 8 | 7 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 115 | 10 | 8 | 7 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 522 | 21 | 15 | 9 | 6 | 6 |
| RATE... | | 41.0 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,733 | 31 | 16 | 12 | 4 | 15 |
| RATE... | | 17.9 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Oklahoma | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 36,030 | 113 | 50 | 31 | 18 | 64 |
| RATE... | | 3.1 | 1.4 | .9 | * | 1.8 |
| 2,500-2,999 GRAMS.....NUMBER... | 6,208 | 44 | 22 | 16 | 6 | 22 |
| RATE... | | 7.1 | 3.5 | * | * | 3.6 |
| 3,000-3,499 GRAMS.....NUMBER... | 14,504 | 48 | 23 | 13 | 9 | 25 |
| RATE... | | 3.3 | 1.6 | * | * | 1.8 |
| 3,500-3,999 GRAMS.....NUMBER... | 11,578 | 12 | 4 | 1 | 3 | 7 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 3,153 | 9 | 1 | 1 | - | 7 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 534 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 53 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| NOT STATED.....NUMBER... | 63 | 12 | 12 | 12 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Oklahoma | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 4,787 | 66 | 38 | 26 | 12 | 28 |
| RATE... | | 13.7 | 7.9 | 5.4 | * | 5.8 |
| LESS THAN 1,500 GRAMS....NUMBER... | 139 | 28 | 22 | 18 | 4 | 6 |
| RATE... | | 204.0 | 158.2 | * | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 628 | 39 | 25 | 20 | 5 | 14 |
| RATE... | | 62.2 | 40.2 | 32.1 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 21 | 12 | 12 | 12 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 32 | 10 | 7 | 4 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 30 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 1,000-1,249 GRAMS.....NUMBER... | 20 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| 1,250-1,499 GRAMS.....NUMBER... | 36 | 2 | 1 | - | 1 | 1 |
| RATE... | | * | * | - | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 120 | 6 | 1 | 1 | - | 5 |
| RATE... | | * | * | * | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 369 | 4 | 2 | 1 | 1 | 2 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Oklahoma | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... RATE... | 4,151 | 23 5.6 | 10 * | 3 * | 7 * | 13 * |
| 2,500-2,999 GRAMS.....NUMBER... RATE... | 1,178 | 7 * | 2 * | 1 * | 1 * | 5 * |
| 3,000-3,499 GRAMS.....NUMBER... RATE... | 1,867 | 13 * | 7 * | 1 * | 6 * | 5 * |
| 3,500-3,999 GRAMS.....NUMBER... RATE... | 893 | 3 * | 1 * | 1 * | - - | 2 * |
| 4,000-4,499 GRAMS.....NUMBER... RATE... | 179 | - - | - - | - - | - - | - - |
| 4,500-4,999 GRAMS.....NUMBER... RATE... | 30 | - - | - - | - - | - - | - - |
| 5,000 GRAMS OR MORE.....NUMBER... RATE... | 4 | - - | - - | - - | - - | - - |
| NOT STATED.....NUMBER... RATE... | 8 | 3 * | 2 * | 2 * | - - | 1 * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Oregon | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 45,804 | 255 | 165 | 131 | 34 | 90 |
| RATE... | | 5.6 | 3.6 | 2.9 | .7 | 2.0 |
| LESS THAN 1,500 GRAMS....NUMBER... | 449 | 97 | 89 | 78 | 11 | 8 |
| RATE... | | 216.3 | 198.5 | 174.0 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,588 | 136 | 111 | 97 | 14 | 25 |
| RATE... | | 52.6 | 42.9 | 37.5 | * | 9.7 |
| LESS THAN 500 GRAMS.....NUMBER... | 40 | 35 | 35 | 33 | 2 | - |
| RATE... | | 876.6 | 876.6 | 826.6 | * | - |
| 500-749 GRAMS.....NUMBER... | 67 | 28 | 28 | 24 | 4 | - |
| RATE... | | 418.4 | 418.4 | 358.7 | * | - |
| 750-999 GRAMS.....NUMBER... | 85 | 17 | 14 | 11 | 3 | 3 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 120 | 11 | 7 | 6 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 134 | 5 | 4 | 3 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 524 | 17 | 11 | 10 | 1 | 6 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,618 | 23 | 12 | 10 | 2 | 11 |
| RATE... | | 14.2 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Oregon | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 43,213 | 116 | 51 | 31 | 20 | 65 |
| RATE... | | 2.7 | 1.2 | .7 | .5 | 1.5 |
| 2,500-2,999 GRAMS.....NUMBER... | 6,113 | 32 | 13 | 6 | 7 | 19 |
| RATE... | | 5.2 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 16,367 | 38 | 19 | 14 | 5 | 19 |
| RATE... | | 2.3 | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 14,886 | 30 | 10 | 5 | 5 | 20 |
| RATE... | | 2.0 | * | * | * | 1.3 |
| 4,000-4,499 GRAMS.....NUMBER... | 4,926 | 11 | 8 | 5 | 3 | 3 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 842 | 4 | 1 | 1 | - | 3 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 79 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| NOT STATED.....NUMBER... | 3 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Oregon | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 41,710 | 231 | 149 | 120 | 29 | 82 |
| RATE... | | 5.5 | 3.6 | 2.9 | .7 | 2.0 |
| LESS THAN 1,500 GRAMS....NUMBER... | 397 | 85 | 77 | 69 | 8 | 8 |
| RATE... | | 214.2 | 194.0 | 173.9 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,258 | 121 | 98 | 87 | 11 | 23 |
| RATE... | | 53.6 | 43.4 | 38.5 | * | 10.2 |
| LESS THAN 500 GRAMS.....NUMBER... | 34 | 31 | 31 | 29 | 2 | - |
| RATE... | | 911.8 | 911.8 | 852.9 | * | - |
| 500-749 GRAMS.....NUMBER... | 54 | 23 | 23 | 20 | 3 | - |
| RATE... | | 425.9 | 425.9 | 370.4 | * | - |
| 750-999 GRAMS.....NUMBER... | 73 | 15 | 12 | 10 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 111 | 10 | 6 | 6 | - | 4 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 123 | 5 | 4 | 3 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 448 | 16 | 10 | 9 | 1 | 6 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,415 | 21 | 12 | 10 | 2 | 9 |
| RATE... | | 14.8 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Oregon | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 39,449 | 107 | 48 | 30 | 18 | 59 |
| RATE... | | 2.7 | 1.2 | .8 | * | 1.5 |
| 2,500-2,999 GRAMS.....NUMBER... | 5,355 | 31 | 13 | 6 | 7 | 18 |
| RATE... | | 5.8 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 14,748 | 37 | 18 | 13 | 5 | 19 |
| RATE... | | 2.5 | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 13,808 | 25 | 9 | 5 | 4 | 16 |
| RATE... | | 1.8 | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 4,673 | 10 | 7 | 5 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 790 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 75 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| NOT STATED.....NUMBER... | 3 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Oregon | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 1,020 | 10 | 7 | 3 | 4 | 3 |
| RATE... | | * | * | * | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 21 | 5 | 5 | 3 | 2 | - |
| RATE... | | * | * | * | * | - |
| LESS THAN 2,500 GRAMS....NUMBER... | 112 | 6 | 5 | 3 | 2 | 1 |
| RATE... | | * | * | * | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 4 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 5 | 2 | 2 | 1 | 1 | - |
| RATE... | | * | * | * | * | - |
| 750-999 GRAMS.....NUMBER... | 5 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| 1,000-1,249 GRAMS.....NUMBER... | 4 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 3 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 28 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 63 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Oregon | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 908 | 4 | 2 | - | 2 | 2 |
| RATE... | | * | * | - | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 186 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 3,000-3,499 GRAMS.....NUMBER... | 402 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,500-3,999 GRAMS.....NUMBER... | 256 | 2 | 1 | - | 1 | 1 |
| RATE... | | * | * | - | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 55 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| 4,500-4,999 GRAMS.....NUMBER... | 8 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Pennsylvania | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 146,284 | 1,039 | 727 | 595 | 132 | 312 |
| RATE... | | 7.1 | 5.0 | 4.1 | .9 | 2.1 |
| LESS THAN 1,500 GRAMS....NUMBER... | 2,188 | 548 | 499 | 436 | 63 | 49 |
| RATE... | | 250.5 | 228.1 | 199.1 | 29.0 | 22.5 |
| LESS THAN 2,500 GRAMS....NUMBER... | 11,286 | 681 | 577 | 492 | 86 | 103 |
| RATE... | | 60.3 | 51.1 | 43.6 | 7.6 | 9.2 |
| LESS THAN 500 GRAMS.....NUMBER... | 265 | 229 | 229 | 221 | 8 | - |
| RATE... | | 864.9 | 864.9 | 834.5 | * | - |
| 500-749 GRAMS.....NUMBER... | 395 | 197 | 177 | 142 | 34 | 20 |
| RATE... | | 497.7 | 446.9 | 360.2 | 86.7 | 50.8 |
| 750-999 GRAMS.....NUMBER... | 436 | 65 | 49 | 36 | 13 | 16 |
| RATE... | | 149.4 | 112.6 | 82.6 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 495 | 29 | 25 | 19 | 6 | 4 |
| RATE... | | 58.9 | 50.8 | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 589 | 28 | 19 | 17 | 2 | 9 |
| RATE... | | 47.6 | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 2,215 | 52 | 31 | 23 | 8 | 21 |
| RATE... | | 23.5 | 14.0 | 10.4 | * | 9.5 |
| 2,000-2,499 GRAMS.....NUMBER... | 6,891 | 80 | 47 | 33 | 14 | 33 |
| RATE... | | 11.6 | 6.8 | 4.8 | * | 4.8 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Pennsylvania | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 134,948 | 320 | 113 | 68 | 45 | 207 |
| RATE... | | 2.4 | .8 | .5 | .3 | 1.5 |
| 2,500-2,999 GRAMS.....NUMBER... | 23,335 | 103 | 36 | 23 | 13 | 67 |
| RATE... | | 4.4 | 1.5 | 1.0 | * | 2.9 |
| 3,000-3,499 GRAMS.....NUMBER... | 52,722 | 120 | 40 | 22 | 18 | 80 |
| RATE... | | 2.3 | .8 | .4 | * | 1.5 |
| 3,500-3,999 GRAMS.....NUMBER... | 43,172 | 79 | 28 | 18 | 10 | 51 |
| RATE... | | 1.8 | .7 | * | * | 1.2 |
| 4,000-4,499 GRAMS.....NUMBER... | 13,240 | 11 | 4 | 2 | 2 | 7 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 2,238 | 3 | 2 | 1 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 241 | 3 | 3 | 2 | 1 | - |
| RATE... | | * | * | * | * | - |
| NOT STATED.....NUMBER... | 50 | 38 | 36 | 35 | 1 | 2 |
| RATE... | | 760.3 | 720.1 | 700.0 | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Pennsylvania | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 121,259 | 710 | 510 | 415 | 96 | 200 |
| RATE... | | 5.9 | 4.2 | 3.4 | .8 | 1.6 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,492 | 358 | 334 | 289 | 44 | 24 |
| RATE... | | 239.9 | 223.7 | 194.0 | 29.7 | 16.1 |
| LESS THAN 2,500 GRAMS....NUMBER... | 8,182 | 453 | 399 | 338 | 61 | 54 |
| RATE... | | 55.4 | 48.8 | 41.3 | 7.5 | 6.6 |
| LESS THAN 500 GRAMS.....NUMBER... | 170 | 153 | 153 | 149 | 4 | - |
| RATE... | | 900.9 | 900.9 | 877.2 | * | - |
| 500-749 GRAMS.....NUMBER... | 252 | 117 | 109 | 87 | 22 | 8 |
| RATE... | | 465.9 | 434.0 | 346.1 | 87.9 | * |
| 750-999 GRAMS.....NUMBER... | 296 | 43 | 34 | 22 | 12 | 9 |
| RATE... | | 145.7 | 115.2 | 74.3 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 357 | 24 | 22 | 17 | 5 | 2 |
| RATE... | | 67.7 | 62.0 | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 412 | 20 | 15 | 14 | 1 | 5 |
| RATE... | | 48.6 | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,610 | 34 | 25 | 19 | 6 | 9 |
| RATE... | | 21.2 | 15.6 | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 5,085 | 61 | 40 | 29 | 11 | 21 |
| RATE... | | 12.0 | 7.9 | 5.7 | * | 4.1 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Pennsylvania | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 113,047 | 236 | 91 | 58 | 33 | 144 |
| RATE... | | 2.1 | .8 | .5 | .3 | 1.3 |
| 2,500-2,999 GRAMS.....NUMBER... | 17,608 | 68 | 27 | 18 | 9 | 41 |
| RATE... | | 3.9 | 1.5 | * | * | 2.3 |
| 3,000-3,499 GRAMS.....NUMBER... | 43,171 | 86 | 31 | 19 | 12 | 55 |
| RATE... | | 2.0 | .7 | * | * | 1.3 |
| 3,500-3,999 GRAMS.....NUMBER... | 37,932 | 66 | 26 | 18 | 8 | 40 |
| RATE... | | 1.7 | .7 | * | * | 1.1 |
| 4,000-4,499 GRAMS.....NUMBER... | 12,060 | 10 | 3 | 1 | 2 | 7 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 2,059 | 3 | 2 | 1 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 217 | 2 | 2 | 1 | 1 | - |
| RATE... | | * | * | * | * | - |
| NOT STATED.....NUMBER... | 30 | 21 | 20 | 19 | 1 | 1 |
| RATE... | | 700.3 | 666.9 | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Pennsylvania | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 20,684 | 317 | 211 | 175 | 36 | 105 |
| RATE... | | 15.3 | 10.2 | 8.5 | 1.8 | 5.1 |
| LESS THAN 1,500 GRAMS....NUMBER... | 662 | 187 | 162 | 143 | 19 | 25 |
| RATE... | | 282.9 | 245.0 | 216.1 | * | 37.9 |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,808 | 222 | 175 | 151 | 24 | 47 |
| RATE... | | 79.2 | 62.4 | 53.8 | 8.6 | 16.8 |
| LESS THAN 500 GRAMS.....NUMBER... | 93 | 74 | 74 | 70 | 4 | - |
| RATE... | | 796.0 | 796.0 | 752.7 | * | - |
| 500-749 GRAMS.....NUMBER... | 135 | 78 | 66 | 54 | 12 | 12 |
| RATE... | | 579.1 | 490.0 | 400.5 | * | * |
| 750-999 GRAMS.....NUMBER... | 136 | 22 | 15 | 14 | 1 | 7 |
| RATE... | | 162.0 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 131 | 5 | 3 | 2 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 164 | 8 | 4 | 3 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 553 | 18 | 6 | 4 | 2 | 12 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,596 | 17 | 7 | 4 | 3 | 10 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Pennsylvania | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 17,859 | 79 | 22 | 10 | 12 | 57 |
| RATE... | | 4.4 | 1.2 | * | * | 3.2 |
| 2,500-2,999 GRAMS.....NUMBER... | 4,722 | 33 | 9 | 5 | 4 | 24 |
| RATE... | | 7.0 | * | * | * | 5.1 |
| 3,000-3,499 GRAMS.....NUMBER... | 7,746 | 32 | 9 | 3 | 6 | 23 |
| RATE... | | 4.1 | * | * | * | 3.0 |
| 3,500-3,999 GRAMS.....NUMBER... | 4,255 | 12 | 2 | - | 2 | 10 |
| RATE... | | * | * | - | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 967 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 148 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 21 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 17 | 15 | 14 | 14 | - | 1 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Rhode Island | | | | | | |
| ALL RACES 1/ — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 12,505 | 78 | 62 | 56 | 6 | 16 |
| RATE... | | 6.2 | 5.0 | 4.5 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 196 | 49 | 48 | 46 | 2 | 1 |
| RATE... | | 250.1 | 245.0 | 234.8 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 908 | 55 | 53 | 51 | 2 | 2 |
| RATE... | | 60.6 | 58.4 | 56.2 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 25 | 25 | 25 | 25 | - | - |
| RATE... | | 1000.0 | 1000.0 | 1000.0 | - | - |
| 500-749 GRAMS.....NUMBER... | 39 | 19 | 18 | 16 | 2 | 1 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 47 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 30 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 55 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 214 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 498 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Rhode Island | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 11,586 | 21 | 7 | 3 | 4 | 14 |
| RATE... | | 1.8 | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 1,896 | 8 | 4 | 2 | 2 | 4 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 4,554 | 10 | 2 | 1 | 1 | 8 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 3,754 | 3 | 1 | - | 1 | 2 |
| RATE... | | * | * | - | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,188 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 176 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 18 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 11 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Rhode Island | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 10,795 | 62 | 47 | 43 | 4 | 15 |
| RATE... | | 5.7 | 4.4 | 4.0 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 145 | 35 | 35 | 34 | 1 | - |
| RATE... | | 241.5 | 241.5 | 234.6 | * | - |
| LESS THAN 2,500 GRAMS....NUMBER... | 711 | 40 | 39 | 38 | 1 | 1 |
| RATE... | | 56.3 | 54.9 | 53.5 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 20 | 20 | 20 | 20 | - | - |
| RATE... | | 1000.0 | 1000.0 | 1000.0 | - | - |
| 500-749 GRAMS.....NUMBER... | 27 | 12 | 12 | 11 | 1 | - |
| RATE... | | * | * | * | * | - |
| 750-999 GRAMS.....NUMBER... | 36 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 18 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 44 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 166 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 400 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Rhode Island | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 10,075 | 20 | 6 | 3 | 3 | 14 |
| RATE... | | 2.0 | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 1,567 | 7 | 3 | 2 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 3,901 | 10 | 2 | 1 | 1 | 8 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 3,330 | 3 | 1 | - | 1 | 2 |
| RATE... | | * | * | - | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,095 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 165 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 17 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 9 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Rhode Island | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 1,121 | 12 | 11 | 10 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 40 | 10 | 9 | 9 | - | 1 |
| RATE... | | * | * | * | - | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 146 | 11 | 10 | 10 | - | 1 |
| RATE... | | * | * | * | - | * |
| LESS THAN 500 GRAMS.....NUMBER... | 5 | 5 | 5 | 5 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 9 | 4 | 3 | 3 | - | 1 |
| RATE... | | * | * | * | - | * |
| 750-999 GRAMS.....NUMBER... | 8 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 10 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 8 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 39 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 67 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Rhode Island | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 973 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| 2,500-2,999 GRAMS.....NUMBER... | 197 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| 3,000-3,499 GRAMS.....NUMBER... | 411 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,500-3,999 GRAMS.....NUMBER... | 286 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,000-4,499 GRAMS.....NUMBER... | 68 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 10 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 2 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| South Carolina | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 56,114 | 492 | 344 | 284 | 60 | 148 |
| RATE... | | 8.8 | 6.1 | 5.1 | 1.1 | 2.6 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,107 | 294 | 256 | 223 | 33 | 38 |
| RATE... | | 265.7 | 231.3 | 201.5 | 29.8 | 34.3 |
| LESS THAN 2,500 GRAMS....NUMBER... | 5,425 | 360 | 298 | 255 | 43 | 62 |
| RATE... | | 66.4 | 54.9 | 47.0 | 7.9 | 11.4 |
| LESS THAN 500 GRAMS.....NUMBER... | 125 | 113 | 112 | 109 | 3 | 1 |
| RATE... | | 904.3 | 896.3 | 872.3 | * | * |
| 500-749 GRAMS.....NUMBER... | 179 | 104 | 90 | 76 | 14 | 14 |
| RATE... | | 581.1 | 502.9 | 424.7 | * | * |
| 750-999 GRAMS.....NUMBER... | 263 | 44 | 35 | 24 | 11 | 9 |
| RATE... | | 167.3 | 133.1 | 91.3 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 259 | 22 | 11 | 8 | 3 | 11 |
| RATE... | | 85.0 | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 280 | 11 | 8 | 6 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,108 | 26 | 18 | 13 | 5 | 8 |
| RATE... | | 23.5 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 3,211 | 40 | 24 | 19 | 5 | 16 |
| RATE... | | 12.5 | 7.5 | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| South Carolina | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 50,687 | 131 | 45 | 28 | 17 | 86 |
| RATE... | | 2.6 | .9 | .6 | * | 1.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 10,684 | 39 | 17 | 10 | 7 | 22 |
| RATE... | | 3.7 | * | * | * | 2.1 |
| 3,000-3,499 GRAMS.....NUMBER... | 20,846 | 55 | 17 | 10 | 7 | 38 |
| RATE... | | 2.6 | * | * | * | 1.8 |
| 3,500-3,999 GRAMS.....NUMBER... | 14,443 | 29 | 8 | 5 | 3 | 21 |
| RATE... | | 2.0 | * | * | * | 1.5 |
| 4,000-4,499 GRAMS.....NUMBER... | 3,988 | 5 | 1 | 1 | - | 4 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 652 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 74 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 2 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| South Carolina | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 35,341 | 199 | 136 | 105 | 31 | 63 |
| RATE... | | 5.6 | 3.8 | 3.0 | .9 | 1.8 |
| LESS THAN 1,500 GRAMS....NUMBER... | 446 | 100 | 87 | 72 | 15 | 13 |
| RATE... | | 224.3 | 195.1 | 161.5 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,554 | 120 | 104 | 85 | 19 | 16 |
| RATE... | | 47.0 | 40.7 | 33.3 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 33 | 29 | 29 | 28 | 1 | - |
| RATE... | | 879.2 | 879.2 | 848.9 | * | - |
| 500-749 GRAMS.....NUMBER... | 53 | 30 | 27 | 24 | 3 | 3 |
| RATE... | | 566.2 | 509.6 | 453.0 | * | * |
| 750-999 GRAMS.....NUMBER... | 100 | 21 | 19 | 11 | 8 | 2 |
| RATE... | | 210.0 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 134 | 14 | 7 | 4 | 3 | 7 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 126 | 6 | 5 | 5 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 547 | 10 | 9 | 7 | 2 | 1 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,561 | 10 | 8 | 6 | 2 | 2 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| South Carolina | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 32,786 | 79 | 32 | 20 | 12 | 47 |
| RATE... | | 2.4 | 1.0 | .6 | * | 1.4 |
| 2,500-2,999 GRAMS.....NUMBER... | 5,472 | 19 | 9 | 5 | 4 | 10 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 12,905 | 34 | 13 | 8 | 5 | 21 |
| RATE... | | 2.6 | * | * | * | 1.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 10,615 | 19 | 7 | 4 | 3 | 12 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 3,195 | 4 | 1 | 1 | - | 3 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 539 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 60 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| South Carolina | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 19,734 | 289 | 205 | 176 | 29 | 84 |
| RATE... | | 14.6 | 10.4 | 8.9 | 1.5 | 4.3 |
| LESS THAN 1,500 GRAMS....NUMBER... | 655 | 192 | 167 | 149 | 18 | 25 |
| RATE... | | 293.2 | 255.0 | 227.5 | * | 38.2 |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,802 | 236 | 191 | 167 | 24 | 45 |
| RATE... | | 84.2 | 68.2 | 59.6 | 8.6 | 16.1 |
| LESS THAN 500 GRAMS.....NUMBER... | 91 | 83 | 82 | 80 | 2 | 1 |
| RATE... | | 912.3 | 901.3 | 879.3 | * | * |
| 500-749 GRAMS.....NUMBER... | 125 | 73 | 62 | 51 | 11 | 11 |
| RATE... | | 584.1 | 496.1 | 408.1 | * | * |
| 750-999 GRAMS.....NUMBER... | 162 | 23 | 16 | 13 | 3 | 7 |
| RATE... | | 142.0 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 122 | 8 | 4 | 4 | - | 4 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 154 | 5 | 3 | 1 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 549 | 15 | 8 | 5 | 3 | 7 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,599 | 29 | 16 | 13 | 3 | 13 |
| RATE... | | 18.1 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| South Carolina | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 16,931 | 52 | 13 | 8 | 5 | 39 |
| RATE... | | 3.1 | * | * | * | 2.3 |
| 2,500-2,999 GRAMS.....NUMBER... | 4,976 | 20 | 8 | 5 | 3 | 12 |
| RATE... | | 4.0 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 7,499 | 21 | 4 | 2 | 2 | 17 |
| RATE... | | 2.8 | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 3,597 | 10 | 1 | 1 | - | 9 |
| RATE... | | * | * | * | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 740 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 107 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 12 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 1 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| South Dakota | | | | | | |
| ALL RACES 1/ | | | | | | |
| - | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 10,345 | 54 | 31 | 25 | 6 | 23 |
| RATE... | | 5.2 | 3.0 | 2.4 | * | 2.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 96 | 21 | 18 | 16 | 2 | 3 |
| RATE... | | 218.8 | * | * | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 640 | 26 | 22 | 20 | 2 | 4 |
| RATE... | | 40.6 | 34.4 | 31.3 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 8 | 5 | 5 | 4 | 1 | - |
| RATE... | | * | * | * | * | - |
| 500-749 GRAMS.....NUMBER... | 21 | 11 | 9 | 8 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 18 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 22 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 27 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 131 | 3 | 2 | 2 | - | 1 |
| RATE... | | * | * | * | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 413 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| South Dakota | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 9,702 | 25 | 6 | 2 | 4 | 19 |
| RATE... | | 2.6 | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 1,453 | 8 | 1 | - | 1 | 7 |
| RATE... | | * | * | - | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 3,850 | 11 | 5 | 2 | 3 | 6 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 3,249 | 4 | - | - | - | 4 |
| RATE... | | * | - | - | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 959 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 165 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 26 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 3 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| South Dakota | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 8,424 | 37 | 25 | 20 | 5 | 12 |
| RATE... | | 4.4 | 3.0 | 2.4 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 66 | 15 | 13 | 11 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 495 | 19 | 17 | 15 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 7 | 4 | 4 | 3 | 1 | - |
| RATE... | | * | * | * | * | - |
| 500-749 GRAMS.....NUMBER... | 14 | 10 | 8 | 7 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 13 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 16 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 16 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 102 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 327 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| South Dakota | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 7,926 | 15 | 5 | 2 | 3 | 10 |
| RATE... | | * | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 1,207 | 4 | 1 | - | 1 | 3 |
| RATE... | | * | * | - | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 3,181 | 8 | 4 | 2 | 2 | 4 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 2,646 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 758 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 118 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 16 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 3 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| South Dakota | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 106 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 1,500 GRAMS....NUMBER... | 8 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 2,500 GRAMS....NUMBER... | 18 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 500 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 500-749 GRAMS.....NUMBER... | 4 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 750-999 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 2 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 2 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 8 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| South Dakota | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 88 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,500-2,999 GRAMS.....NUMBER... | 19 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,000-3,499 GRAMS.....NUMBER... | 32 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,500-3,999 GRAMS.....NUMBER... | 27 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,000-4,499 GRAMS.....NUMBER... | 6 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 3 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Tennessee | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 79,611 | 725 | 471 | 377 | 94 | 254 |
| RATE... | | 9.1 | 5.9 | 4.7 | 1.2 | 3.2 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,330 | 369 | 321 | 280 | 41 | 47 |
| RATE... | | 277.1 | 241.4 | 210.6 | 30.8 | 35.7 |
| LESS THAN 2,500 GRAMS....NUMBER... | 7,358 | 478 | 383 | 325 | 58 | 95 |
| RATE... | | 65.0 | 52.1 | 44.2 | 7.9 | 12.9 |
| LESS THAN 500 GRAMS.....NUMBER... | 176 | 162 | 158 | 153 | 5 | 4 |
| RATE... | | 920.7 | 897.7 | 869.3 | * | * |
| 500-749 GRAMS.....NUMBER... | 251 | 114 | 100 | 85 | 15 | 14 |
| RATE... | | 455.0 | 398.6 | 338.8 | * | * |
| 750-999 GRAMS.....NUMBER... | 253 | 40 | 27 | 20 | 7 | 13 |
| RATE... | | 158.7 | 106.7 | 79.1 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 295 | 33 | 22 | 12 | 10 | 11 |
| RATE... | | 112.3 | 74.6 | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 355 | 19 | 14 | 10 | 4 | 5 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,456 | 43 | 28 | 24 | 4 | 15 |
| RATE... | | 29.6 | 19.2 | 16.5 | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 4,572 | 66 | 34 | 21 | 13 | 32 |
| RATE... | | 14.5 | 7.4 | 4.6 | * | 7.1 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Tennessee | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 72,247 | 242 | 83 | 47 | 36 | 159 |
| RATE... | | 3.3 | 1.1 | .7 | .5 | 2.2 |
| 2,500-2,999 GRAMS.....NUMBER... | 14,440 | 94 | 40 | 24 | 16 | 54 |
| RATE... | | 6.5 | 2.8 | 1.7 | * | 3.7 |
| 3,000-3,499 GRAMS.....NUMBER... | 29,988 | 84 | 24 | 10 | 14 | 60 |
| RATE... | | 2.8 | .8 | * | * | 2.0 |
| 3,500-3,999 GRAMS.....NUMBER... | 21,142 | 49 | 12 | 8 | 4 | 37 |
| RATE... | | 2.3 | * | * | * | 1.8 |
| 4,000-4,499 GRAMS.....NUMBER... | 5,700 | 9 | 3 | 3 | - | 6 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 864 | 5 | 3 | 2 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 113 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| NOT STATED.....NUMBER... | 6 | 5 | 5 | 5 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Tennessee | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 61,224 | 422 | 269 | 210 | 59 | 153 |
| RATE... | | 6.9 | 4.4 | 3.4 | 1.0 | 2.5 |
| LESS THAN 1,500 GRAMS....NUMBER... | 745 | 181 | 162 | 141 | 21 | 19 |
| RATE... | | 243.3 | 217.5 | 189.3 | 28.2 | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 4,776 | 257 | 208 | 174 | 34 | 49 |
| RATE... | | 53.7 | 43.6 | 36.4 | 7.1 | 10.2 |
| LESS THAN 500 GRAMS.....NUMBER... | 73 | 66 | 64 | 62 | 2 | 2 |
| RATE... | | 904.4 | 876.7 | 849.3 | * | * |
| 500-749 GRAMS.....NUMBER... | 139 | 66 | 60 | 51 | 9 | 6 |
| RATE... | | 475.7 | 432.1 | 367.2 | * | * |
| 750-999 GRAMS.....NUMBER... | 146 | 20 | 17 | 13 | 4 | 3 |
| RATE... | | 137.2 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 174 | 21 | 16 | 10 | 6 | 5 |
| RATE... | | 121.0 | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 213 | 8 | 5 | 5 | - | 3 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 948 | 30 | 22 | 19 | 3 | 8 |
| RATE... | | 31.7 | 23.2 | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 3,083 | 45 | 24 | 14 | 10 | 21 |
| RATE... | | 14.7 | 7.8 | * | * | 6.9 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Tennessee | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 56,445 | 163 | 59 | 34 | 25 | 104 |
| RATE... | | 2.9 | 1.0 | .6 | .4 | 1.8 |
| 2,500-2,999 GRAMS.....NUMBER... | 10,022 | 61 | 28 | 18 | 10 | 33 |
| RATE... | | 6.1 | 2.8 | * | * | 3.3 |
| 3,000-3,499 GRAMS.....NUMBER... | 22,938 | 53 | 16 | 6 | 10 | 37 |
| RATE... | | 2.3 | * | * | * | 1.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 17,584 | 35 | 9 | 6 | 3 | 26 |
| RATE... | | 2.0 | * | * | * | 1.5 |
| 4,000-4,499 GRAMS.....NUMBER... | 5,040 | 8 | 3 | 3 | - | 5 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 760 | 4 | 2 | 1 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 101 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| NOT STATED.....NUMBER... | 3 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Tennessee | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 16,909 | 299 | 199 | 165 | 34 | 100 |
| RATE... | | 17.7 | 11.8 | 9.8 | 2.0 | 5.9 |
| LESS THAN 1,500 GRAMS....NUMBER... | 569 | 184 | 156 | 137 | 19 | 28 |
| RATE... | | 323.9 | 274.2 | 240.8 | * | 49.7 |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,468 | 218 | 172 | 149 | 23 | 46 |
| RATE... | | 88.5 | 69.7 | 60.4 | 9.3 | 18.8 |
| LESS THAN 500 GRAMS.....NUMBER... | 101 | 94 | 92 | 89 | 3 | 2 |
| RATE... | | 930.9 | 910.9 | 881.2 | * | * |
| 500-749 GRAMS.....NUMBER... | 109 | 47 | 39 | 34 | 5 | 8 |
| RATE... | | 431.9 | 357.8 | 311.9 | * | * |
| 750-999 GRAMS.....NUMBER... | 105 | 20 | 10 | 7 | 3 | 10 |
| RATE... | | 191.5 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 117 | 12 | 6 | 2 | 4 | 6 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 137 | 11 | 9 | 5 | 4 | 2 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 488 | 13 | 6 | 5 | 1 | 7 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,411 | 21 | 10 | 7 | 3 | 11 |
| RATE... | | 15.0 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Tennessee | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 14,438 | 78 | 24 | 13 | 11 | 54 |
| RATE... | | 5.4 | 1.7 | * | * | 3.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 4,102 | 31 | 12 | 6 | 6 | 19 |
| RATE... | | 7.6 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 6,391 | 30 | 8 | 4 | 4 | 22 |
| RATE... | | 4.7 | * | * | * | 3.5 |
| 3,500-3,999 GRAMS.....NUMBER... | 3,238 | 14 | 3 | 2 | 1 | 11 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 600 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 95 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 12 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 3 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Texas | | | | | | |
| ALL RACES 1/ — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 363,426 | 2,036 | 1,203 | 910 | 293 | 834 |
| RATE... | | 5.6 | 3.3 | 2.5 | .8 | 2.3 |
| LESS THAN 1,500 GRAMS....NUMBER... | 4,703 | 839 | 708 | 585 | 123 | 132 |
| RATE... | | 178.5 | 150.5 | 124.4 | 26.1 | 28.0 |
| LESS THAN 2,500 GRAMS....NUMBER... | 26,870 | 1,151 | 896 | 723 | 173 | 255 |
| RATE... | | 42.8 | 33.3 | 26.9 | 6.5 | 9.5 |
| LESS THAN 500 GRAMS.....NUMBER... | 388 | 202 | 198 | 188 | 10 | 4 |
| RATE... | | 521.1 | 510.7 | 484.5 | * | * |
| 500-749 GRAMS.....NUMBER... | 965 | 372 | 318 | 267 | 51 | 55 |
| RATE... | | 385.7 | 329.0 | 276.5 | 52.5 | 56.7 |
| 750-999 GRAMS.....NUMBER... | 942 | 123 | 96 | 61 | 35 | 26 |
| RATE... | | 130.3 | 102.3 | 64.7 | 37.7 | 28.0 |
| 1,000-1,249 GRAMS.....NUMBER... | 1,115 | 81 | 58 | 39 | 19 | 23 |
| RATE... | | 73.0 | 52.1 | 34.9 | * | 20.9 |
| 1,250-1,499 GRAMS.....NUMBER... | 1,291 | 61 | 38 | 30 | 7 | 23 |
| RATE... | | 47.1 | 29.1 | 23.6 | * | 18.1 |
| 1,500-1,999 GRAMS.....NUMBER... | 5,408 | 149 | 99 | 77 | 22 | 50 |
| RATE... | | 27.5 | 18.3 | 14.2 | 4.1 | 9.2 |
| 2,000-2,499 GRAMS.....NUMBER... | 16,761 | 163 | 89 | 61 | 28 | 74 |
| RATE... | | 9.7 | 5.3 | 3.6 | 1.7 | 4.4 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Texas | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 336,449 | 832 | 266 | 146 | 120 | 566 |
| RATE... | | 2.5 | .8 | .4 | .4 | 1.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 62,725 | 279 | 103 | 56 | 48 | 175 |
| RATE... | | 4.4 | 1.6 | .9 | .8 | 2.8 |
| 3,000-3,499 GRAMS.....NUMBER... | 141,978 | 307 | 84 | 45 | 39 | 223 |
| RATE... | | 2.2 | .6 | .3 | .3 | 1.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 100,724 | 202 | 64 | 38 | 26 | 138 |
| RATE... | | 2.0 | .6 | .4 | .3 | 1.4 |
| 4,000-4,499 GRAMS.....NUMBER... | 26,531 | 40 | 12 | 5 | 7 | 27 |
| RATE... | | 1.5 | * | * | * | 1.0 |
| 4,500-4,999 GRAMS.....NUMBER... | 4,058 | 3 | - | - | - | 3 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 433 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 107 | 53 | 41 | 41 | - | 12 |
| RATE... | | 496.5 | 382.8 | 382.8 | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Texas | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 309,564 | 1,580 | 925 | 694 | 231 | 655 |
| RATE... | | 5.1 | 3.0 | 2.2 | .7 | 2.1 |
| LESS THAN 1,500 GRAMS....NUMBER... | 3,381 | 586 | 498 | 410 | 88 | 88 |
| RATE... | | 173.3 | 147.3 | 121.2 | 26.1 | 26.1 |
| LESS THAN 2,500 GRAMS....NUMBER... | 20,671 | 843 | 659 | 535 | 125 | 183 |
| RATE... | | 40.8 | 31.9 | 25.9 | 6.0 | 8.9 |
| LESS THAN 500 GRAMS.....NUMBER... | 232 | 122 | 120 | 113 | 6 | 2 |
| RATE... | | 524.0 | 515.3 | 489.0 | * | * |
| 500-749 GRAMS.....NUMBER... | 672 | 272 | 235 | 198 | 38 | 36 |
| RATE... | | 404.0 | 349.7 | 293.9 | 55.8 | 54.3 |
| 750-999 GRAMS.....NUMBER... | 682 | 92 | 75 | 47 | 27 | 17 |
| RATE... | | 134.7 | 109.4 | 69.3 | 40.1 | * |
| 1,000-1,249 GRAMS.....NUMBER... | 809 | 58 | 42 | 28 | 13 | 16 |
| RATE... | | 71.4 | 51.3 | 35.1 | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 985 | 43 | 27 | 23 | 4 | 16 |
| RATE... | | 44.0 | 27.6 | 23.5 | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 4,175 | 119 | 81 | 67 | 14 | 37 |
| RATE... | | 28.5 | 19.5 | 16.1 | * | 9.0 |
| 2,000-2,499 GRAMS.....NUMBER... | 13,116 | 138 | 80 | 58 | 22 | 58 |
| RATE... | | 10.5 | 6.1 | 4.4 | 1.7 | 4.4 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Texas | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 288,803 | 692 | 232 | 126 | 106 | 459 |
| RATE... | | 2.4 | .8 | .4 | .4 | 1.6 |
| 2,500-2,999 GRAMS.....NUMBER... | 50,390 | 230 | 89 | 48 | 41 | 141 |
| RATE... | | 4.6 | 1.8 | 1.0 | .8 | 2.8 |
| 3,000-3,499 GRAMS.....NUMBER... | 120,497 | 255 | 75 | 40 | 35 | 179 |
| RATE... | | 2.1 | .6 | .3 | .3 | 1.5 |
| 3,500-3,999 GRAMS.....NUMBER... | 89,512 | 165 | 55 | 32 | 23 | 110 |
| RATE... | | 1.8 | .6 | .4 | .3 | 1.2 |
| 4,000-4,499 GRAMS.....NUMBER... | 24,271 | 37 | 11 | 4 | 7 | 25 |
| RATE... | | 1.5 | * | * | * | 1.0 |
| 4,500-4,999 GRAMS.....NUMBER... | 3,739 | 3 | - | - | - | 3 |
| RATE... | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 394 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 90 | 46 | 34 | 34 | - | 12 |
| RATE... | | 508.5 | 373.4 | 373.4 | - | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Texas | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 41,308 | 413 | 247 | 191 | 56 | 166 |
| RATE... | | 10.0 | 6.0 | 4.6 | 1.3 | 4.0 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,188 | 230 | 188 | 157 | 30 | 43 |
| RATE... | | 194.0 | 158.2 | 132.6 | 25.6 | 35.8 |
| LESS THAN 2,500 GRAMS....NUMBER... | 5,266 | 279 | 210 | 167 | 43 | 70 |
| RATE... | | 53.1 | 39.8 | 31.7 | 8.1 | 13.3 |
| LESS THAN 500 GRAMS.....NUMBER... | 141 | 70 | 68 | 65 | 3 | 2 |
| RATE... | | 497.6 | 483.3 | 461.7 | * | * |
| 500-749 GRAMS.....NUMBER... | 270 | 96 | 78 | 66 | 12 | 17 |
| RATE... | | 353.9 | 290.1 | 245.0 | * | * |
| 750-999 GRAMS.....NUMBER... | 231 | 28 | 19 | 10 | 8 | 9 |
| RATE... | | 120.0 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 279 | 22 | 15 | 9 | 5 | 7 |
| RATE... | | 77.5 | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 266 | 15 | 8 | 6 | 2 | 7 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,062 | 26 | 14 | 7 | 7 | 11 |
| RATE... | | 24.1 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 3,017 | 23 | 7 | 2 | 5 | 16 |
| RATE... | | 7.7 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Texas | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 36,028 | 126 | 30 | 17 | 13 | 96 |
| RATE... | | 3.5 | .8 | * | * | 2.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 9,580 | 45 | 13 | 6 | 7 | 31 |
| RATE... | | 4.7 | * | * | * | 3.3 |
| 3,000-3,499 GRAMS.....NUMBER... | 16,056 | 50 | 8 | 5 | 3 | 42 |
| RATE... | | 3.1 | * | * | * | 2.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 8,392 | 30 | 7 | 4 | 3 | 22 |
| RATE... | | 3.5 | * | * | * | 2.7 |
| 4,000-4,499 GRAMS.....NUMBER... | 1,716 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 254 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 30 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 14 | 7 | 7 | 7 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Utah | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 47,353 | 252 | 166 | 134 | 32 | 87 |
| RATE... | | 5.3 | 3.5 | 2.8 | .7 | 1.8 |
| LESS THAN 1,500 GRAMS....NUMBER... | 526 | 102 | 92 | 87 | 5 | 9 |
| RATE... | | 193.5 | 175.8 | 165.8 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 3,127 | 156 | 127 | 115 | 13 | 29 |
| RATE... | | 50.0 | 40.7 | 36.6 | * | 9.3 |
| LESS THAN 500 GRAMS.....NUMBER... | 57 | 42 | 42 | 42 | - | - |
| RATE... | | 729.3 | 729.3 | 729.3 | - | - |
| 500-749 GRAMS.....NUMBER... | 79 | 32 | 28 | 27 | 1 | 3 |
| RATE... | | 399.0 | 359.7 | 346.3 | * | * |
| 750-999 GRAMS.....NUMBER... | 97 | 16 | 13 | 11 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 123 | 4 | 3 | 3 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 170 | 8 | 6 | 4 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 601 | 24 | 14 | 12 | 2 | 9 |
| RATE... | | 39.3 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,000 | 31 | 21 | 15 | 5 | 10 |
| RATE... | | 15.4 | 10.3 | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Utah | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 44,223 | 94 | 36 | 17 | 19 | 58 |
| RATE... | | 2.1 | .8 | * | * | 1.3 |
| 2,500-2,999 GRAMS.....NUMBER... | 8,199 | 31 | 12 | 6 | 6 | 19 |
| RATE... | | 3.8 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 19,319 | 44 | 15 | 6 | 8 | 29 |
| RATE... | | 2.3 | * | * | * | 1.5 |
| 3,500-3,999 GRAMS.....NUMBER... | 13,111 | 12 | 7 | 4 | 3 | 5 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 3,165 | 6 | 1 | - | 1 | 5 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 398 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 31 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 3 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Utah | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 44,896 | 232 | 152 | 122 | 31 | 80 |
| RATE... | | 5.2 | 3.4 | 2.7 | .7 | 1.8 |
| LESS THAN 1,500 GRAMS....NUMBER... | 488 | 97 | 87 | 82 | 5 | 9 |
| RATE... | | 198.2 | 179.1 | 168.3 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,944 | 145 | 118 | 105 | 13 | 27 |
| RATE... | | 49.3 | 40.1 | 35.8 | * | 9.1 |
| LESS THAN 500 GRAMS.....NUMBER... | 52 | 40 | 40 | 40 | - | - |
| RATE... | | 760.4 | 760.4 | 760.4 | - | - |
| 500-749 GRAMS.....NUMBER... | 71 | 28 | 25 | 24 | 1 | 3 |
| RATE... | | 401.1 | 357.4 | 342.5 | * | * |
| 750-999 GRAMS.....NUMBER... | 95 | 16 | 13 | 11 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 113 | 4 | 3 | 3 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 157 | 8 | 6 | 4 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 564 | 21 | 12 | 10 | 2 | 8 |
| RATE... | | 36.4 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,892 | 28 | 18 | 13 | 5 | 9 |
| RATE... | | 14.7 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Utah | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 41,949 | 85 | 32 | 14 | 18 | 53 |
| RATE... | | 2.0 | .8 | * | * | 1.3 |
| 2,500-2,999 GRAMS.....NUMBER... | 7,689 | 28 | 10 | 5 | 5 | 18 |
| RATE... | | 3.6 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 18,320 | 40 | 14 | 5 | 8 | 27 |
| RATE... | | 2.2 | * | * | * | 1.5 |
| 3,500-3,999 GRAMS.....NUMBER... | 12,523 | 10 | 6 | 3 | 3 | 4 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 3,021 | 5 | 1 | - | 1 | 4 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 369 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 27 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 3 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Utah | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 328 | 4 | 3 | 2 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 4 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| LESS THAN 2,500 GRAMS....NUMBER... | 41 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| LESS THAN 500 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 500-749 GRAMS.....NUMBER... | 1 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 750-999 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 8 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 29 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Utah | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... RATE... | 287 | 2 * | 2 * | 1 * | 1 * | - - |
| 2,500-2,999 GRAMS.....NUMBER... RATE... | 92 | 1 * | 1 * | - - | 1 * | - - |
| 3,000-3,499 GRAMS.....NUMBER... RATE... | 123 | - - | - - | - - | - - | - - |
| 3,500-3,999 GRAMS.....NUMBER... RATE... | 58 | 1 * | 1 * | 1 * | - - | - - |
| 4,000-4,499 GRAMS.....NUMBER... RATE... | 13 | - - | - - | - - | - - | - - |
| 4,500-4,999 GRAMS.....NUMBER... RATE... | 1 | - - | - - | - - | - - | - - |
| 5,000 GRAMS OR MORE.....NUMBER... RATE... | - | - - | - - | - - | - - | - - |
| NOT STATED.....NUMBER... RATE... | - | - - | - - | - - | - - | - - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Vermont | | | | | | |
| ALL RACES 1/ | | | | | | |
| - | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 6,500 | 42 | 26 | 23 | 3 | 16 |
| RATE... | | 6.4 | 4.0 | 3.5 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 74 | 22 | 20 | 19 | 1 | 2 |
| RATE... | | 298.5 | 270.6 | * | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 401 | 27 | 23 | 21 | 2 | 4 |
| RATE... | | 67.9 | 57.4 | 52.5 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 11 | 11 | 11 | 11 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 13 | 9 | 7 | 6 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 10 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 18 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 22 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 76 | 3 | 2 | 2 | - | 1 |
| RATE... | | * | * | * | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 251 | 2 | 1 | - | 1 | 1 |
| RATE... | | * | * | - | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Vermont | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 6,097 | 15 | 3 | 2 | 1 | 12 |
| RATE... | | * | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 892 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 3,000-3,499 GRAMS.....NUMBER... | 2,256 | 7 | 2 | 2 | - | 5 |
| RATE... | | * | * | * | - | * |
| 3,500-3,999 GRAMS.....NUMBER... | 2,052 | 3 | - | - | - | 3 |
| RATE... | | * | - | - | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 748 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 137 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 12 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| NOT STATED.....NUMBER... | 2 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Vermont | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 6,367 | 42 | 26 | 23 | 3 | 16 |
| RATE... | | 6.6 | 4.1 | 3.6 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 73 | 22 | 20 | 19 | 1 | 2 |
| RATE... | | 302.6 | 274.3 | * | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 387 | 27 | 23 | 21 | 2 | 4 |
| RATE... | | 70.4 | 59.5 | 54.3 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 11 | 11 | 11 | 11 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 12 | 9 | 7 | 6 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 10 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 18 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 22 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 73 | 3 | 2 | 2 | - | 1 |
| RATE... | | * | * | * | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 241 | 2 | 1 | - | 1 | 1 |
| RATE... | | * | * | - | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Vermont | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... RATE... | 5,978 | 15 * | 3 * | 2 * | 1 * | 12 * |
| 2,500-2,999 GRAMS.....NUMBER... RATE... | 871 | 2 * | - - | - - | - - | 2 * |
| 3,000-3,499 GRAMS.....NUMBER... RATE... | 2,202 | 7 * | 2 * | 2 * | - - | 5 * |
| 3,500-3,999 GRAMS.....NUMBER... RATE... | 2,023 | 3 * | - - | - - | - - | 3 * |
| 4,000-4,499 GRAMS.....NUMBER... RATE... | 738 | 1 * | - - | - - | - - | 1 * |
| 4,500-4,999 GRAMS.....NUMBER... RATE... | 132 | - - | - - | - - | - - | - - |
| 5,000 GRAMS OR MORE.....NUMBER... RATE... | 12 | 1 * | 1 * | - - | 1 * | - - |
| NOT STATED.....NUMBER... RATE... | 2 | - - | - - | - - | - - | - - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Vermont | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 32 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 1,500 GRAMS....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 2,500 GRAMS....NUMBER... | 4 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 500 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 500-749 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 750-999 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 2 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Vermont | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 28 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,500-2,999 GRAMS.....NUMBER... | 9 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,000-3,499 GRAMS.....NUMBER... | 9 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,500-3,999 GRAMS.....NUMBER... | 7 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,000-4,499 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 2 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Virginia | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 98,939 | 684 | 477 | 366 | 111 | 207 |
| RATE... | | 6.9 | 4.8 | 3.7 | 1.1 | 2.1 |
| LESS THAN 1,500 GRAMS....NUMBER... | 1,620 | 386 | 335 | 280 | 55 | 51 |
| RATE... | | 238.1 | 206.8 | 172.8 | 34.0 | 31.3 |
| LESS THAN 2,500 GRAMS....NUMBER... | 7,880 | 459 | 380 | 307 | 73 | 79 |
| RATE... | | 58.3 | 48.3 | 39.0 | 9.3 | 10.0 |
| LESS THAN 500 GRAMS.....NUMBER... | 189 | 150 | 146 | 140 | 6 | 4 |
| RATE... | | 794.0 | 772.6 | 740.8 | * | * |
| 500-749 GRAMS.....NUMBER... | 317 | 159 | 133 | 99 | 34 | 25 |
| RATE... | | 500.9 | 420.9 | 313.6 | 107.3 | 80.0 |
| 750-999 GRAMS.....NUMBER... | 298 | 37 | 27 | 21 | 6 | 10 |
| RATE... | | 125.7 | 91.6 | 71.5 | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 352 | 21 | 18 | 12 | 6 | 3 |
| RATE... | | 60.2 | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 455 | 17 | 9 | 6 | 3 | 8 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 1,514 | 21 | 17 | 12 | 5 | 4 |
| RATE... | | 14.0 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 4,755 | 54 | 29 | 16 | 13 | 24 |
| RATE... | | 11.3 | 6.1 | * | * | 5.1 |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Virginia | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 91,051 | 219 | 91 | 53 | 38 | 128 |
| RATE... | | 2.4 | 1.0 | .6 | .4 | 1.4 |
| 2,500-2,999 GRAMS.....NUMBER... | 16,605 | 72 | 30 | 17 | 13 | 42 |
| RATE... | | 4.3 | 1.8 | * | * | 2.5 |
| 3,000-3,499 GRAMS.....NUMBER... | 36,167 | 88 | 32 | 19 | 13 | 56 |
| RATE... | | 2.4 | .9 | * | * | 1.5 |
| 3,500-3,999 GRAMS.....NUMBER... | 28,312 | 46 | 20 | 10 | 10 | 25 |
| RATE... | | 1.6 | .7 | * | * | .9 |
| 4,000-4,499 GRAMS.....NUMBER... | 8,509 | 8 | 5 | 4 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,314 | 4 | 2 | 1 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 144 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 8 | 6 | 6 | 6 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Virginia | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 71,188 | 389 | 276 | 208 | 68 | 113 |
| RATE... | | 5.5 | 3.9 | 2.9 | 1.0 | 1.6 |
| LESS THAN 1,500 GRAMS....NUMBER... | 863 | 198 | 176 | 144 | 32 | 22 |
| RATE... | | 229.9 | 204.0 | 166.9 | 37.1 | 25.9 |
| LESS THAN 2,500 GRAMS....NUMBER... | 4,630 | 248 | 211 | 165 | 46 | 37 |
| RATE... | | 53.5 | 45.6 | 35.7 | 9.9 | 7.9 |
| LESS THAN 500 GRAMS.....NUMBER... | 80 | 64 | 62 | 60 | 2 | 2 |
| RATE... | | 799.3 | 773.9 | 748.9 | * | * |
| 500-749 GRAMS.....NUMBER... | 169 | 91 | 80 | 60 | 20 | 11 |
| RATE... | | 538.4 | 472.3 | 353.9 | 118.3 | * |
| 750-999 GRAMS.....NUMBER... | 163 | 20 | 16 | 13 | 3 | 4 |
| RATE... | | 124.2 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 182 | 14 | 12 | 7 | 5 | 2 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 263 | 8 | 5 | 3 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 922 | 13 | 11 | 8 | 3 | 2 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,851 | 37 | 25 | 14 | 11 | 12 |
| RATE... | | 13.1 | 8.8 | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Virginia | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 66,554 | 139 | 63 | 41 | 22 | 76 |
| RATE... | | 2.1 | .9 | .6 | .3 | 1.1 |
| 2,500-2,999 GRAMS.....NUMBER... | 10,417 | 44 | 23 | 12 | 11 | 21 |
| RATE... | | 4.3 | 2.2 | * | * | 2.0 |
| 3,000-3,499 GRAMS.....NUMBER... | 25,471 | 55 | 21 | 14 | 7 | 33 |
| RATE... | | 2.1 | .8 | * | * | 1.3 |
| 3,500-3,999 GRAMS.....NUMBER... | 22,283 | 30 | 12 | 8 | 4 | 18 |
| RATE... | | 1.4 | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 7,121 | 7 | 4 | 4 | - | 3 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,134 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 128 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| NOT STATED.....NUMBER... | 4 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Virginia | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 22,529 | 267 | 181 | 141 | 40 | 86 |
| RATE... | | 11.9 | 8.0 | 6.3 | 1.8 | 3.8 |
| LESS THAN 1,500 GRAMS....NUMBER... | 688 | 167 | 142 | 122 | 20 | 25 |
| RATE... | | 242.9 | 206.0 | 176.9 | 29.1 | 36.9 |
| LESS THAN 2,500 GRAMS....NUMBER... | 2,850 | 190 | 151 | 127 | 24 | 40 |
| RATE... | | 66.8 | 52.9 | 44.5 | 8.4 | 13.9 |
| LESS THAN 500 GRAMS.....NUMBER... | 93 | 74 | 72 | 68 | 4 | 2 |
| RATE... | | 795.2 | 773.5 | 730.5 | * | * |
| 500-749 GRAMS.....NUMBER... | 138 | 64 | 51 | 39 | 12 | 13 |
| RATE... | | 462.2 | 366.6 | 279.6 | * | * |
| 750-999 GRAMS.....NUMBER... | 123 | 16 | 10 | 8 | 2 | 6 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 155 | 5 | 5 | 4 | 1 | - |
| RATE... | | * | * | * | * | - |
| 1,250-1,499 GRAMS.....NUMBER... | 176 | 8 | 4 | 3 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 525 | 7 | 5 | 3 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,640 | 16 | 4 | 2 | 2 | 12 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Virginia | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 19,676 | 74 | 27 | 11 | 16 | 47 |
| RATE... | | 3.8 | 1.4 | * | * | 2.4 |
| 2,500-2,999 GRAMS.....NUMBER... | 5,068 | 25 | 7 | 5 | 2 | 18 |
| RATE... | | 5.0 | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 8,482 | 32 | 10 | 4 | 6 | 22 |
| RATE... | | 3.8 | * | * | * | 2.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 4,863 | 13 | 8 | 2 | 6 | 5 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,105 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| 4,500-4,999 GRAMS.....NUMBER... | 146 | 2 | 1 | - | 1 | 1 |
| RATE... | | * | * | - | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 12 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 3 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Washington | | | | | | |
| ALL RACES 1/ — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 81,038 | 421 | 247 | 189 | 58 | 174 |
| RATE... | | 5.2 | 3.0 | 2.3 | .7 | 2.1 |
| LESS THAN 1,500 GRAMS....NUMBER... | 772 | 166 | 140 | 120 | 20 | 26 |
| RATE... | | 215.4 | 181.3 | 155.4 | 25.9 | 34.0 |
| LESS THAN 2,500 GRAMS....NUMBER... | 4,522 | 218 | 168 | 142 | 26 | 50 |
| RATE... | | 48.1 | 37.2 | 31.4 | 5.7 | 11.0 |
| LESS THAN 500 GRAMS.....NUMBER... | 70 | 58 | 57 | 57 | - | 1 |
| RATE... | | 828.7 | 814.3 | 814.3 | - | * |
| 500-749 GRAMS.....NUMBER... | 110 | 48 | 42 | 35 | 7 | 6 |
| RATE... | | 437.0 | 381.8 | 318.2 | * | * |
| 750-999 GRAMS.....NUMBER... | 163 | 32 | 21 | 13 | 8 | 11 |
| RATE... | | 197.0 | 128.8 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 184 | 16 | 11 | 8 | 3 | 5 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 242 | 12 | 9 | 7 | 2 | 3 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 906 | 25 | 14 | 11 | 3 | 11 |
| RATE... | | 27.7 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,847 | 26 | 14 | 11 | 3 | 12 |
| RATE... | | 9.2 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Washington | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 76,227 | 179 | 58 | 30 | 28 | 121 |
| RATE... | | 2.4 | .8 | .4 | .4 | 1.6 |
| 2,500-2,999 GRAMS.....NUMBER... | 10,963 | 45 | 18 | 12 | 6 | 27 |
| RATE... | | 4.1 | * | * | * | 2.5 |
| 3,000-3,499 GRAMS.....NUMBER... | 28,437 | 75 | 28 | 14 | 14 | 47 |
| RATE... | | 2.6 | 1.0 | * | * | 1.6 |
| 3,500-3,999 GRAMS.....NUMBER... | 26,331 | 43 | 8 | 4 | 4 | 35 |
| RATE... | | 1.6 | * | * | * | 1.3 |
| 4,000-4,499 GRAMS.....NUMBER... | 8,707 | 12 | 3 | - | 3 | 9 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,616 | 2 | 1 | - | 1 | 1 |
| RATE... | | * | * | - | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 173 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| NOT STATED.....NUMBER... | 289 | 24 | 21 | 17 | 4 | 3 |
| RATE... | | 83.2 | 72.7 | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Washington | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 68,678 | 337 | 201 | 153 | 48 | 136 |
| RATE... | | 4.9 | 2.9 | 2.2 | .7 | 2.0 |
| LESS THAN 1,500 GRAMS....NUMBER... | 602 | 130 | 110 | 93 | 17 | 20 |
| RATE... | | 216.3 | 182.7 | 154.5 | * | 33.6 |
| LESS THAN 2,500 GRAMS....NUMBER... | 3,595 | 178 | 137 | 115 | 22 | 41 |
| RATE... | | 49.6 | 38.1 | 32.0 | 6.1 | 11.5 |
| LESS THAN 500 GRAMS.....NUMBER... | 49 | 38 | 37 | 37 | - | 1 |
| RATE... | | 775.7 | 755.1 | 755.1 | - | * |
| 500-749 GRAMS.....NUMBER... | 87 | 43 | 39 | 32 | 7 | 4 |
| RATE... | | 494.8 | 448.3 | 367.8 | * | * |
| 750-999 GRAMS.....NUMBER... | 127 | 27 | 18 | 13 | 5 | 9 |
| RATE... | | 213.3 | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 149 | 12 | 8 | 5 | 3 | 4 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 188 | 10 | 8 | 6 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 749 | 23 | 13 | 11 | 2 | 10 |
| RATE... | | 30.8 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,246 | 25 | 14 | 11 | 3 | 11 |
| RATE... | | 11.2 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Washington | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 64,868 | 141 | 48 | 25 | 23 | 93 |
| RATE... | | 2.2 | .7 | .4 | .4 | 1.4 |
| 2,500-2,999 GRAMS.....NUMBER... | 8,772 | 37 | 14 | 10 | 4 | 23 |
| RATE... | | 4.2 | * | * | * | 2.6 |
| 3,000-3,499 GRAMS.....NUMBER... | 23,619 | 60 | 24 | 12 | 12 | 36 |
| RATE... | | 2.6 | 1.0 | * | * | 1.5 |
| 3,500-3,999 GRAMS.....NUMBER... | 23,041 | 31 | 6 | 3 | 3 | 25 |
| RATE... | | 1.4 | * | * | * | 1.1 |
| 4,000-4,499 GRAMS.....NUMBER... | 7,811 | 9 | 3 | - | 3 | 6 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,466 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 159 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| NOT STATED.....NUMBER... | 215 | 18 | 16 | 13 | 3 | 2 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Washington | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 3,497 | 27 | 14 | 12 | 2 | 13 |
| RATE... | | 7.8 | * | * | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 87 | 13 | 9 | 8 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 368 | 13 | 9 | 8 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 8 | 7 | 7 | 7 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 11 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 750-999 GRAMS.....NUMBER... | 22 | 3 | 1 | - | 1 | 2 |
| RATE... | | * | * | - | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 17 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 28 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 61 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 221 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Washington | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 3,103 | 12 | 3 | 2 | 1 | 9 |
| RATE... | | * | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 673 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 3,000-3,499 GRAMS.....NUMBER... | 1,295 | 7 | 3 | 2 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 860 | 2 | - | - | - | 2 |
| RATE... | | * | - | - | - | * |
| 4,000-4,499 GRAMS.....NUMBER... | 244 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 27 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 4 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 26 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| West Virginia | | | | | | |
| ALL RACES 1/ | | | | | | |
| - | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 20,865 | 154 | 99 | 76 | 23 | 55 |
| RATE... | | 7.4 | 4.8 | 3.7 | 1.1 | 2.6 |
| LESS THAN 1,500 GRAMS....NUMBER... | 315 | 71 | 65 | 54 | 11 | 6 |
| RATE... | | 225.8 | 206.8 | 171.8 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 1,742 | 93 | 76 | 60 | 16 | 17 |
| RATE... | | 53.5 | 43.7 | 34.5 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 29 | 27 | 27 | 24 | 3 | - |
| RATE... | | 933.4 | 933.4 | 830.0 | * | - |
| 500-749 GRAMS.....NUMBER... | 52 | 27 | 24 | 18 | 6 | 3 |
| RATE... | | 519.6 | 461.9 | * | * | * |
| 750-999 GRAMS.....NUMBER... | 53 | 4 | 2 | 1 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 82 | 8 | 7 | 7 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 98 | 5 | 5 | 4 | 1 | - |
| RATE... | | * | * | * | * | - |
| 1,500-1,999 GRAMS.....NUMBER... | 344 | 5 | 2 | - | 2 | 3 |
| RATE... | | * | * | - | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,084 | 17 | 9 | 6 | 3 | 8 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| West Virginia | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 19,114 | 60 | 22 | 15 | 7 | 38 |
| RATE... | | 3.1 | 1.2 | * | * | 2.0 |
| 2,500-2,999 GRAMS.....NUMBER... | 3,682 | 16 | 7 | 5 | 2 | 9 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 7,680 | 27 | 9 | 5 | 4 | 18 |
| RATE... | | 3.5 | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 5,834 | 14 | 5 | 4 | 1 | 9 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,635 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 254 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 29 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 9 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| West Virginia | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 19,967 | 146 | 92 | 70 | 22 | 54 |
| RATE... | | 7.3 | 4.6 | 3.5 | 1.1 | 2.7 |
| LESS THAN 1,500 GRAMS....NUMBER... | 287 | 66 | 60 | 49 | 11 | 6 |
| RATE... | | 230.4 | 209.5 | 171.2 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 1,612 | 87 | 70 | 55 | 15 | 17 |
| RATE... | | 54.1 | 43.5 | 34.2 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 27 | 25 | 25 | 22 | 3 | - |
| RATE... | | 928.5 | 928.5 | 817.4 | * | - |
| 500-749 GRAMS.....NUMBER... | 47 | 25 | 22 | 16 | 6 | 3 |
| RATE... | | 532.3 | 468.5 | * | * | * |
| 750-999 GRAMS.....NUMBER... | 49 | 4 | 2 | 1 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 73 | 7 | 6 | 6 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 90 | 5 | 5 | 4 | 1 | - |
| RATE... | | * | * | * | * | - |
| 1,500-1,999 GRAMS.....NUMBER... | 312 | 5 | 2 | - | 2 | 3 |
| RATE... | | * | * | - | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 1,014 | 16 | 8 | 6 | 2 | 8 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| West Virginia | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 18,346 | 58 | 21 | 14 | 7 | 37 |
| RATE... | | 3.2 | 1.2 | * | * | 2.0 |
| 2,500-2,999 GRAMS.....NUMBER... | 3,473 | 15 | 6 | 4 | 2 | 9 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 7,353 | 26 | 9 | 5 | 4 | 17 |
| RATE... | | 3.5 | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 5,655 | 14 | 5 | 4 | 1 | 9 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 1,588 | 3 | 1 | 1 | - | 2 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 248 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 29 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 9 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| West Virginia | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 778 | 8 | 7 | 6 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 27 | 5 | 5 | 5 | - | - |
| RATE... | | * | * | * | - | - |
| LESS THAN 2,500 GRAMS....NUMBER... | 120 | 6 | 6 | 5 | 1 | - |
| RATE... | | * | * | * | * | - |
| LESS THAN 500 GRAMS.....NUMBER... | 2 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 5 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 750-999 GRAMS.....NUMBER... | 4 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 8 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 8 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 31 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 62 | 1 | 1 | - | 1 | - |
| RATE... | | * | * | - | * | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| West Virginia | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 658 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 2,500-2,999 GRAMS.....NUMBER... | 181 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 3,000-3,499 GRAMS.....NUMBER... | 289 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 3,500-3,999 GRAMS.....NUMBER... | 145 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,000-4,499 GRAMS.....NUMBER... | 38 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | 5 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Wisconsin | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 69,326 | 460 | 303 | 257 | 46 | 157 |
| RATE... | | 6.6 | 4.4 | 3.7 | .7 | 2.3 |
| LESS THAN 1,500 GRAMS....NUMBER... | 852 | 221 | 197 | 181 | 16 | 24 |
| RATE... | | 259.4 | 231.2 | 212.4 | * | 28.2 |
| LESS THAN 2,500 GRAMS....NUMBER... | 4,525 | 285 | 235 | 213 | 22 | 50 |
| RATE... | | 63.0 | 51.9 | 47.1 | 4.9 | 11.1 |
| LESS THAN 500 GRAMS.....NUMBER... | 99 | 89 | 87 | 87 | - | 2 |
| RATE... | | 899.0 | 878.8 | 878.8 | - | * |
| 500-749 GRAMS.....NUMBER... | 151 | 70 | 62 | 56 | 6 | 8 |
| RATE... | | 463.6 | 410.6 | 370.9 | * | * |
| 750-999 GRAMS.....NUMBER... | 178 | 30 | 23 | 16 | 7 | 7 |
| RATE... | | 168.5 | 129.2 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 193 | 15 | 12 | 11 | 1 | 3 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 230 | 17 | 13 | 11 | 2 | 4 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 920 | 30 | 19 | 16 | 3 | 11 |
| RATE... | | 32.6 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,754 | 34 | 19 | 16 | 3 | 15 |
| RATE... | | 12.3 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Wisconsin | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 64,796 | 171 | 64 | 40 | 24 | 107 |
| RATE... | | 2.6 | 1.0 | .6 | .4 | 1.7 |
| 2,500-2,999 GRAMS.....NUMBER... | 10,012 | 56 | 22 | 14 | 8 | 34 |
| RATE... | | 5.6 | 2.2 | * | * | 3.4 |
| 3,000-3,499 GRAMS.....NUMBER... | 24,551 | 53 | 18 | 13 | 5 | 35 |
| RATE... | | 2.2 | * | * | * | 1.4 |
| 3,500-3,999 GRAMS.....NUMBER... | 21,708 | 48 | 15 | 7 | 8 | 33 |
| RATE... | | 2.2 | * | * | * | 1.5 |
| 4,000-4,499 GRAMS.....NUMBER... | 7,191 | 11 | 7 | 6 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,201 | 3 | 2 | - | 2 | 1 |
| RATE... | | * | * | - | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 133 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 5 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Wisconsin | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 59,790 | 336 | 228 | 192 | 36 | 108 |
| RATE... | | 5.6 | 3.8 | 3.2 | .6 | 1.8 |
| LESS THAN 1,500 GRAMS....NUMBER... | 621 | 158 | 142 | 129 | 13 | 16 |
| RATE... | | 254.4 | 228.7 | 207.7 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 3,466 | 209 | 175 | 157 | 18 | 34 |
| RATE... | | 60.3 | 50.5 | 45.3 | * | 9.8 |
| LESS THAN 500 GRAMS.....NUMBER... | 60 | 54 | 52 | 52 | - | 2 |
| RATE... | | 900.0 | 866.7 | 866.7 | - | * |
| 500-749 GRAMS.....NUMBER... | 109 | 52 | 48 | 43 | 5 | 4 |
| RATE... | | 477.1 | 440.4 | 394.5 | * | * |
| 750-999 GRAMS.....NUMBER... | 131 | 26 | 20 | 15 | 5 | 6 |
| RATE... | | 198.5 | 152.7 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 142 | 13 | 11 | 10 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER... | 178 | 13 | 11 | 9 | 2 | 2 |
| RATE... | | * | * | * | * | * |
| 1,500-1,999 GRAMS.....NUMBER... | 691 | 24 | 17 | 14 | 3 | 7 |
| RATE... | | 34.8 | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER... | 2,155 | 27 | 16 | 14 | 2 | 11 |
| RATE... | | 12.5 | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Wisconsin | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 56,320 | 124 | 50 | 32 | 18 | 74 |
| RATE... | | 2.2 | .9 | .6 | * | 1.3 |
| 2,500-2,999 GRAMS.....NUMBER... | 7,935 | 38 | 16 | 12 | 4 | 22 |
| RATE... | | 4.8 | * | * | * | 2.8 |
| 3,000-3,499 GRAMS.....NUMBER... | 20,804 | 37 | 14 | 10 | 4 | 23 |
| RATE... | | 1.8 | * | * | * | 1.1 |
| 3,500-3,999 GRAMS.....NUMBER... | 19,626 | 38 | 12 | 5 | 7 | 26 |
| RATE... | | 1.9 | * | * | * | 1.3 |
| 4,000-4,499 GRAMS.....NUMBER... | 6,708 | 8 | 6 | 5 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 1,126 | 3 | 2 | - | 2 | 1 |
| RATE... | | * | * | - | * | * |
| 5,000 GRAMS OR MORE.....NUMBER... | 121 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 4 | 3 | 3 | 3 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Wisconsin | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 6,502 | 108 | 65 | 57 | 8 | 43 |
| RATE... | | 16.6 | 10.0 | 8.8 | * | 6.6 |
| LESS THAN 1,500 GRAMS....NUMBER... | 201 | 55 | 48 | 46 | 2 | 7 |
| RATE... | | 273.7 | 238.8 | 228.9 | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 869 | 66 | 52 | 49 | 3 | 14 |
| RATE... | | 76.0 | 59.8 | 56.4 | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 36 | 33 | 33 | 33 | - | - |
| RATE... | | 916.7 | 916.7 | 916.7 | - | - |
| 500-749 GRAMS.....NUMBER... | 37 | 15 | 11 | 10 | 1 | 4 |
| RATE... | | * | * | * | * | * |
| 750-999 GRAMS.....NUMBER... | 42 | 3 | 2 | 1 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER... | 39 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,250-1,499 GRAMS.....NUMBER... | 47 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 194 | 5 | 1 | 1 | - | 4 |
| RATE... | | * | * | * | - | * |
| 2,000-2,499 GRAMS.....NUMBER... | 474 | 6 | 3 | 2 | 1 | 3 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Wisconsin | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 5,632 | 41 | 12 | 7 | 5 | 29 |
| RATE... | | 7.3 | * | * | * | 5.1 |
| 2,500-2,999 GRAMS.....NUMBER... | 1,531 | 16 | 5 | 1 | 4 | 11 |
| RATE... | | * | * | * | * | * |
| 3,000-3,499 GRAMS.....NUMBER... | 2,541 | 13 | 3 | 3 | - | 10 |
| RATE... | | * | * | * | - | * |
| 3,500-3,999 GRAMS.....NUMBER... | 1,252 | 10 | 3 | 2 | 1 | 7 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 258 | 2 | 1 | 1 | - | 1 |
| RATE... | | * | * | * | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 45 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 5 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 1 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Wyoming | | | | | | |
| ALL RACES 1/ | | | | | | |
| — | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 6,253 | 42 | 29 | 24 | 5 | 13 |
| RATE... | | 6.7 | 4.7 | 3.9 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 65 | 16 | 15 | 14 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 516 | 22 | 19 | 17 | 2 | 3 |
| RATE... | | 42.8 | * | * | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 4 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 16 | 9 | 9 | 8 | 1 | - |
| RATE... | | * | * | * | * | - |
| 750-999 GRAMS.....NUMBER... | 7 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 19 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 18 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 88 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 364 | 4 | 2 | 1 | 1 | 2 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Wyoming | | | | | | |
| ALL RACES 1/ — | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 5,736 | 20 | 10 | 7 | 3 | 10 |
| RATE... | | 3.5 | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 1,320 | 6 | 4 | 4 | - | 2 |
| RATE... | | * | * | * | - | * |
| 3,000-3,499 GRAMS.....NUMBER... | 2,511 | 8 | 3 | 2 | 1 | 5 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 1,543 | 4 | 2 | 1 | 1 | 2 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 322 | 2 | 1 | - | 1 | 1 |
| RATE... | | * | * | - | * | * |
| 4,500-4,999 GRAMS.....NUMBER... | 36 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 4 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Wyoming | | | | | | |
| WHITE | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 5,870 | 40 | 28 | 24 | 4 | 12 |
| RATE... | | 6.8 | 4.8 | 4.1 | * | * |
| LESS THAN 1,500 GRAMS....NUMBER... | 62 | 16 | 15 | 14 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| LESS THAN 2,500 GRAMS....NUMBER... | 485 | 22 | 19 | 17 | 2 | 3 |
| RATE... | | 45.6 | * | * | * | * |
| LESS THAN 500 GRAMS.....NUMBER... | 4 | 4 | 4 | 4 | - | - |
| RATE... | | * | * | * | - | - |
| 500-749 GRAMS.....NUMBER... | 16 | 9 | 9 | 8 | 1 | - |
| RATE... | | * | * | * | * | - |
| 750-999 GRAMS.....NUMBER... | 6 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | 17 | 1 | 1 | 1 | - | - |
| RATE... | | * | * | * | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | 18 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 1,500-1,999 GRAMS.....NUMBER... | 85 | 2 | 2 | 2 | - | - |
| RATE... | | * | * | * | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 339 | 4 | 2 | 1 | 1 | 2 |
| RATE... | | * | * | * | * | * |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Wyoming | | | | | | |
| WHITE | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 5,384 | 18 | 9 | 7 | 2 | 9 |
| RATE... | | * | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER... | 1,243 | 6 | 4 | 4 | - | 2 |
| RATE... | | * | * | * | - | * |
| 3,000-3,499 GRAMS.....NUMBER... | 2,368 | 8 | 3 | 2 | 1 | 5 |
| RATE... | | * | * | * | * | * |
| 3,500-3,999 GRAMS.....NUMBER... | 1,435 | 3 | 2 | 1 | 1 | 1 |
| RATE... | | * | * | * | * | * |
| 4,000-4,499 GRAMS.....NUMBER... | 301 | 1 | - | - | - | 1 |
| RATE... | | * | - | - | - | * |
| 4,500-4,999 GRAMS.....NUMBER... | 34 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | 3 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Wyoming | | | | | | |
| BLACK | | | | | | |
| ALL BIRTHWEIGHTS.....NUMBER... | 57 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 1,500 GRAMS....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 2,500 GRAMS....NUMBER... | 6 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| LESS THAN 500 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 500-749 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 750-999 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,000-1,249 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,250-1,499 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 1,500-1,999 GRAMS.....NUMBER... | 1 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,000-2,499 GRAMS.....NUMBER... | 5 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

TABLE 33

LIVE BIRTHS BY STATE OF RESIDENCE, RACE OF MOTHER, AND BIRTHWEIGHT; AND INFANT DEATHS, AND INFANT MORTALITY RATES
BY STATE OF RESIDENCE, RACE OF MOTHER, BIRTHWEIGHT, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS. RACE IS ACCORDING TO RACE REPORTED ON THE MATCHING BIRTH CERTIFICATE)

| STATE OF RESIDENCE, RACE OF MOTHER AND BIRTHWEIGHT | LIVE BIRTHS | INFANT DEATHS | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|---|-------------|------------------|-------------------|-------------------|------------------|-------------------|
| Wyoming | | | | | | |
| BLACK | | | | | | |
| 2,500 GRAMS OR MORE.....NUMBER... | 51 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 2,500-2,999 GRAMS.....NUMBER... | 17 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,000-3,499 GRAMS.....NUMBER... | 20 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 3,500-3,999 GRAMS.....NUMBER... | 12 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,000-4,499 GRAMS.....NUMBER... | 2 | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 4,500-4,999 GRAMS.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| 5,000 GRAMS OR MORE.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |
| NOT STATED.....NUMBER... | - | - | - | - | - | - |
| RATE... | | - | - | - | - | - |

1/ INCLUDES RACES OTHER THAN WHITE AND BLACK.

2/ INCLUDES ALEUTS AND ESKIMOS.

-